Test Runs

Current date / time: **15 Nov 01:32**

ID	State	Name	Started at	Ended at	Autostart
176	ended	2h Test 2013-11-03 new Scenarios clone 5	about 23 hours ago, 14 Nov 01:08	about 21 hours ago, 14 Nov 03:30	true

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 2×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

ID	State	Name	Started at	Ended at	Autostart
174	ended	2h Test 2013-11-03 new Scenarios clone 3	1 day ago, 13 Nov 17:32	1 day ago, 13 Nov 19:56	true

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 2×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

ID	State	Name	Started at	Ended at	Autostart
173	ended	2∧k-C15-B4-W4-Db8 clone 3 (was #152)	1 day ago, 13 Nov 08:39	1 day ago, 13 Nov 09:15	true

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

ID	State	Name	Started at	Ended at	Autostart
172	not_started	https://testmaster2-asl-eth.renuo.ch/test_runs/2003 2∧k-C15-B4-W4-Db4 clone 2			false

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

ID	State	Name	Started at	Ended at	Autostart
167	not_started	https://testmaster2-asl-eth.renuo.ch/test_runs/2001 =>			false

IncreaseLoadTest+10ClientsPer5Min
clone 1

4×30 one way clients, 4×3 simple shutdown brokers (machines × instances per machine)

20 broker.workerthread.count, **15** broker.db.connectionpool.size

| 166 | ended | 2^k-C30-B8-W8-Db8 clone 2 | 1 day ago, 13 Nov 08:00 | 1 day ago, 13 Nov 08:37 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

| 165 | ended | 2^k-C30-B8-W8-Db4 clone 2 | 1 day ago, 13 Nov 07:22 | 1 day ago, 13 Nov 07:59 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

| 164 | ended | 2^k-C30-B8-W4-Db8 clone 4 | 1 day ago, 13 Nov 06:44 | 1 day ago, 13 Nov 07:21 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

| 163 | ended | 2^k-C30-B8-W4-Db4 clone 4 | 2 days ago, 13 Nov 06:05 | 1 day ago, 13 Nov 06:43 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

| 162 | ended | 2^k-C30-B4-W8-Db8 clone 1 | 2 days ago, 13 Nov 05:26 | 2 days ago, 13 Nov 06:03 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

	8 broker.workerthread.count, **8** broker.db.connectionpool.size				

161	ended	2∧k-C30-B4-W8-Db4 clone 3	2 days ago, 13 Nov 04:48	2 days ago, 13 Nov 05:25	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

160	ended	2∧k-C30-B4-W4-Db8 clone 3	2 days ago, 13 Nov 04:10	2 days ago, 13 Nov 04:47	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

159	ended	2∧k-C30-B4-W4-Db4 clone 2	2 days ago, 13 Nov 03:32	2 days ago, 13 Nov 04:09	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

158	not_started	https://testmaster2-asl-eth.renuo.ch/test_runs/2006 2∧k-C15-B8-W8-Db8 clone 8			false

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

157	not_started	https://testmaster2-asl-eth.renuo.ch/test_runs/2005 2∧k-C15-B8-W8-Db4 clone 7			false

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

| 156 | not_started | https://testmaster2-asl-eth.renuo.ch/test_runs/2004 2^k-C15-B8-W4-Db8 clone 6 | | | false |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

| 155 | not_started | https://testmaster2-asl-eth.renuo.ch/test_runs/2009 2^k-C15-B8-W4-Db4 clone 5 | | | false |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

| 154 | not_started | https://testmaster2-asl-eth.renuo.ch/test_runs/2008 2^k-C15-B4-W8-Db8 clone 4 | | | false |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

| 153 | not_started | https://testmaster2-asl-eth.renuo.ch/test_runs/2007 2^k-C15-B4-W8-Db4 clone 3 | | | false |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

| 150 | ended | 2h Test 2013-11-03 new Scenarios clone 2 | 2 days ago, 12 Nov 16:39 | 2 days ago, 12 Nov 18:52 | true |

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 2×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

| 149 | ended | 20min Test 2013-11-03 new Scenarios clone 2 | 2 days ago, 12 Nov 16:06 | 2 days ago, 12 Nov 16:38 | true |

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 2×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

148	ended	2^k-C30-B8-W8-Db8 clone 1	3 days ago, 12 Nov 10:49	3 days ago, 12 Nov 11:36	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

147	ended	2^k-C30-B8-W8-Db4 clone 1	3 days ago, 12 Nov 10:10	3 days ago, 12 Nov 10:48	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

146	ended	2^k-C30-B8-W4-Db4 clone 3	3 days ago, 12 Nov 09:31	3 days ago, 12 Nov 10:09	true

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

145	ended	2^k-C15-B8-W8-Db4 clone 6	3 days ago, 12 Nov 08:54	3 days ago, 12 Nov 09:30	true

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

144	ended	IncreaseLoadTest+10ClientsPer5Min	3 days ago, 12 Nov 07:25	3 days ago, 12 Nov 08:53	true

4×30 one way clients, 4×3 simple shutdown brokers (machines × instances per machine)

20 broker.workerthread.count, **15** broker.db.connectionpool.size

| 143 | ended | 2^k-C30-B8-W8-Db8 | 3 days ago, 11 Nov 22:13 | 3 days ago, 11 Nov 22:52 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

| 142 | ended | 2^k-C30-B8-W8-Db4 | 3 days ago, 11 Nov 21:34 | 3 days ago, 11 Nov 22:13 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

| 141 | ended | 2^k-C30-B8-W4-Db8 clone 3 | 3 days ago, 11 Nov 20:52 | 3 days ago, 11 Nov 21:33 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

| 140 | ended | 2^k-C30-B8-W4-Db4 clone 2 | 3 days ago, 11 Nov 20:12 | 3 days ago, 11 Nov 20:51 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×4 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

| 139 | ended | 2^k-C30-B4-W8-Db8 | 3 days ago, 11 Nov 19:33 | 3 days ago, 11 Nov 20:11 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

| 138 | ended | 2^k-C30-B4-W8-Db4 clone 2 | 3 days ago, | 3 days ago, | true |

| | | | | 11 Nov 18:54 | 11 Nov 19:32 | |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

---

| 137 | ended | 2^k-C30-B4-W4-Db8 clone 2 | 3 days ago, 11 Nov 18:06 | 3 days ago, 11 Nov 18:53 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **8** broker.db.connectionpool.size

---

| 136 | ended | 2^k-C30-B4-W4-Db4 clone 1 | 3 days ago, 11 Nov 17:27 | 3 days ago, 11 Nov 18:05 | true |

1×16 one way clients, 1×8 paired clients, 1×4 public queue consume clients, 1×2 public queue produce clients, 2×2 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **4** broker.db.connectionpool.size

---

| 135 | ended | 2^k-C15-B8-W8-Db8 clone 6 | 3 days ago, 11 Nov 16:50 | 3 days ago, 11 Nov 17:26 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **8** broker.db.connectionpool.size

---

| 134 | ended | 2^k-C15-B8-W8-Db4 clone 5 | 3 days ago, 11 Nov 16:12 | 3 days ago, 11 Nov 16:49 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

8 broker.workerthread.count, **4** broker.db.connectionpool.size

---

| 133 | ended | 2^k-C15-B8-W4-Db8 clone 5 | 3 days ago, 11 Nov 15:36 | 3 days ago, 11 Nov 16:11 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue

produce client, 2×4 simple shutdown brokers (machines × instances per machine)

| | 4 | broker.workerthread.count, | 8 | broker.db.connectionpool.size |

| 132 | ended | 2^k-C15-B8-W4-Db4 clone 4 | 3 days ago, 11 Nov 14:59 | 3 days ago, 11 Nov 15:35 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×4 simple shutdown brokers (machines × instances per machine)

| | 4 | broker.workerthread.count, | 4 | broker.db.connectionpool.size |

| 131 | ended | 2^k-C15-B4-W8-Db8 clone 3 | 3 days ago, 11 Nov 14:22 | 3 days ago, 11 Nov 14:58 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

| | 8 | broker.workerthread.count, | 8 | broker.db.connectionpool.size |

| 130 | ended | 2^k-C15-B4-W8-Db4 clone 2 | 3 days ago, 11 Nov 13:45 | 3 days ago, 11 Nov 14:21 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

| | 8 | broker.workerthread.count, | 4 | broker.db.connectionpool.size |

| 129 | ended | 2^k-C15-B4-W4-Db8 clone 1 | 3 days ago, 11 Nov 13:08 | 3 days ago, 11 Nov 13:44 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

| | 4 | broker.workerthread.count, | 8 | broker.db.connectionpool.size |

| 128 | ended | 2^k-C15-B4-W4-Db4 | 4 days ago, 11 Nov 12:30 | 3 days ago, 11 Nov 13:07 | true |

1×8 one way clients, 1×4 paired clients, 1×2 public queue consume clients, 1×1 public queue produce client, 2×2 simple shutdown brokers (machines × instances per machine)

| | 4 | broker.workerthread.count, | 4 | broker.db.connectionpool.size |

| 126 | ended | Load Test 2h Test 2013-11-03 new Scenarios clone 3 | 4 days ago, 11 Nov 04:38 | 4 days ago, 11 Nov 06:51 | true |

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 1×3 simple shutdown brokers (machines × instances per machine)

20 broker.workerthread.count, **15** broker.db.connectionpool.size

| 125 | ended | Load Test 2h Test 2013-11-03 new Scenarios clone 2 | 4 days ago, 11 Nov 02:14 | 4 days ago, 11 Nov 04:37 | true |

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 1×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

| 124 | ended | 2h Test 2013-11-03 new Scenarios clone 1 | 4 days ago, 10 Nov 22:37 | 4 days ago, 11 Nov 01:04 | true |

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 2×3 simple shutdown brokers (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

| 123 | ended | 2^k-Client20-Broker4-Worker10-DbConn03 clone 4 | 4 days ago, 10 Nov 21:15 | 4 days ago, 10 Nov 21:41 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 122 | ended | 2^k-Client20-Broker4-Worker03-DbConn10 clone 4 | 4 days ago, 10 Nov 20:48 | 4 days ago, 10 Nov 21:14 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

| 121 | ended | 2^k-Client20-Broker4-Worker03-DbConn03 clone 4 | 4 days ago, 10 Nov 20:21 | 4 days ago, 10 Nov 20:47 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 120 | ended | 2^k-Client20-Broker1-Worker10-DbConn10 clone 4 | 4 days ago, 10 Nov 19:55 | 4 days ago, 10 Nov 20:20 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

| 119 | ended | 2^k-Client20-Broker1-Worker10-DbConn03 clone 4 | 4 days ago, 10 Nov 19:29 | 4 days ago, 10 Nov 19:54 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 118 | ended | 2^k-Client20-Broker1-Worker03-DbConn10 clone 4 | 4 days ago, 10 Nov 19:03 | 4 days ago, 10 Nov 19:28 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

| 117 | ended | 2^k-Client20-Broker1-Worker03-DbConn03 clone 4 | 4 days ago, 10 Nov 18:37 | 4 days ago, 10 Nov 19:02 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 116 | ended | 2^k-Client08-Broker4-Worker10-DbConn10 clone 4 | 4 days ago, 10 Nov 18:11 | 4 days ago, 10 Nov 18:36 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

	10 broker.workerthread.count,		**10** broker.db.connectionpool.size		

115	ended	2^k-Client08-Broker4-Worker10-DbConn03 clone 4	4 days ago, 10 Nov 17:45	4 days ago, 10 Nov 18:10	true

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

	10 broker.workerthread.count,		**3** broker.db.connectionpool.size		

114	ended	2^k-Client08-Broker4-Worker03-DbConn10 clone 4	4 days ago, 10 Nov 17:19	4 days ago, 10 Nov 17:44	true

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

	3 broker.workerthread.count,		**10** broker.db.connectionpool.size		

113	ended	2^k-Client08-Broker4-Worker03-DbConn03 clone 4	4 days ago, 10 Nov 16:53	4 days ago, 10 Nov 17:18	true

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

	3 broker.workerthread.count,		**3** broker.db.connectionpool.size		

112	ended	2^k-Client08-Broker1-Worker10-DbConn10 clone 4	4 days ago, 10 Nov 16:29	4 days ago, 10 Nov 16:53	true

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	10 broker.workerthread.count,		**10** broker.db.connectionpool.size		

111	ended	2^k-Client08-Broker1-Worker10-DbConn03 clone 4	4 days ago, 10 Nov 16:05	4 days ago, 10 Nov 16:29	true

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	10 broker.workerthread.count,		**3** broker.db.connectionpool.size		

| 110 | ended | 2^k-Client08-Broker1-Worker03-DbConn10 clone 4 | 4 days ago, 10 Nov 15:40 | 4 days ago, 10 Nov 16:04 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 109 | ended | 2^k-Client08-Broker1-Worker03-DbConn03 clone 4 | 4 days ago, 10 Nov 15:15 | 4 days ago, 10 Nov 15:39 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 108 | ended | 2^k-Client20-Broker4-Worker10-DbConn10 clone 2_1 clone 2 | 4 days ago, 10 Nov 14:47 | 4 days ago, 10 Nov 15:14 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 105 | ended | 2^k-Client20-Broker4-Worker10-DbConn10 clone 2_1 clone 1 | 5 days ago, 10 Nov 05:35 | 5 days ago, 10 Nov 06:01 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 104 | ended | 2^k-Client08-Broker1-Worker03-DbConn03 clone 3 | 5 days ago, 10 Nov 05:11 | 5 days ago, 10 Nov 05:34 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 103 | ended | 2^k-Client08-Broker1-Worker03-DbConn10 clone 3 | 5 days ago, 10 Nov 04:46 | 5 days ago, 10 Nov 05:10 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 102 | ended | 2^k-Client08-Broker1-Worker10-DbConn03 clone 3 | 5 days ago, 10 Nov 04:21 | 5 days ago, 10 Nov 04:45 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **10** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 101 | ended | 2^k-Client08-Broker1-Worker10-DbConn10 clone 3 | 5 days ago, 10 Nov 03:56 | 5 days ago, 10 Nov 04:20 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 100 | ended | 2^k-Client08-Broker4-Worker03-DbConn03 clone 3 | 5 days ago, 10 Nov 03:30 | 5 days ago, 10 Nov 03:55 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 99 | ended | 2^k-Client08-Broker4-Worker03-DbConn10 clone 3 | 5 days ago, 10 Nov 03:04 | 5 days ago, 10 Nov 03:29 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 98 | ended | 2^k-Client08-Broker4-Worker10-DbConn03 clone 3 | 5 days ago, 10 Nov 02:38 | 5 days ago, 10 Nov 03:03 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 97 | ended | 2^k-Client08-Broker4-Worker10-DbConn10 clone 3 | 5 days ago, 10 Nov 02:12 | 5 days ago, 10 Nov 02:37 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

---

| 96 | ended | 2^k-Client20-Broker1-Worker03-DbConn03 clone 3 | 5 days ago, 10 Nov 01:46 | 5 days ago, 10 Nov 02:11 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 95 | ended | 2^k-Client20-Broker1-Worker03-DbConn10 clone 3 | 5 days ago, 10 Nov 01:20 | 5 days ago, 10 Nov 01:45 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

---

| 94 | ended | 2^k-Client20-Broker1-Worker10-DbConn03 clone 3 | 5 days ago, 10 Nov 00:54 | 5 days ago, 10 Nov 01:19 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 93 | ended | 2^k-Client20-Broker1-Worker10-DbConn10 clone 3 | 5 days ago, 10 Nov 00:28 | 5 days ago, 10 Nov 00:53 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

92	ended	2^k-Client20-Broker4-Worker03-DbConn03 clone 3	5 days ago, 09 Nov 23:59	5 days ago, 10 Nov 00:27	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3	broker.workerthread.count,	**3**	broker.db.connectionpool.size

91	ended	2^k-Client20-Broker4-Worker03-DbConn10 clone 3	5 days ago, 09 Nov 23:30	5 days ago, 09 Nov 23:58	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3	broker.workerthread.count,	**10**	broker.db.connectionpool.size

90	ended	2^k-Client20-Broker4-Worker10-DbConn03 clone 3	5 days ago, 09 Nov 23:01	5 days ago, 09 Nov 23:29	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10	broker.workerthread.count,	**3**	broker.db.connectionpool.size

89	ended	2h Test 2013-11-03 new Scenarios	5 days ago, 09 Nov 20:45	5 days ago, 09 Nov 23:00	true

1×30 one way clients, 1×16 paired clients, 1×10 public queue consume clients, 1×5 public queue produce clients, 1×5 simple shutdown brokers (machines × instances per machine)

4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

87	ended	2h Test 2013-11-03 clone 17	6 days ago, 09 Nov 01:40	6 days ago, 09 Nov 03:45	true

1×15 simple receive clients, 1×15 simple send clients, 1×5 simple shutdown brokers (machines × instances per machine)

4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

83	ended	2h Test 2013-11-03 clone 16	6 days ago, 08 Nov 20:07	6 days ago, 08 Nov 22:15	true

1×15 simple receive clients, 1×15 simple send clients, 1×5 simple shutdown brokers (machines × instances per machine)

	4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

82	ended	2h Test 2013-11-03 clone 15	6 days ago, 08 Nov 14:56	6 days ago, 08 Nov 17:01	true

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

80	ended	2h Test 2013-11-03 clone 13	7 days ago, 07 Nov 20:10	7 days ago, 07 Nov 20:15	true

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

77	ended	2h Test 2013-11-03 clone 12	8 days ago, 07 Nov 12:15	7 days ago, 07 Nov 14:21	true

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

76	ended	2h Test 2013-11-03 clone 11	8 days ago, 07 Nov 08:20	8 days ago, 07 Nov 10:25	true

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	4	broker.workerthread.count,	**3**	broker.db.connectionpool.size

75	ended	2h Test 2013-11-03 reduced load clone 11	8 days ago, 07 Nov 08:00	8 days ago, 07 Nov 08:05	true

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 74 | ended | 2^k-Client20-Broker4-Worker10-DbConn10 clone 2_1 | 8 days ago, 06 Nov 21:15 | 8 days ago, 06 Nov 21:41 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

---

| 73 | ended | 2h Test 2013-11-03 clone 10 | 8 days ago, 06 Nov 19:05 | 8 days ago, 06 Nov 21:13 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 72 | ended | 2^k-Client08-Broker1-Worker03-DbConn03 clone 2 | 8 days ago, 06 Nov 18:35 | 8 days ago, 06 Nov 19:01 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 71 | ended | 2^k-Client08-Broker1-Worker03-DbConn10 clone 2 | 8 days ago, 06 Nov 18:05 | 8 days ago, 06 Nov 18:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

---

| 70 | ended | 2^k-Client08-Broker1-Worker10-DbConn03 clone 2 | 8 days ago, 06 Nov 17:35 | 8 days ago, 06 Nov 18:01 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

---

| 69 | ended | 2^k-Client08-Broker1-Worker10- | 8 days ago, | 8 days ago, | true |

| | | DbConn10 clone 2 | 06 Nov 17:05 | 06 Nov 17:31 | |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 68 | ended | 2^k-Client08-Broker4-Worker03-DbConn03 clone 2 | 8 days ago, 06 Nov 16:35 | 8 days ago, 06 Nov 17:01 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 67 | ended | 2^k-Client08-Broker4-Worker03-DbConn10 clone 2 | 8 days ago, 06 Nov 16:05 | 8 days ago, 06 Nov 16:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 66 | ended | 2^k-Client08-Broker4-Worker10-DbConn03 clone 2 | 8 days ago, 06 Nov 15:35 | 8 days ago, 06 Nov 16:01 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **10** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 65 | ended | 2^k-Client08-Broker4-Worker10-DbConn10 clone 2 | 8 days ago, 06 Nov 15:05 | 8 days ago, 06 Nov 15:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 64 | ended | 2^k-Client20-Broker1-Worker03-DbConn03 clone 2 | 8 days ago, 06 Nov 14:36 | 8 days ago, 06 Nov 15:01 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines ×

instances per machine)

| | **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 63 | ended | 2^k-Client20-Broker1-Worker03-DbConn10 clone 2 | 8 days ago, 06 Nov 14:05 | 8 days ago, 06 Nov 14:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| | **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 62 | ended | 2^k-Client20-Broker1-Worker10-DbConn03 clone 2 | 8 days ago, 06 Nov 13:35 | 8 days ago, 06 Nov 14:01 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| | **10** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 61 | ended | 2^k-Client20-Broker1-Worker10-DbConn10 clone 2 | 8 days ago, 06 Nov 13:05 | 8 days ago, 06 Nov 13:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| | **10** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 60 | ended | 2^k-Client20-Broker4-Worker03-DbConn03 clone 2 | 8 days ago, 06 Nov 12:35 | 8 days ago, 06 Nov 13:02 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| | **3** | broker.workerthread.count, | **3** | broker.db.connectionpool.size |

| 59 | ended | 2^k-Client20-Broker4-Worker03-DbConn10 clone 2 | 9 days ago, 06 Nov 12:05 | 9 days ago, 06 Nov 12:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| | **3** | broker.workerthread.count, | **10** | broker.db.connectionpool.size |

| 58 | ended | 2^k-Client20-Broker4-Worker10-DbConn03 clone 2 | 9 days ago, 06 Nov 11:35 | 9 days ago, 06 Nov 12:02 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| | 10 | broker.workerthread.count, | 3 | broker.db.connectionpool.size |

| 56 | ended | OneBrokerStressTest clone 1 | 9 days ago, 06 Nov 10:40 | 9 days ago, 06 Nov 11:21 | true |

6×5 send receive clients, 1×1 simple shutdown broker (machines × instances per machine)

| | 8 | broker.workerthread.count, | 8 | broker.db.connectionpool.size |

| 54 | ended | 2h Test 2013-11-03 clone 8 | 10 days ago, 05 Nov 10:40 | 9 days ago, 05 Nov 12:54 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| | 4 | broker.workerthread.count, | 3 | broker.db.connectionpool.size |

| 53 | ended | OneBrokerStressTest | 10 days ago, 05 Nov 07:20 | 10 days ago, 05 Nov 08:01 | true |

6×5 send receive clients, 1×1 simple shutdown broker (machines × instances per machine)

| | 8 | broker.workerthread.count, | 8 | broker.db.connectionpool.size |

| 52 | ended | 2^k-Client20-Broker4-Worker10-DbConn10 clone 1 | 10 days ago, 04 Nov 18:20 | 10 days ago, 04 Nov 18:52 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| | 10 | broker.workerthread.count, | 10 | broker.db.connectionpool.size |

| 51 | ended | 2^k-Client20-Broker4-Worker10-DbConn03 clone 1 | 10 days ago, 05 Nov 06:40 | 10 days ago, 05 Nov 07:11 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines ×

instances per machine)

10 broker.workerthread.count,   **3** broker.db.connectionpool.size

---

| 50 | ended | 2^k-Client20-Broker4-Worker03-DbConn10 clone 1 | 10 days ago, 05 Nov 06:00 | 10 days ago, 05 Nov 06:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count,   **10** broker.db.connectionpool.size

---

| 49 | ended | 2^k-Client20-Broker4-Worker03-DbConn03 clone 1 | 10 days ago, 05 Nov 05:20 | 10 days ago, 05 Nov 05:51 | true |

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count,   **3** broker.db.connectionpool.size

---

| 48 | ended | 2^k-Client20-Broker1-Worker10-DbConn10 clone 1 | 10 days ago, 05 Nov 04:40 | 10 days ago, 05 Nov 05:11 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count,   **10** broker.db.connectionpool.size

---

| 47 | ended | 2^k-Client20-Broker1-Worker10-DbConn03 clone 1 | 10 days ago, 05 Nov 04:00 | 10 days ago, 05 Nov 04:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count,   **3** broker.db.connectionpool.size

---

| 46 | ended | 2^k-Client20-Broker1-Worker03-DbConn10 clone 1 | 10 days ago, 05 Nov 03:20 | 10 days ago, 05 Nov 03:51 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count,   **10** broker.db.connectionpool.size

| 45 | ended | 2^k-Client20-Broker1-Worker03-DbConn03 clone 1 | 10 days ago, 05 Nov 02:40 | 10 days ago, 05 Nov 03:11 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 44 | ended | 2^k-Client08-Broker4-Worker10-DbConn10 clone 1 | 10 days ago, 05 Nov 02:00 | 10 days ago, 05 Nov 02:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

| 43 | ended | 2^k-Client08-Broker4-Worker10-DbConn03 clone 1 | 10 days ago, 05 Nov 01:20 | 10 days ago, 05 Nov 01:51 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 42 | ended | 2^k-Client08-Broker4-Worker03-DbConn10 clone 1 | 10 days ago, 05 Nov 00:40 | 10 days ago, 05 Nov 01:11 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

| 41 | ended | 2^k-Client08-Broker4-Worker03-DbConn03 clone 1 | 10 days ago, 05 Nov 00:00 | 10 days ago, 05 Nov 00:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 40 | ended | 2^k-Client08-Broker1-Worker10-DbConn10 clone 1 | 10 days ago, 04 Nov 23:20 | 10 days ago, 04 Nov 23:51 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

| 39 | ended | 2^k-Client08-Broker1-Worker10-DbConn03 clone 1 | 10 days ago, 04 Nov 22:40 | 10 days ago, 04 Nov 23:11 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 38 | ended | 2^k-Client08-Broker1-Worker03-DbConn10 clone 1 | 10 days ago, 04 Nov 22:00 | 10 days ago, 04 Nov 22:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

| 37 | ended | 2^k-Client08-Broker1-Worker03-DbConn03 clone 1 | 10 days ago, 04 Nov 21:20 | 10 days ago, 04 Nov 21:51 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 36 | ended | 2h Test 2013-11-03 clone 7 | 10 days ago, 04 Nov 19:00 | 10 days ago, 04 Nov 21:13 | true |

5×1 simple receive clients, 5×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

| 35 | ended | 2h Test 2013-11-03 clone 4 | 11 days ago, 04 Nov 10:30 | 10 days ago, 04 Nov 12:42 | true |

5×1 simple receive clients, 5×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

	4 broker.workerthread.count,	**3** broker.db.connectionpool.size			

34	ended	2h Test 2013-11-03 clone 3	11 days ago, 03 Nov 23:00	11 days ago, 03 Nov 23:10	true

5×1 simple receive clients, 5×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count, **3** broker.db.connectionpool.size

33	ended	2^k-Client20-Broker4-Worker10-DbConn10	11 days ago, 03 Nov 23:20	11 days ago, 03 Nov 23:51	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

32	ended	2^k-Client20-Broker4-Worker10-DbConn03	11 days ago, 04 Nov 00:00	11 days ago, 04 Nov 00:35	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

31	ended	2^k-Client20-Broker4-Worker03-DbConn10	11 days ago, 04 Nov 00:40	11 days ago, 04 Nov 01:11	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

30	ended	2^k-Client20-Broker4-Worker03-DbConn03	11 days ago, 04 Nov 01:20	11 days ago, 04 Nov 01:51	true

2×5 simple receive clients, 2×5 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 29 | ended | 2^k-Client20-Broker1-Worker10-DbConn10 | 11 days ago, 04 Nov 02:00 | 11 days ago, 04 Nov 02:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| 10 | broker.workerthread.count, | 10 | broker.db.connectionpool.size |

| 28 | ended | 2^k-Client20-Broker1-Worker10-DbConn03 | 11 days ago, 04 Nov 02:40 | 11 days ago, 04 Nov 03:13 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| 10 | broker.workerthread.count, | 3 | broker.db.connectionpool.size |

| 27 | ended | 2^k-Client20-Broker1-Worker03-DbConn10 | 11 days ago, 04 Nov 03:20 | 11 days ago, 04 Nov 03:51 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| 3 | broker.workerthread.count, | 10 | broker.db.connectionpool.size |

| 26 | ended | 2^k-Client20-Broker1-Worker03-DbConn03 | 11 days ago, 04 Nov 04:00 | 11 days ago, 04 Nov 04:31 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| 3 | broker.workerthread.count, | 3 | broker.db.connectionpool.size |

| 25 | ended | 2^k-Client08-Broker4-Worker10-DbConn10 | 11 days ago, 04 Nov 04:40 | 11 days ago, 04 Nov 05:11 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

| 10 | broker.workerthread.count, | 10 | broker.db.connectionpool.size |

| 24 | ended | 2^k-Client08-Broker4-Worker10-DbConn03 | 11 days ago, 04 Nov 05:20 | 11 days ago, 04 Nov 05:51 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 23 | ended | 2^k-Client08-Broker4-Worker03-DbConn10 | 11 days ago, 04 Nov 06:00 | 11 days ago, 04 Nov 06:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

| 22 | ended | 2^k-Client08-Broker4-Worker03-DbConn03 | 11 days ago, 04 Nov 06:40 | 11 days ago, 04 Nov 07:11 | true |

2×2 simple receive clients, 2×2 simple send clients, 4×1 simple shutdown brokers (machines × instances per machine)

3 broker.workerthread.count, **3** broker.db.connectionpool.size

| 21 | ended | 2^k-Client08-Broker1-Worker10-DbConn10 | 11 days ago, 04 Nov 07:20 | 11 days ago, 04 Nov 07:50 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **10** broker.db.connectionpool.size

| 20 | ended | 2^k-Client08-Broker1-Worker10-DbConn03 | 11 days ago, 04 Nov 08:00 | 11 days ago, 04 Nov 08:31 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

10 broker.workerthread.count, **3** broker.db.connectionpool.size

| 19 | ended | 2^k-Client08-Broker1-Worker03-DbConn10 | 11 days ago, 04 Nov 08:40 | 11 days ago, 04 Nov 09:10 | true |

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count, **10** broker.db.connectionpool.size

3 broker.workerthread.count,	10 broker.db.connectionpool.size

18	ended	2^k-Client08-Broker1-Worker03-DbConn03	11 days ago, 04 Nov 09:20	11 days ago, 04 Nov 09:51	true

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

3 broker.workerthread.count,	3 broker.db.connectionpool.size

17	ended	2h Test 2013-11-03 clone 6	11 days ago, 03 Nov 20:40	11 days ago, 03 Nov 22:51	true

2×1 simple receive clients, 2×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count,	3 broker.db.connectionpool.size

16	ended	2h Test 2013-11-03 clone 5	11 days ago, 03 Nov 18:22	11 days ago, 03 Nov 20:31	true

4×1 simple receive clients, 4×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count,	3 broker.db.connectionpool.size

12	ended	2h Test 2013-11-03 clone 1	11 days ago, 03 Nov 18:16	11 days ago, 03 Nov 18:19	true

5×1 simple receive clients, 5×1 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count,	3 broker.db.connectionpool.size

11	ended	2h Test 2013-11-03	11 days ago, 03 Nov 18:03	11 days ago, 03 Nov 18:15	true

2×2 simple receive clients, 2×2 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

4 broker.workerthread.count,	3 broker.db.connectionpool.size

10	ended	2h Test	17 days	17 days	true

| | | | | ago, 28 Oct 14:50 | ago, 28 Oct 21:01 | |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)

| 9 | ended | 0.5h Test | | 17 days ago, 28 Oct 13:19 | 17 days ago, 28 Oct 13:55 | true |

2×5 simple receive clients, 2×5 simple send clients, 1×1 simple shutdown broker (machines × instances per machine)