

月度

云堤·抗D 监控防护服务报告

testzgjtest

May 2026



防攻击·找云堤

网络安全国家队



天翼安全科技有限公司

官方网站: www.ctct.cn

业务咨询: market@damddos.com

技术支持: support@damddos.com

售后电话: 400-925-9120

I. Anti-DDoS Service Overview

Dear testgjtest user, hello, thank you for using China Telecom Security Company-Cloud Shield Anti-DDoS Service. Your organization's service mode is (Standard Edition Anti-DDoS Attack Protection). During the service cycle from May 01, 2026 to May 31, 2026, we provided traffic monitoring services for 1.0721 million IPv4 addresses and 2 IPv6 address segments of your organization. During the monitoring period, the overall inbound traffic peak reached 499.99Gbps, and the overall outbound traffic peak reached 499.88Gbps. We reported 88 traffic anomalies for your organization, initiated 986 protections, and the total protected traffic reached 2375449.10Gb. Please pay close attention to the network protection status at any time. Specific service information is as follows.

1.1 Service Content



Attack Monitoring

IPv4: 1.0721 million ↑

IPv6: 2 segments



Protection and Scrubbing

Authorized Scrubbing

Manual Scrubbing by Customer

Automatic Scrubbing



Traffic Analysis

Attack Analysis

Monthly Monitoring Analysis

The current number of IP addresses is too large, please refer to the protected assets below or log in to the self-service portal to view:<https://console.damddos.com>.

1.2 Protected Assets

1.2.1 Protected IP Addresses

序号	防护IP地址	序号	防护IP地址
1	1.1.1.9/32	2	1.2.5.4/32
3	1.5.4.3/32	4	1.5.44.6/32
5	1.5.220.1/32	6	1.17.1.0/24
7	1.22.5.4/32	8	1.33.247.0/30
9	1.55.2.3/32	10	1.55.4.0/24
11	1.55.6.4/32	12	2.2.2.2/32
13	2.23.220.0/24	14	2.40.55.6/32
15	3.3.3.0/24	16	4.4.4.1/32
17	4.4.4.2/31	18	4.4.4.4/30
19	4.4.4.8/32	20	4.55.6.4/32
21	5.5.5.0/24	22	6.6.6.6/32
23	7.7.7.0/28	24	10.77.177.22/32
25	11.2.1.192/26	26	12.11.234.1/32
27	12.32.86.112/32	28	36.102.224.0/26
29	36.102.224.200/30	30	39.107.178.112/28
31	39.107.178.128/28	32	39.107.178.144/32
33	39.107.178.154/31	34	39.107.178.156/30
35	39.107.178.160/30	36	39.107.178.165/32

序号	防护IP地址	序号	防护IP地址
37	39.107.178.167/32	38	39.107.178.168/30
39	39.107.178.172/31	40	39.107.178.175/32
41	39.107.178.176/28	42	39.107.178.192/31
43	39.107.178.196/30	44	39.107.178.200/29
45	39.107.178.208/28	46	39.107.178.225/32
47	39.107.178.226/32	48	39.107.178.228/30
49	39.107.178.232/29	50	39.107.178.240/30
51	39.107.178.244/31	52	39.107.178.246/32
53	39.107.178.248/29	54	39.107.179.0/28
55	39.107.179.16/30	56	39.107.179.20/32
57	39.107.179.22/31	58	39.107.179.24/29
59	39.107.179.32/30	60	39.107.179.38/31
61	39.107.179.40/29	62	39.107.179.48/28
63	39.107.179.64/27	64	39.107.179.96/32
65	39.107.179.98/31	66	39.107.179.100/30
67	39.107.179.104/30	68	39.107.179.108/31
69	39.107.179.110/32	70	39.107.179.112/31
71	39.107.179.114/32	72	39.107.179.116/30
73	39.107.179.120/29	74	39.107.179.128/28
75	39.107.179.145/32	76	39.107.179.146/31
77	39.107.179.148/32	78	39.107.179.151/32
79	39.107.179.153/32	80	39.107.179.154/32
81	39.107.179.156/30	82	39.107.179.160/27
83	39.107.179.192/26	84	39.107.180.0/22
85	39.107.184.0/21	86	39.107.192.0/18
87	39.108.0.0/16	88	42.96.128.0/17
89	42.120.0.0/15	90	42.156.128.0/17
91	43.227.188.0/22	92	45.113.40.0/22
93	47.92.0.0/15	94	47.94.0.0/16
95	47.95.0.0/19	96	47.95.32.0/20
97	47.95.48.0/23	98	47.95.50.0/24
99	47.95.51.0/26	100	47.95.51.64/28
101	47.95.51.80/29	102	47.95.51.89/32
103	47.95.51.90/31	104	47.95.51.92/30



序号	防护IP地址	序号	防护IP地址
105	47.95.51.96/28	106	47.95.51.112/29
107	47.95.51.120/32	108	47.95.51.122/31
109	47.95.51.124/30	110	47.95.51.128/25
111	47.95.52.0/22	112	47.95.56.0/21
113	47.95.64.0/18	114	47.95.128.0/17
115	47.96.0.0/15	116	47.98.0.0/16
117	47.99.0.0/20	118	47.99.16.0/22
119	47.99.20.0/27	120	47.99.20.64/26
121	47.99.20.128/25	122	47.99.21.0/24
123	47.99.22.0/23	124	47.99.24.0/21
125	47.99.32.0/19	126	47.99.64.0/18
127	47.99.128.0/17	128	47.100.0.0/15
129	47.102.0.0/20	130	47.102.16.0/21
131	47.102.24.0/24	132	47.102.25.0/25
133	47.102.25.128/26	134	47.102.25.192/27
135	47.102.25.240/28	136	47.102.26.0/23
137	47.102.28.0/22	138	47.102.32.0/19
139	47.102.64.0/18	140	47.102.128.0/17
141	47.103.0.0/16	142	56.223.16.10/32
143	88.88.88.87/32	144	99.123.33.67/32
145	189.22.1.0/28	146	189.22.1.16/31
147	189.22.1.21/32	148	189.22.1.22/31
149	189.22.1.24/29	150	189.22.1.32/29
151	189.22.1.40/30	152	189.22.1.44/31
153	189.22.1.46/32	154	189.22.1.102/32
155	223.244.91.0/24	156	223.244.92.0/30
157	2400:89c0:1150:3::/64	158	5c92:da6c:cf67:2179:c034:2bac:e80c:ba10/126

1.2.2 Business Dynamics

--

-Content generated by AI, for reference only.

1.3 Service Overview



Number of Protections / Total Protected Traffic
986/2375449.10Gb

Number of Abnormal Notifications

88 times
Decreased by -35.77%↓
month-on-month

Inbound Traffic Peak

499.99Gbps
Increased by 100.00%↑
month-on-month

Outbound Traffic Peak

499.88Gbps
Increased by 100.00%↑
month-on-month

Your company can authorize to automatically initiate scrubbing protection for a single IP address when its traffic rate reaches a certain threshold.

1.3.1 Change Protected IP

序号	新增	序号	删除
1	36.102.224.0/26		
2	36.102.224.200/30		

1.4 Service Emergency Contact

序号	姓名	电话号码	邮箱
1	国涛	18155090815	235@qq.com



II. Attack Traffic Monitoring and Protection Details

China Telecom provides 7*24 proactive monitoring service for the IP address segments designated by your company. During the monitoring period, the detailed traffic information is as follows:

2.1 Scrubbing Protection Statistics

2.1.1 Scrubbing Record Statistics

Based on traffic anomaly burst alerts, Cloud Dam initiated 906 times of scrubbing protection for 1.1.1.1/32, 1.1.1.2/32, 1.12.14.6/32, 1.2.3.103/32, 1.2.3.112/31, 1.2.3.112/32, 1.2.3.113/32, 1.2.3.114/32, 1.2.5.141/32, 1.3.5.105/32, 1.3.5.188/32, 1.3.5.200/32, 1.3.5.201/32, 1.3.5.222/32, 1.66.3.5/32, 12.25.12.6/32, 12.75.128.1/32, 12.75.128.10/32, 12.75.128.100/32, 12.75.128.11/32, 12.75.128.12/32, 12.75.128.13/32, 12.75.128.14/32, 12.75.128.15/32, 12.75.128.16/32, 12.75.128.17/32, 12.75.128.18/32, 12.75.128.19/32, 12.75.128.2/32, 12.75.128.20/32, 12.75.128.21/32, 12.75.128.22/32, 12.75.128.23/32, 12.75.128.24/32, 12.75.128.25/32, 12.75.128.26/32, 12.75.128.27/32, 12.75.128.28/32, 12.75.128.29/32, 12.75.128.3/32, 12.75.128.30/32, 12.75.128.31/32, 12.75.128.32/32, 12.75.128.33/32, 12.75.128.34/32, 12.75.128.35/32, 12.75.128.36/32, 12.75.128.37/32, 12.75.128.38/32, 12.75.128.39/32, 12.75.128.4/32, 12.75.128.40/32, 12.75.128.41/32, 12.75.128.42/32, 12.75.128.43/32, 12.75.128.44/32, 12.75.128.45/32, 12.75.128.46/32, 12.75.128.47/32, 12.75.128.48/32, 12.75.128.49/32, 12.75.128.5/32, 12.75.128.50/32, 12.75.128.51/32, 12.75.128.52/32, 12.75.128.53/32, 12.75.128.54/32, 12.75.128.55/32, 12.75.128.56/32, 12.75.128.57/32, 12.75.128.58/32, 12.75.128.59/32, 12.75.128.6/32, 12.75.128.60/32, 12.75.128.61/32, 12.75.128.62/32, 12.75.128.63/32, 12.75.128.64/32, 12.75.128.65/32, 12.75.128.66/32, 12.75.128.67/32, 12.75.128.68/32, 12.75.128.69/32, 12.75.128.7/32, 12.75.128.70/32, 12.75.128.71/32, 12.75.128.72/32, 12.75.128.73/32, 12.75.128.74/32, 12.75.128.75/32, 12.75.128.76/32, 12.75.128.77/32, 12.75.128.78/32, 12.75.128.79/32, 12.75.128.8/32, 12.75.128.80/32, 12.75.128.81/32, 12.75.128.82/32, 12.75.128.83/32, 12.75.128.84/32, 12.75.128.85/32, 12.75.128.86/32, 12.75.128.87/32, 12.75.128.88/32, 12.75.128.89/32, 12.75.128.9/32, 12.75.128.90/32, 12.75.128.91/32, 12.75.128.92/32, 12.75.128.93/32, 12.75.128.94/32, 12.75.128.95/32, 12.75.128.96/32, 12.75.128.97/32, 12.75.128.98/32, 12.75.128.99/32, 192.168.1.1/32, 192.168.1.20/32, 2.2.2.2/32, 223.244.91.0/24, 223.244.91.13/32, 223.244.91.42/32, 223.244.91.72/32, 223.244.91.73/32, 223.244.91.74/32, 223.244.91.83/32, 2400:89c0:1150:3::/117, 240e:0604:0106:0011:0000:0000:0000:0001/128, 240e:0604:0106:0011:0000:0000:0000:0002/128, 240e:0604:0106:0011:0000:0000:0000:0003/128, 3.3.3.3/32, 31.21.220.1/32, 31.21.220.2/32, 36.102.224.0/24, 36.102.224.0/26, 36.102.224.0/32, 36.102.224.1/32, 36.102.224.10/32, 36.102.224.18/32, 36.102.224.19/32, 36.102.224.2/31, 36.102.224.2/32, 36.102.224.3/32, 36.102.224.4/31, 36.102.224.41/31, 43.4.5.5/32, 6.6.6.6/32, and 7.8.9.7/32. Due to space limitations, this document only displays the first 50 records. For the complete directory, please log in to the Cloud Dam self-service platform at <https://console.damddos.com> to view.

序号	清洗IP地址	操作来源	任务类型	清洗总流量	清洗开始时间	清洗结束时间
1	2400:89c0:1150:3::/117	授权清洗	新增	307930.41Gb	2026/05/27 18:33:45	
2	3.3.3.3/32	授权清洗	新增	179706.47Gb	2026/05/29 01:11:12	
3	3.3.3.3/32	授权清洗	新增	26272.85Gb	2026/05/28 11:29:11	2026/05/28 18:23:34
4	2400:89c0:1150:3::/117	授权清洗	新增	22738.28Gb	2026/05/27 08:50:35	2026/05/27 15:22:42
5	223.244.91.74/32	授权清洗	新增	16454.42Gb	2026/05/26 15:01:30	
6	2400:89c0:1150:3::/117	授权清洗	新增	10154.97Gb	2026/05/26 11:50:13	2026/05/26 14:28:44
7	223.244.91.74/32	授权清洗	新增	9794.39Gb	2026/05/26 11:34:01	2026/05/26 14:25:41
8	2400:89c0:1150:3::/117	授权清洗	新增	7851.65Gb	2026/05/26 16:52:06	2026/05/26 18:53:19
9	223.244.91.74/32	授权清洗	新增	3507.42Gb	2026/05/26 10:20:42	2026/05/26 11:20:08
10	2400:89c0:1150:3::/117	授权清洗	新增	3005.23Gb	2026/05/26 15:42:23	2026/05/26 16:29:01
11	2400:89c0:1150:3::/117	授权清洗	新增	1634.59Gb	2026/05/26 16:29:44	2026/05/26 16:51:39
12	2400:89c0:1150:3::/117	授权清洗	新增	1406.92Gb	2026/05/26 19:13:51	2026/05/26 19:32:07
13	31.21.220.1/32	授权清洗	新增	1200.00Gb	2026/05/07 09:52:29	2026/05/07 18:16:24
14	2400:89c0:1150:3::/117	授权清洗	新增	1045.36Gb	2026/05/26 19:32:39	2026/05/26 19:51:19

序号	清洗IP地址	操作来源	任务类型	清洗总流量	清洗开始时间	清洗结束时间
15	31.21.220.1/32	自动防护	新增	120.00Gb	2026/05/07 09:56:52	2026/05/07 09:57:41
16	31.21.220.1/32	授权清洗	新增	0.0b	2026/05/07 09:49:31	2026/05/07 09:52:07
17	43.4.5.5/32	授权清洗	新增	0.0b	2026/05/29 02:26:15	
18	7.8.9.7/32	授权清洗	新增	0.0b	2026/05/29 02:18:03	
19	192.168.1.1/32	授权清洗	新增	0.0b	2026/05/29 02:12:49	
20	192.168.1.20/32	授权清洗	新增	0.0b	2026/05/29 02:03:05	2026/05/29 02:03:16
21	12.75.128.1/32	管理平台	新增	0.0b	2026/05/28 10:35:24	2026/05/28 22:40:26
22	36.102.224.0/26	授权清洗	新增	0.0b	2026/05/28 10:14:21	
23	1.2.5.141/32	授权清洗	新增	0.0b	2026/05/27 13:43:22	2026/05/27 13:47:48
24	36.102.224.0/26	授权清洗	新增	0.0b	2026/05/26 16:34:56	2026/05/26 16:35:39
25	36.102.224.19/32	自动防护	新增	0.0b	2026/05/26 13:49:33	2026/05/26 17:11:19
26	36.102.224.18/32	自动防护	新增	0.0b	2026/05/26 13:49:01	2026/05/26 17:10:34
27	36.102.224.41/31	授权清洗	新增	0.0b	2026/05/26 09:11:25	2026/05/26 11:20:08
28	36.102.224.4/31	授权清洗	新增	0.0b	2026/05/25 13:43:09	2026/05/25 13:43:47
29	36.102.224.2/31	授权清洗	新增	0.0b	2026/05/25 13:43:09	2026/05/25 13:43:47
30	36.102.224.0/32	授权清洗	新增	0.0b	2026/05/25 13:43:08	2026/05/25 13:43:47
31	1.66.3.5/32	管理平台	新增	0.0b	2026/05/22 09:30:52	2026/05/23 09:30:55
32	12.25.12.6/32	授权清洗	新增	0.0b	2026/05/21 16:52:46	2026/05/25 15:36:21
33	36.102.224.3/32	自动防护	新增	0.0b	2026/05/21 10:40:45	2026/05/21 12:41:31
34	36.102.224.2/32	自动防护	新增	0.0b	2026/05/21 10:40:14	2026/05/21 12:41:01
35	36.102.224.1/32	自动防护	新增	0.0b	2026/05/21 10:39:47	2026/05/21 12:40:16
36	223.244.91.73/32	自动防护	新增	0.0b	2026/05/21 09:58:52	2026/05/21 12:12:20
37	223.244.91.72/32	自动防护	新增	0.0b	2026/05/21 09:58:19	2026/05/21 12:11:50
38	223.244.91.73/32	自动防护	新增	0.0b	2026/05/21 09:06:22	2026/05/21 09:44:49
39	223.244.91.72/32	自动防护	新增	0.0b	2026/05/21 09:05:49	2026/05/21 09:44:50
40	223.244.91.73/32	自动防护	新增	0.0b	2026/05/20 18:27:40	2026/05/20 20:28:16
41	223.244.91.72/32	自动防护	新增	0.0b	2026/05/20 18:27:12	2026/05/20 20:27:46
42	1.3.5.188/32	自动防护	新增	0.0b	2026/05/18 19:00:20	2026/05/18 21:11:08
43	1.3.5.188/32	自动防护	新增	0.0b	2026/05/18 18:36:05	2026/05/18 18:49:22
44	36.102.224.0/24	授权清洗	新增	0.0b	2026/05/18 16:43:32	2026/05/21 09:44:51
45	36.102.224.0/24	授权清洗	新增	0.0b	2026/05/15 11:05:12	2026/05/15 11:06:27
46	223.244.91.42/32	授权清洗	新增	0.0b	2026/05/15 11:00:26	2026/05/15 11:00:43
47	223.244.91.83/32	授权清洗	新增	0.0b	2026/05/15 09:56:39	2026/05/15 09:56:46
48	36.102.224.0/24	授权清洗	新增	0.0b	2026/05/15 09:55:55	2026/05/15 09:56:11

序号	清洗IP地址	操作来源	任务类型	清洗总流量	清洗开始时间	清洗结束时间
49	223.244.91.0/24	授权清洗	新增	0.0b	2026/05/14 17:30:15	2026/05/21 09:44:51
50	1.2.3.113/32	授权清洗	新增	0.0b	2026/05/14 16:29:20	2026/05/14 16:29:26




III. China Telecom Network-wide May Security Posture

Year Month, a total of attacks occurred within the China Telecom backbone network, with a total attack traffic of approximately ten thousand TB, and a monthly maximum attack peak of Gbps. Among them, attacks originating from international directions accounted for ten thousand TB, attack traffic originating from other domestic operators accounted for ten thousand TB, and attack traffic originating within the China Telecom network accounted for ten thousand TB, .


年	月	攻击次数 (万次)	攻击总流量 (万TB)	国际方向 (TB)	国内其他 运营商方向(TB)	电信方向 (TB)	最高攻击峰值 (Gbps)
2026	5	0.31	3.15	4008.12	3318.67	24266.70	1278.96

By calculating the peak values of each attack event on the China Telecom backbone network in the month of , about t of the total attacks had a peak value greater than 100Gbps, and the proportion of large-scale attacks compared t o last month . As shown below:



[Edit chart](#) [Delete chart](#)

Statistical analysis was conducted on the attack duration of each attack event on the China Telecom backbone network in the month of year . The main attack duration was , accounting for about of the total attacks, while the number of ultra-long attacks lasting over 24 hours was extremely small.



[Edit chart](#) [Delete chart](#)

Based on the comprehensive analysis of the above attack situation intelligence, it can be clearly seen that the current DDoS attack types are mainly high-traffic attacks in the range of . The attack traffic in this range is launched rapidly, exhausting the protection resources of ordinary anti-DDoS service providers, and after causing a noticeable congestion effect on the attack target, it ends quickly. This month's .

IV. Introduction to Cloud Dam Anti-DDoS Service

4.1 Service Products

China Telecom has deeply analyzed the characteristics of DDoS attacks and combined China Telecom's abundant Internet bandwidth, carrier-grade scrubbing equipment, powerful IT system capabilities, and professional teams to tailor a carrier-grade DDoS security protection product - "Cloud Dam" for China Telecom's government and enterprise customers. "Cloud Dam" possesses unique industry advantages such as ultra-strong T-level processing capability, rich and convenient self-service methods, second-level protection effective time, and high-precision full-coverage attack traceability capability. It provides carrier-grade DDoS security protection services for customers, and provides cybersecurity services such as DDoS attack monitoring, attack protection, and analysis and traceability for customers accessing the Internet via the China Telecom network. "Cloud Dam" provides "butler-style" DDoS attack protection solutions for government and enterprise customers, including three functional services: attack monitoring, attack protection, and analysis and traceability.

Attack Monitoring

The attack monitoring service provides abnormal traffic monitoring for protected objects according to customer requirements, and is also capable of monitoring different application traffic, including http, DNS, video, etc. When traffic abnormalities occur or exceed pre-set thresholds, the China Telecom management platform will display alarm information, which can proactively alert China Telecom's professional monitoring personnel, and at the same time, can notify the customer's point of contact via SMS or email according to customer needs.

Attack Protection

Traditional traffic scrubbing services are limited by issues such as the deployment of scrubbing equipment, and are mostly near-destination scrubbing, facing the problem of access bandwidth resource consumption. However, the traffic scrubbing provided by "Cloud Dam" is a breakthrough near-source scrubbing, utilizing the resources of the entire Telecom network to complete traffic scrubbing near the attack source, solving the problem of access bandwidth consumption.

Analysis and Traceability

The analysis and traceability service refers to analyzing the customer service traffic flowing through the China Telecom CHINANET network and the DDoS attack traffic targeting the customer network. A) Within the China Telecom network, it provides provincial traffic distribution, or provides more detailed geographical location (such as MAN/IDC) traffic distribution analysis according to customer needs. B) For non-China Telecom networks, it provides traffic distribution distinguished by country or carrier network.

4.2 Service Process

Currently, Cloud Dam Anti-D provides traffic monitoring and scrubbing protection services for testzgjtest customers.

The service process provided by Cloud Dam for testzgjtest customers is as follows:

- After Cloud Dam monitoring detects that the testzgjtest customer is under a DDoS attack, it promptly notifies them and, upon obtaining authorization, immediately initiates scrubbing protection actions. After the scrubbing actions begin, it confirms the protection effect with the relevant engineers of the testzgjtest customer until the attack ends.
- If the testzgjtest customer discovers a DDoS attack and the business is affected, they can contact Cloud Dam to initiate scrubbing protection by calling 4009259120 (suppression actions can be operated independently via self-service); both parties confirm the protection effect until the attack ends.
- After the attack ends, Cloud Dam provides the testzgjtest customer with an attack event analysis and traceback report within the specified time. The report content covers three major aspects: attack overview, attack analysis, and protection summary.

攻击防护服务流程



V. Customer Service Information

姓名	电话号码	邮箱
龙哥联系人	12300001234	zangzl@damddos.com
0524测试01	13016972666	13016972666@163.com
黄昊联系人0607	13260727276	13016972666@163.com
丁志满	13260832129	13260832129@163.com
张广军	13611512057	306512052@qq.com
马永连	15366037785	breeze2496@163.com
王川联系人	17351009603	test@qq.com
hzm 联系人	18020174365	18020174365@163.com
sjy-客户联系人	18066111243	shijy@damddos.com
王舵	18068021828	w****@damddos.com
朱正超	18151692350	zhuzc@damddos.com
国涛	18155090815	235@qq.com
高总联系人	18261195771	18261195771@163.com
mircs03	18608427509	123456@qq.com
联系人23041101	18912675660	sinocyc@163.com
晁轶	18946089905	huangy021@chinatelecom.cn
低权限	18946089906	18946089906@163.com
kxContact	18952096510	kuaixiao0217@163.com
高权限	19910525270	19181774973@163.com
孙康测试联系人		

If there are changes in contacts, please contact Telecom Cloud Dam in a timely manner (support@damddos.com).

您的需要，云堤的目标。



天翼安全科技有限公司

官方网站: www.ctct.cn

业务咨询: market@damddos.com

技术支持: support@damddos.com

售后电话: 400-925-9120