

Comparing Styling with Examples




Jake Trent


CREATOR

jaketrent.com










VS.



VS.



-  - Inline styling
-  - CSS-in-JS libraries
-  - CSS stylesheets
-  - CSS modules





- Pseudo selectors
- Media queries
- Keyframe animations
- Dynamic styles
- Overriding styles



jaketrent.com/stylingreact



Inline Styles



:hover

:focus

:active



```
<button style={{  
  color: 'black',  
  ':hover': {  
    color: 'blue'  
  }  
}} />
```





```
<button style={{  
  color: 'black',  
  ' :hover' : {  
  color: 'blue'  
  }  
}} />
```



```
<button onMouseOver={handleFocus}  
      onMouseOut={handleFocus} />
```





1. `useState()`
2. `setState()` onEvent
3. `style(state)`



```
@media (min-width: 800px) {  
  .my-selector {  
    max-width: embiggen;  
  }  
}
```



GET THE NEWSLETTER

Your email



GET THE NEWSLETTER

Your email



CSS-in-JS





styled
components



CSS Stylesheets



CSS Modules



mycomponent.module.css




<MyComponent />



`override.module.css`

`mycomponent.module.css`




“Style Abstraction”




`<MyComponent />`





- Inline styling
- CSS-in-JS libraries
- CSS stylesheets
- CSS modules





- Pseudo selectors
- Media queries
- Keyframe animations
- Dynamic styles
- Overriding styles

