

# DigiClay: a Realtime Virtual Pottery Tool

Do you have a subtitle?[2]

If so, write it here [1]

Zihan Gao · Guangsheng Feng

Received: date / Accepted: date

**Abstract** We present DigiClay, an interactive virtual reality (VR) modeling system that allows novice users to create virtual pottery works with their bimanual movement using hand-held motion controllers. Our system consists of two major components: a mesh generator and an interactive pottery model editor. The mesh generator can procedurally generate a realistic clay mesh. With the interactive pottery model editor, the user can shape the clay mesh in realtime intuitively to create a virtual pottery work. The virtual pottery created by our system can be exported as an obj file and used for 3D printing. The results of our user study have shown that our system is easier to use compared with traditional modeling systems. Users without real life pottery making experience and 3D modeling knowledge can easily create pottery works with our system.

Insert your abstract here. Include keywords, PACS and mathematical subject classification numbers as needed.

**Keywords** First keyword · Second keyword · More

## 1 Introduction

Pottery is one of the oldest human inventions, which has been playing an important role in heterogeneous civilizations in human history for thousands of years. In recent years, emerging technologies introduces virtual pottery, which extends the experience of traditional pottery craft, enabling more people to

---

F. Author  
first address  
Tel.: +123-45-678910  
Fax: +123-45-678910  
E-mail: fauthor@example.com

S. Author  
second address

experience the pottery making process. There are several systems either from academic or industry, such as Lets create! Pottery[ ], Virtual Pottery[ ], Handy Potter[ ] and CHINA[ ]. These systems can process the user input and apply the deformation on 3D pottery mesh based on user input. However, these systems did not consider some key realistic factors in real life pottery making process, such as the randomness of clay shape and haptic feedback. This kind of systems fail to make the novice users to understand pottery making process in a natural way, since some realistic details have been removed in these systems.

For novice users who are not professional 3D artists, traditional computer aided design tools, such as Maya and 3ds Max, are formidable to learn due to complex user interfaces. To address this situation, some programs such as 123D Design[ ] and Lets Pottery[ ] have been developed, which provide much simpler user interface. These works indeed provide a gentle learning curve, however, they have some common limitations.

TODO 1 interaction is not closely related intuitive 2 missing realistic experiences, not immersive 3 the boundary. lacks 3d printing

In this paper, we present DigiClay, a virtual reality system that allows users to create virtual pottery models from their hand movement, and the models can be interactively painted in real time.

There are two major design goals for DigiClay:

1 Design a system on virtual reality devices that can generate digital pottery models by bimanual manipulation from users

2 Provide an intuitive and simple approach for novice users to understand and learn basic pottery workflow and skills.

[design considerations] 1. minimize users cognitive load =, close to real life  
2. keep it simple

The main contributions of our works are: 1 Present a real-time virtual pottery creator which can generate 3D printing-ready pottery models via user bimanual manipulation.

2 Propose a virtual pottery workflow by introducing simple and intuitive user interfaces for modeling and color painting, enabling novice users to understand and learn pottery production pipeline.

3 Conduct a user study showing the comparison results among three interaction systems. The results have shown that our system is easier to use compared with traditional 3D modeling tools and is more intuitive and immersive than touchscreen-based interfaces.

Your text comes here. Separate text sections with

## 2 Related Works

### 2.1 Bimanual 3D Manipulation

Bimanual 3D manipulation is a fundamental task in both physical and virtual environments [vr interaction], which has been a popular research field. In terms

of mechanisms, 3D manipulation can be classified into two categories: bare-hand based interactions and instrument based interactions.

There are a great number of research efforts [ ] on bare-hand based interactions using depth camera such as Kinect and Leap Motion.

Cuenestics [Cuenesics] is a design space for hand-gesture based mid-air selection techniques using a depth camera Kinect, where users can select contents on interactive public displays with their gesture input.

Cui et al. [cui2016exploration] proposed a modeling system with natural free-hand interaction using a Leap Motion controller, allowing users to grab and manipulate objects with one or two hands intuitively.

While these works provided accessibility to users, the limitations are obvious as well: The input is not always accurate due to many factors such as lighting condition and occlusion, which might cause user frustration. In addition, these methods do not provide haptic feedbacks, which hinders the realistic feel for users.

Unlike bare-hand based interactions, instrument based interactions provide more control precision, haptic feedback and unambiguity.

Surface Drawing [surface drawing] is a system for creating organic 3D shapes using tangible tools such as gloves, where users can define strokes with the path of hands wearing gloves.

Hinckley et al. [Hinckley] did a research on two-handed virtual manipulation with a point design of a prop-based system, which allows users to view a cross section of a brain with interface props.

These works have a common problem that the usage of these instruments are limited to a lab context that very few users can access.

There are a number of motion controllers such as Wii Remote ( ), Playstation Move ( ) and HTC Vive ( ) that become widely commercialized products and accessible to consumers. In our project, HTC Vive system is used in our system, which provides precision, haptic feedback and well accessed by consumers.

## 2.2 Artistic Tools in Virtual Reality

Virtual Reality has shown great potential for art and design, which not only provides immersive and intuitive interfaces for user, but also creates new art medium, new art form and experience.

CavePainting [keefe2001cavepainting] is a 3D artistic medium in a fully immersive environment, which enables artists to create spatial paintings with physical props and gestures.

[DAB] intuitive realistic

Limited space Installation, not accessible

Agrawala et al. [agrawala19953d] developed an interface for painting on polygon meshes using a 6DOF space tracker, which provides a natural force-feedback for painting, allowing users to place colors on meshes intuitively.

MAI Painting Brush++ [otsuki2017brush] is a brush device for virtual painting of 3D virtual objects, where users could take a physical object in the real world and apply virtual paint to it with visual and haptic feedback.

sculpting

Virtual Clay [mcdonnell2001virtual] is a sculpture framework based on subdivision solids and physics-based modeling, which is equipped with natural, haptic based interaction, providing users with a realistic sculpting experience.

Sheng et al. [sheng2006interface] proposed an interface for virtual 3D sculpting, which uses camera-based motion tracking technology to track passive markers on the fingers and prop, enabling users to apply operations such as deforming, smoothing, pasting and extruding.

- Google Blocks - Oculus Medium

### 2.3 3D Virtual Pottery

Several applications have been developed to create virtual potteries.

Qp [koutoudis2009qp] was a tool for generating 3D pottery models, which can produce a collection of random 3D ancient greek vessels.

Based on number-theoretic techniques, Kumar et al. [kumar2011wheel] presented a system for creating digital potteries including thick-walled potteries as well, which resembles pottery works in real life.

While these systems can generate heterogeneous pottery models efficiently, their user interfaces are limited to traditional keyboard and mouse input, which are not helpful for users to understand the pottery creation process.

Handy-Potter [murugappan2013handy] was a rapid 3D creation tool, which tracks user skeletons with depth sensing camera Kinect, enabling users to create potteries using hands and arms.

Han et al. [han] presented an audiovisual interface, where hand motions are translated into musical sound.

In AR Pottery [ar pottery], augmented reality has been applied to pottery design, with which users can deform a virtual pottery using a marker held by hand.

Although with these systems users could create some virtual pottery works, the actions applied are quite different from real life pottery making process. Thus, users cannot learn the actual pottery process from using these systems.

[china] no coloring, and have no export

[design consideration - EDUCATION!!!]

In contrast to existing works, our system provides a novel pottery creation workflow in virtual reality which lets user shape and color pottery through two-handed spatial interactions, helping novice users to understand and learn real life pottery.

## 2.4 Subsection title

as required. Don't forget to give each section and subsection a unique label (see Sect. 8).

*Paragraph headings* Use paragraph headings as needed.

$$a^2 + b^2 = c^2 \tag{1}$$

## 3 Workflow

To illustrate the pipeline of pottery creation in our system, an example workflow using DigiClay is described as follows.

When a user starts to use DigiClay, a realistic clay mesh is generated with Perlin noise. In order to control the height of the clay, the user can use both of her hands to move up or down together. With one hand or both hands, the user can deform the clay symmetrically with some tunable parameters. The user can also smooth the clay during the process to get rid of sharp features.

The clay can be baked into a pottery when the user chooses to do so. Then the user can apply color painting on the pottery model. While the non-dominant hand of the user can manipulate the model such as translation and rotation, the dominant hand can pick colors and apply painting on the pottery. After the creation is done, the user can save the screenshot and save the pottery model as an OBJ file, which can be used for 3D printing.

## 4 Implementation

In this section, we will describe more details about the implementation.

### 4.1 Mesh Generation

In the initialization phase, our system procedurally generates a mesh for the clay. In our approach, we approximate the initial shape of the clay on the pottery wheel as a frustum, then adding Perlin noises to make the clay realistic. The basic parameters of the frustum is described in Table [1].

### 4.2 Mesh Editing

After observing and analyzing several real-life pottery-making videos, we put mesh editing operation into four categories: height control, thickness control, mesh deformation and mesh smoothing. These operations will be discussed in detail in the following sections.

#### *4.2.1 Height Control*

#### *4.2.2 Thickness Control*

#### *4.2.3 Mesh Shaping*

#### *4.2.4 Mesh Smoothing*

#### *Radial Smoothing*

#### *Laplacian Smoothing*

### 4.3 Haptic Feedback

## 5 Results

Unity3D and HTC Vive Windows 10  
Mesh Generation Parameters

## 6 User Study

### 6.1 Evaluated Systems

(description of each system) DigiClay a pottery tool in VR  
Lets Create Pottery a pottery tool on mobile devices  
Maya traditional modeling tool  
Reasons why choosing these three?

### 6.2 Participants

15-20

Male Female  
Age range  
Familiarity with VR systems  
Traditional CAD tools  
Real pottery experience

### 6.3 Experimental Design and Procedure

10 min training  
3 tasks  
Task<sub>DigiClay</sub>  
Task<sub>LetsPottery</sub>

**Table 1** Please write your table caption here

first	second	third
number	number	number
number	number	number

Task<sub>Maya</sub>  
 Task details  
 NASA-TLX  
 Questions  
 Q1 Q5  
 Some explanations

## 6.4 Study Results

Figure - NASA-TLX

Figure - Questions

Findings from figures

## 6.5 User Feedbacks

Positive

Suggestions

## 7 Discussions

Limitations

External

Internal

Other


## 8 Conclusions

[?]


## Acknowledgements

## References

1. Unity3d. URL <https://unity3d.com/>
2. Jacob, R.J.K., Girouard, A., Hirshfield, L.M., Horn, M.S., Shaer, O., Solovey, E.T., Zigelbaum, J.: Reality-based interaction:a framework for post-wimp interfaces. In: Proceeding of the Twenty-Sixth Sigchi Conference on Human Factors in Computing Systems, pp. 201–210 (2008)



**Fig. 1** Please write your figure caption here



**Fig. 2** Please write your figure caption here