# BRAND_TS02

## Execution Environment

| | |
|---|---|
| **Host name** | NUC - NUC13Anhi7 |
| **Local OS** | Windows 11 64bit |
| **Katalon version** | 10.2.0.0 |
| **Browser** | Chrome 136.0.7103.48 |
| **Device name** | |

## Summary

| | |
|---|---|
| **ID** | Test Suites/BRAND_TS02 |
| **Description** | |

| | | | |
|---|---|---|---|
| **Total** | 4 | | |
| **Passed** | 2 | **Failed** | 2 |
| **Error** | 0 | **Incomplete** | 0 |
| **Skipped** | 0 | | |
| **Start** | 06-05-2025 15:08:57 | **End** | 06-05-2025 15:09:50 |
| **Elapsed** | 52.590s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Backlog/Login | | PASSED |
| 2 | Test Cases/Dev Environment/BRAND_TS02_TC01 | User can add new brand. | PASSED |
| 3 | Test Cases/Dev Environment/BRAND_TS02_TC02 | User can edit brand. | FAILED |
| 4 | Test Cases/Dev Environment/BRAND_TS02_TC03 | User can delete brand. | FAILED |

# Login

## Information

| | |
|---|---|
| **ID** | Test Cases/Backlog/Login |
| **Description** | |
| **Tag** | |

| | | | |
|---|---|---|---|
| **Start** | 06-05-2025 15:08:58 | **End** | 06-05-2025 15:09:06 |
| **Elapsed** | 7.429s | | |
| **Status** | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 1.794s | PASSED |
| 2 | navigateToUrl("https://account.dev.qashup.co/login") <br><br> Navigate to 'https://account.dev.qashup.co/login' successfully | 0.509s | PASSED |
| 3 | setText(findTestObject("Object Repository/Page_Qashup Account/input_Username_username"), "admin@test.com") <br><br> Text 'admin@test.com' is set on object 'Object Repository/Page_Qashup Account/input_Username_username' | 0.819s | PASSED |
| 4 | setEncryptedText(findTestObject("Object Repository/Page_Qashup Account/input_Password_password"), "aeHFOx8jV/A=") <br><br> Text ****** has been set on object 'Object Repository/Page_Qashup Account/input_Password_password' | 0.282s | PASSED |
| 5 | click(findTestObject("Object Repository/Page_Qashup Account/button_Login")) <br><br> Object: 'Object Repository/Page_Qashup Account/button_Login' is clicked on | 0.270s | PASSED |
| 6 | click(findTestObject("Object Repository/Page_Qashup Account/div_Back Office")) <br><br> Object: 'Object Repository/Page_Qashup Account/div_Back Office' is clicked on | 1.485s | PASSED |
| 7 | Start listener action : sampleAfterTestCase <br><br> Send request successfully | 2.172s | PASSED |

# BRAND_TS02_TC01

## Information

| | |
|---|---|
| **ID** | Test Cases/Dev Environment/BRAND_TS02_TC01 |
| **Description** | User can add new brand. |
| **Tag** | |

| | | | |
|---|---|---|---|
| **Start** | 06-05-2025 15:09:06 | **End** | 06-05-2025 15:09:10 |
| **Elapsed** | 4.388s | | |
| **Status** | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Page_Qashup Backoffice/a_Brand  Branch")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/a_Brand  Branch' is clicked on | 0.841s | PASSED |
| 2 | click(findTestObject("Object Repository/Page_Qashup Backoffice/div_Brand")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/div_Brand' is clicked on | 0.702s | PASSED |
| 3 | click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Add Brand")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/button_Add Brand' is clicked on | 0.805s | PASSED |
| 4 | click(findTestObject("Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f' is clicked on | 0.477s | PASSED |
| 5 | setText(findTestObject("Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f"), "QA Merchant") <br><br> Text 'QA Merchant' is set on object 'Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f' | 0.501s | PASSED |
| 6 | click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Upload Logo")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/button_Upload Logo' is clicked on | 0.288s | PASSED |
| 7 | click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Save")) <br><br> Object: 'Object Repository/Page_Qashup Backoffice/button_Save' is clicked on | 0.290s | PASSED |

# BRAND_TS02_TC01

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | Start listener action : sampleAfterTestCase | 0.364s | PASSED |
| | Send request successfully | | |

# BRAND_TS02_TC02

## Information

| | |
|---|---|
| **ID** | Test Cases/Dev Environment/BRAND_TS02_TC02 |
| **Description** | User can edit brand. |
| **Tag** | |

| | | | |
|---|---|---|---|
| **Start** | 06-05-2025 15:09:10 | **End** | 06-05-2025 15:09:45 |
| **Elapsed** | 34.676s | | |
| **Status** | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Page_Qashup Backoffice/svg_QA Merchant_h-8 w-9")) | 3.009s | PASSED |
| | Object: 'Object Repository/Page_Qashup Backoffice/svg_QA Merchant_h-8 w-9' is clicked on | | |

# BRAND_TS02_TC02

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 2 | click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Edit")) | 31.278s | FAILED |

Unable to click on object 'Object Repository/Page_Qashup Backoffice/button_Edit' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Qashup Backoffice/button_Edit'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696)
    at BRAND_TS02_TC02.run(BRAND_TS02_TC02:22)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:486)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:477)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:456)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:322)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186)
    at TempTestSuite1746518933236.run(TempTestSuite1746518933236.groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_Qashup Backoffice/button_Edit' located by '(.//* [normalize-space(text()) and normalize-space(.)='QA 1'])[1]/following::button[3]' not found
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1457)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1746517580273.run(Script1746517580273.groovy:22) ... 15 more ) | | |
| 3 | Start listener action : sampleAfterTestCase | 0.265s | PASSED |
| | Send request successfully | | |

# BRAND_TS02_TC03

## Information

| | |
|---|---|
| **ID** | Test Cases/Dev Environment/BRAND_TS02_TC03 |
| **Description** | User can delete brand. |
| **Tag** | |

| | | | |
|---|---|---|---|
| **Start** | 06-05-2025 15:09:45 | **End** | 06-05-2025 15:09:50 |
| **Elapsed** | 5.403s | | |
| **Status** | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Page_Qashup Backoffice/div_Brand")) | 0.270s | PASSED |
| | Object: 'Object Repository/Page_Qashup Backoffice/div_Brand' is clicked on | | |

# BRAND_TS02_TC03

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 2 | click(findTestObject("Object Repository/Page_Qashup Backoffice/svg_QA 1_h-8 w-9")) | 4.787s | FAILED |

Unable to click on object 'Object Repository/Page_Qashup Backoffice/svg_QA 1_h-8 w-9'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on
object 'Object Repository/Page_Qashup Backoffice/svg_QA 1_h-8 w-9'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:117)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:43)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:75)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:696)
        at BRAND_TS02_TC03.run(BRAND_TS02_TC03:22)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:486)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:477)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:456)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:322)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
186)
        at TempTestSuite1746518933236.run(TempTestSuite1746518933236.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id
Build info: version: '4.28.1', revision: '73f5ad48a2'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version:
'17.0.14'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [7eb07100d3a8f1070ccb3bc15a7619ee, findElements {using=xpath, value=(.//*
[normalize-space(text()) and normalize-space(.)='QA 1'])[1]/following::*[name()='svg'][1]}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
136.0.7103.48, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019...,
userDataDir: C:\Users\NUC\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:63831}, networkConnectionEnabled: false, pageLoadStrategy:
normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63831/devtoo..., se:
cdpVersion: 136.0.7103.48, setWindowRect: true, strictFileInteractability: false, timeouts:
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore,
webSocketUrl: ws://localhost:15452/sessio..., webauthn:extension:credBlob: true, webauthn:
extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf:
true, webauthn:virtualAuthenticators: true}

| # | Description | Elapsed | Status |
|---|---|---|---|
| | Session ID: 7eb07100d3a8f1070ccb3bc15a7619ee<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements (ElementLocation.java:182)<br>    at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)<br>    at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source)<br>    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>    at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)<br>    at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)<br>    at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda$createProxyFactory$3(WebDriverDecorator.java:405)<br>    at org.openqa.selenium.remote.RemoteWebDriver$ByteBuddy$OgMDZq92. findElements(Unknown Source)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:759)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1447)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)<br>    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:66)<br>    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35)<br>    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) | | |

| # | Description | Elapsed | Status |
|---|---|---|---|
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) | | |
| | at Script1746517910424.run(Script1746517910424.groovy:22) | | |
| | ... 15 more | | |
| | ) | | |
| 3 | Start listener action : sampleAfterTestCase | 0.293s | PASSED |
| | Send request successfully | | |