

BRAND_TS02

Execution Environment

Host name	NUC - NUC13Anhi7
Local OS	Windows 11 64bit
Katalon version	10.2.0.0
Browser	Chrome 136.0.7103.48
Device name	

Summary

ID	Test Suites/BRAND_TS02		
Description			
Total	4		
Passed	2	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	06-05-2025 15:15:12	End	06-05-2025 15:16:01
Elapsed	49.315s		

#	ID	Description	Status
1	Test Cases/Backlog/Login		PASSED
2	Test Cases/Dev Environment/BRAND_TS02_TC01	User can add new brand.	PASSED
3	Test Cases/Dev Environment/BRAND_TS02_TC02	User can edit brand.	FAILED
4	Test Cases/Dev Environment/BRAND_TS02_TC03	User can delete brand.	FAILED

Login

Information

ID	Test Cases/Backlog/Login		
Description			
Tag			
Start	06-05-2025 15:15:13	End	06-05-2025 15:15:20
Elapsed	7.035s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.748s	PASSED
2	navigateToUrl("https://account.dev.qashup.co/login") Navigate to 'https://account.dev.qashup.co/login' successfully	0.578s	PASSED
3	setText(findTestObject("Object Repository/Page_Qashup Account/input_Username_username"), "admin@test.com") Text 'admin@test.com' is set on object 'Object Repository/Page_Qashup Account/input_Username_username'	0.803s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Qashup Account/input_Password_password"), "aeHFOx8jV/A=") Text ***** has been set on object 'Object Repository/Page_Qashup Account/input_Password_password'	0.284s	PASSED
5	click(findTestObject("Object Repository/Page_Qashup Account/button_Login")) Object: 'Object Repository/Page_Qashup Account/button_Login' is clicked on	0.280s	PASSED
6	click(findTestObject("Object Repository/Page_Qashup Account/div_Back Office")) Object: 'Object Repository/Page_Qashup Account/div_Back Office' is clicked on	1.176s	PASSED
7	Start listener action : sampleAfterTestCase Send request successfully	2.076s	PASSED

BRAND_TS02_TC01

Information

ID	Test Cases/Dev Environment/BRAND_TS02_TC01		
Description	User can add new brand.		
Tag			
Start	06-05-2025 15:15:20	End	06-05-2025 15:15:24
Elapsed	4.504s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("Object Repository/Page_Qashup Backoffice/a_Brand Branch")) Object: 'Object Repository/Page_Qashup Backoffice/a_Brand Branch' is clicked on	0.836s	PASSED
2	click(findTestObject("Object Repository/Page_Qashup Backoffice/div_Brand")) Object: 'Object Repository/Page_Qashup Backoffice/div_Brand' is clicked on	0.686s	PASSED
3	click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Add Brand")) Object: 'Object Repository/Page_Qashup Backoffice/button_Add Brand' is clicked on	0.932s	PASSED
4	click(findTestObject("Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f")) Object: 'Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f' is clicked on	0.478s	PASSED
5	setText(findTestObject("Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f"), "QA Merchant") Text 'QA Merchant' is set on object 'Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f'	0.507s	PASSED
6	click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Upload Logo")) Object: 'Object Repository/Page_Qashup Backoffice/button_Upload Logo' is clicked on	0.273s	PASSED
7	click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Save")) Object: 'Object Repository/Page_Qashup Backoffice/button_Save' is clicked on	0.306s	PASSED

BRAND_TS02_TC01

#	Description	Elapsed	Status
8	Start listener action : sampleAfterTestCase Send request successfully	0.363s	PASSED

BRAND_TS02_TC02

Information

ID	Test Cases/Dev Environment/BRAND_TS02_TC02		
Description	User can edit brand.		
Tag			
Start	06-05-2025 15:15:24	End	06-05-2025 15:15:29
Elapsed	4.408s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("Object Repository/Page_Qashup Backoffice/svg_QA Merchant_h-8 w-9")) Object: 'Object Repository/Page_Qashup Backoffice/svg_QA Merchant_h-8 w-9' is clicked on	2.873s	PASSED
2	click(findTestObject("Object Repository/Page_Qashup Backoffice/button_Edit")) Object: 'Object Repository/Page_Qashup Backoffice/button_Edit' is clicked on	0.495s	PASSED
3	click(findTestObject("Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f")) Object: 'Object Repository/Page_Qashup Backoffice/input_Brand Name_input input-bordered h-42p_d0de7f' is clicked on	0.467s	PASSED

BRAND_TS02_TC02


#	Description	Elapsed	Status
4	setText(findTestObject("null"), "QA Merchan") Unable to set text (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at BRAND_TS02_TC02.run(BRAND_TS02_TC02:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:486) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:322) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at TempTestSuite1746519308345.run(TempTestSuite1746519308345.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:47) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1746517580273.run(Script1746517580273.groovy:26)	0.138s	FAILED

BRAND_TS02_TC02

#	Description	Elapsed	Status
---	-------------	---------	--------

... 15 more

)



5	Start listener action : sampleAfterTestCase	0.259s	PASSED
Send request successfully			

BRAND_TS02_TC03

Information

ID	Test Cases/Dev Environment/BRAND_TS02_TC03		
Description	User can delete brand.		
Tag			
Start	06-05-2025 15:15:29	End	06-05-2025 15:16:01
Elapsed	32.563s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------


BRAND_TS02_TC03

#	Description	Elapsed	Status
1	<p>click(findTestObject("Object Repository/Page_Qashup Backoffice/div_Brand"))</p> <p>Unable to click on object 'Object Repository/Page_Qashup Backoffice/div_Brand' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Qashup Backoffice/div_Brand' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at BRAND_TS02_TC03.run(BRAND_TS02_TC03:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186) at TempTestSuite1746519308345.run(TempTestSuite1746519308345.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="text-primary">...</div> is not clickable at point (140, 328). Other element would receive the click: <div class="flex min-h-screen items-start justify-center p-4">...</div> (Session info: chrome=136.0.7103.48) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.14' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Command: [0ec51906d961f3e132e631879cc44548, clickElement {id=f.D2A786246C714C72CABCE11805404ED3.d.8BF21266B5875261B38C68A7324037B1.e.67}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.48, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019..., userDataDir: C:\Users\NUC\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64311}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64311/devtoo..., se:</p>	32.195s	FAILED

BRAND_TS02_TC03

#	Description	Elapsed	Status
	<p>cdpVersion: 136.0.7103.48, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, websocketUrl: ws://localhost:14353/session..., webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Element: [[CChromeDriver: chrome on windows (0ec51906d961f3e132e631879cc44548)] -> xpath: (.//*[normalize-space(text()) and normalize-space(.)='Brand & Branch']][1]/following::div[3]]</p> <p>Session ID: 0ec51906d961f3e132e631879cc44548</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor35.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)</p> <p>at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)</p> <p>at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)</p> <p>at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$kGQeS440.click(Unknown Source)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:82)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:68)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:35)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>		

BRAND_TS02_TC03

#	Description	Elapsed	Status
	<div><div>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1746517910424.run(Script1746517910424.groovy:20) ... 15 more</div><div></div></div>		
2	<div><div>Start listener action : sampleAfterTestCase</div><div>Send request successfully</div></div>	0.305s	PASSED