

Final Presentation

Jazz Garcha

Problem


- Build an image classifier that return which presidents image was uploaded

Solution

- OpenFace
- <https://cmusatyalab.github.io/openface/>
- open source implementation with deep neural networks trained with millions of images

how does it work































- OpenFace is available as docker image to user
- 1: Make folders with Training-images



barack-obama	Jan 1, 2018 at 3:52 PM
abraham-lincoln	Jan 1, 2018 at 3:23 PM
andrew-jackson	Jan 1, 2018 at 3:14 PM
andrew-jackson	Jan 1, 2018 at 3:14 PM
bill-clinton	Jan 1, 2018 at 3:50 PM
calvin-coolidge	Jan 1, 2018 at 3:38 PM
theodore-roosevelt	Jan 1, 2018 at 3:28 PM
donald-trump	Jan 1, 2018 at 3:53 PM
twain-o-eisenhower	Jan 1, 2018 at 3:41 PM
franklin-d-roosevelt	Jan 1, 2018 at 3:38 PM
franklin-pierce	Jan 1, 2018 at 3:21 PM
george-h-w-bush	Jan 1, 2018 at 3:49 PM
george-w-bush	Jan 1, 2018 at 3:51 PM
george-washington	Jan 1, 2018 at 3:08 PM
gerald-fox	Jan 1, 2018 at 3:40 PM
grover-cleveland	Jan 1, 2018 at 3:29 PM
harry-s-truman	Jan 1, 2018 at 3:39 PM
herbert-hoover	Jan 1, 2018 at 3:57 PM
amel-buchanan	Jan 1, 2018 at 3:22 PM
amel-garfield	Jan 1, 2018 at 3:27 PM
amel-k-polk	Jan 1, 2018 at 3:18 PM
amel-madison	Jan 1, 2018 at 3:10 PM
amel-monroe	Jan 1, 2018 at 3:11 PM
jimmy-carter	Jan 1, 2018 at 3:48 PM
john-adams	Jan 1, 2018 at 3:08 PM
john-kennedy	Jan 1, 2018 at 3:42 PM
john-quincy-adams	Jan 1, 2018 at 3:13 PM
john-tyler	Jan 1, 2018 at 3:17 PM
ymon-o-johnson	Jan 1, 2018 at 3:43 PM
martin-van-buren	Jan 1, 2018 at 3:15 PM
willard-fillmore	Jan 1, 2018 at 3:20 PM
wagon	Jan 1, 2018 at 3:46 PM
richard-nixon	Jan 1, 2018 at 3:44 PM
theodore-roosevelt	Jan 1, 2018 at 3:31 PM
franklin-d-roosevelt	Jan 1, 2018 at 3:08 PM
lyndon-b-johnson	Jan 1, 2018 at 3:25 PM
warren-g-harding	Jan 1, 2018 at 3:35 PM
william-henry-harrison	Jan 1, 2018 at 3:10 PM
william-howard-taft	Jan 1, 2018 at 3:32 PM
william-mckinley	Jan 1, 2018 at 3:30 PM
woodrow-wilson	Jan 1, 2018 at 3:22 PM
zachary-taylor	Jan 1, 2018 at 3:19 PM

how does it work

- Must include multiple examples of the person

 download (1).jpeg	Jan 1, 2018 at 3:52 PM
 download (2).jpeg	Jan 1, 2018 at 3:52 PM
 download (3).jpeg	Jan 1, 2018 at 3:52 PM
 download (4).jpeg	Jan 1, 2018 at 3:52 PM
 download (5).jpeg	Jan 1, 2018 at 3:52 PM
 download (6).jpeg	Jan 1, 2018 at 3:52 PM
 download (7).jpeg	Jan 1, 2018 at 3:52 PM
 download (8).jpeg	Jan 1, 2018 at 3:52 PM
 download (9).jpeg	Jan 1, 2018 at 3:52 PM
 download (10).jpeg	Jan 1, 2018 at 3:52 PM
 download (11).jpeg	Jan 1, 2018 at 3:52 PM
 download (12).jpeg	Jan 1, 2018 at 3:52 PM
 download (13).jpeg	Jan 1, 2018 at 3:52 PM
 download (14).jpeg	Jan 1, 2018 at 3:52 PM
 download.jpeg	Jan 1, 2018 at 3:52 PM
 images (1).jpeg	Jan 1, 2018 at 3:52 PM
 images (2).jpeg	Jan 1, 2018 at 3:52 PM
 images (3).jpeg	Jan 1, 2018 at 3:52 PM
 images (4).jpeg	Jan 1, 2018 at 3:52 PM
 images (5).jpeg	Jan 1, 2018 at 3:52 PM
 images (6).jpeg	Jan 1, 2018 at 3:52 PM
 images (7).jpeg	Jan 1, 2018 at 3:52 PM
 images (8).jpeg	Jan 1, 2018 at 3:52 PM
 images (9).jpeg	Jan 1, 2018 at 3:52 PM
 images (10).jpeg	Jan 1, 2018 at 3:52 PM
 images (11).jpeg	Jan 1, 2018 at 3:52 PM
 images (12).jpeg	Jan 1, 2018 at 3:52 PM
 images (13).jpeg	Jan 1, 2018 at 3:52 PM
 images (14).jpeg	Jan 1, 2018 at 3:52 PM
 images.jpeg	Jan 1, 2018 at 3:52 PM

How does it work

- Detection and alignment of images

```
./util/align-dlib.py ./training-images/  
align outerEyesAndNose ./aligned-images/ --size 96
```

- Generate alignment of images

```
./batch-represent/main.lua -outDir  
./generated-embeddings/ -data ./aligned-images/
```

- Train face detection model

```
./demos/classifier.py train ./generated-embeddings/
```

Test it out

- Call the classifier with new image

```
./demos/classifier.py infer  
./generated-embeddings/classifier.pkl bush.jpg
```

- Detected with 65% confidence.

```
=== /host/Users/jazz/Desktop/examples/bush.jpg ===  
Predict george-h-w-bush with 0.65 confidence.
```

```
root@0735a9790131:~/openface# ./demos/classifier.py infer ./generated-embeddings/classifier.pkl /host/Users/jazz/Desktop/examples/bush.jpg  
/root/.local/lib/python2.7/site-packages/sklearn/lda.py:4: DeprecationWarning: lda.LDA has been moved to discriminant_analysis.LinearDiscriminantAnalysis in 0.17 and will be removed in 0.19  
  "in 0.17 and will be removed in 0.19", DeprecationWarning)  
  
=== /host/Users/jazz/Desktop/examples/bush.jpg ===  
Predict george-h-w-bush with 0.65 confidence.  
root@0735a9790131:~/openface#
```

Sources

- Followed the following tutorial: <https://medium.com/@ageitgey/machine-learning-is-fun-part-4-modern-face-recognition-with-deep-learning-c3cffc121d78>
- Scrapped images from Google Images
- Docker Image: <https://cloud.docker.com/swarm/blaze2236/repository/docker/blaze2236/ga-project-general>