

All Tables Details

Design Name	EVALUACION_FINAL_M2
Version Date	07.12.2020 10:50:35
Version Comment	
Model Name	EVALUACION_FINAL_M2

Table Name	accidente
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	7
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idaccidente	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	accifecha				Date	DOM	Date_0_0_0			
3	accihora			Y	Date	DOM	Date_0_0_0			
4	accilugar			Y	VARCHAR (150)	DOM	VARCHAR_0_0_150			
5	acciorigen			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
6	acciconsecuencias				VARCHAR (100)	DOM	VARCHAR_0_0_100			
7	cliente_rutcliente		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
accidente_pk	PK				idaccidente	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
accidente_cliente_fk	cliente	Y	Y		cliente_rutcliente	rutcliente	

Table Name	actividades
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idactividad	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	actplazodias			Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
3	actitulo			Y	VARCHAR (150)	DOM	VARCHAR_0_0_150			
4	actdescripcion			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
5	asesorias_idasesoria		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
actividades_pk	PK				idactividad	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
actividades_asesorias_fk	asesorias	Y	Y		asesorias_idasesoria	idasesoria	

Table Name	administrativo
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	rutadm	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	admnombres			Y	VARCHAR (30)	DOM	VARCHAR_0_0_30			
3	admapellidos			Y	VARCHAR (50)	DOM	VARCHAR_0_0_50			
4	admcorreo			Y	VARCHAR (20)	DOM	VARCHAR_0_0_20			
5	admarea			Y	VARCHAR (30)	DOM	VARCHAR_0_0_30			
6	usuario_rutusuario		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
administrativo_pk	PK				rutadm	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
administrativo_usuario_fk	usuario	Y	Y		usuario_rutusuario	rutusuario	

Table Name	asesorias
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idasesoria	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	asefecha				Date	DOM	Date_0_0_0			
3	asemotivo			Y	VARCHAR (150)	DOM	VARCHAR_0_0_150			
4	profesional_rutpro		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
asesorias_pk	PK				idasesoria	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
asesorias_profesional_fk	profesional	Y	Y		profesional_rutpro	rutpro	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
actividades_asesorias_fk	actividades	Y	Y		asesorias_idasesoria	idasesoria	

Table Name	asistentes
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idasistente	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	asistnombrecompleto			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
3	asistedad			Y	NUMERIC (3)	DOM	NUMERIC_3_0_0			
4	asistcorreo				VARCHAR (70)	DOM	VARCHAR_0_0_70			
5	asisttelefono				VARCHAR (20)	DOM	VARCHAR_0_0_20			
6	capatacion_idcapatacion		F		NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
asistentes_pk	PK				idasistente	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
asistentes_capatacion_fk	capatacion		Y		capatacion_idcapatacion	idcapatacion	

Table Name	capacitacion
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idcapacitacion	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	capfecha			Y	Date	DOM	Date_0_0_0			
3	caphora				Date	DOM	Date_0_0_0			
4	caplugar			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
5	capduracion				NUMERIC (4)	DOM	NUMERIC_4_0_0			
6	cliente_rutcliente		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
capacitacion_pk	PK				idcapacitacion	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
capacitacion_cliente_fk	cliente	Y	Y		cliente_rutcliente	rutcliente	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
asistentes_capacitacion_fk	asistentes		Y		capacitacion_idcapacitacion	idcapacitacion	

Table Name	chequeos
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idchequeo	P		Y	Integer	DOM	Integer_0_0_0			
2	nombrechequeo				VARCHAR (60)	DOM	VARCHAR_0_0_60			
3	estadochequeo				CHAR (1)	DOM	CHAR_0_0_1			
4	observaciones				VARCHAR (100)	DOM	VARCHAR_0_0_100			
5	visita_idvisita		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
chequeos_pk	PK				idchequeo	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
chequeos_visita_fk	visita	Y	Y		visita_idvisita	idvisita	

Table Name	cliente
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	10
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	rutcliente	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	clinombres			Y	VARCHAR (30)	DOM	VARCHAR_0_0_30			
3	cliapellidos			Y	VARCHAR (50)	DOM	VARCHAR_0_0_50			
4	clitelefono			Y	VARCHAR (20)	DOM	VARCHAR_0_0_20			
5	cliafp				VARCHAR (30)	DOM	VARCHAR_0_0_30			
6	clisistemasalud				NUMERIC (2)	DOM	NUMERIC_2_0_0			
7	clidireccion			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
8	clicomuna			Y	VARCHAR (50)	DOM	VARCHAR_0_0_50			
9	cliedad			Y	NUMERIC (3)	DOM	NUMERIC_3_0_0			
10	usuario_rutusuario		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
cliente_pk	PK				rutcliente	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
cliente_usuario_fk	usuario	Y	Y		usuario_rutusuario	rutusuario	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
accidente_cliente_fk	accidente	Y	Y		cliente_rutcliente	rutcliente	
capitacion_cliente_fk	capitacion	Y	Y		cliente_rutcliente	rutcliente	
pagos_cliente_fk	pagos	Y	Y		cliente_rutcliente	rutcliente	
visita_cliente_fk	visita	Y	Y		cliente_rutcliente	rutcliente	

Table Name	pagos
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idpago	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	pagfecha				Date	DOM	Date_0_0_0			
3	pagmonto			Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
4	pagmes			Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
5	paganio			Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
6	cliente_rutcliente		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
pagos_pk	PK				idpago	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
pagos_cliente_fk	cliente	Y	Y		cliente_rutcliente	rutcliente	

Table Name	profesional
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	7
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	rutpro	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	pronombres			Y	VARCHAR (30)	DOM	VARCHAR_0_0_30			
3	proapellidos			Y	VARCHAR (50)	DOM	VARCHAR_0_0_50			
4	protelefono			Y	VARCHAR (20)	DOM	VARCHAR_0_0_20			
5	protitulo			Y	VARCHAR (30)	DOM	VARCHAR_0_0_30			
6	proproyecto			Y	VARCHAR (100)	DOM	VARCHAR_0_0_100			
7	usuario_rutusuario		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
profesional_pk	PK				rutpro	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
profesional_usuario_fk	usuario	Y	Y		usuario_rutusuario	rutusuario	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
asesorias_profesional_fk	asesorias	Y	Y		profesional_rutpro	rutpro	

Table Name	usuario
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	rutusuario	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	usrnombbre			Y	VARCHAR (60)	DOM	VARCHAR_0_0_60			
3	usrapellido			Y	VARCHAR (60)	DOM	VARCHAR_0_0_60			
4	usrfechanacimiento				Date	DOM	Date_0_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
usuario_pk	PK				rutusuario	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
administrativo_usuario_fk	administrativo	Y	Y		usuario_rutusuario	rutusuario	
cliente_usuario_fk	cliente	Y	Y		usuario_rutusuario	rutusuario	
profesional_usuario_fk	profesional	Y	Y		usuario_rutusuario	rutusuario	

Table Name	visita
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idvisita	P		Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			
2	visfecha			Y	Date	DOM	Date_0_0_0			
3	vishora				Date	DOM	Date_0_0_0			
4	vislugar			Y	VARCHAR (50)	DOM	VARCHAR_0_0_50			
5	viscomentarios			Y	VARCHAR (250)	DOM	VARCHAR_0_0_250			
6	cliente_rutcliente		F	Y	NUMERIC (9)	DOM	NUMERIC_9_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
visita_pk	PK				idvisita	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
visita_cliente_fk	cliente	Y	Y		cliente_rutcliente	rutcliente	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
chequeos_visita_fk	chequeos	Y	Y		visita_idvisita	idvisita	