

Web services User's Guide

Function: SellFromAvailability

Amadeus SAS
485, Route du Pin Montard
BP 69
06902 Sophia-Antipolis Cedex

Table of Contents

Interface:	
Introduction.....	
Function: SellFromAvailability.....	2
Overview.....	2
Supported Operations.....	2
Unsupported Operations.....	2
Prerequisites.....	2
Building A Query.....	2
Receiving A Reply.....	4
Reply Structure.....	5
Error Messages.....	5
Operation: Connection flights.....	6
Query Structure.....	6
Possible Errors.....	8
Operation: Direct Access.....	8
Query Structure.....	8
Possible Errors.....	9
Operation: Nego Space: Sell from Negotiated Space Availability AT.....	9
Query Structure.....	9
Possible Errors.....	10
Operation: Redemption.....	10
Query Structure.....	10
Possible Errors.....	11
Operation: Sell from Multi Availability.....	11
Query Structure.....	11
Possible Errors.....	12

SellFromAvailability

The SellFromAvailability function enables users to request the booking of a flight availability previously retrieved using the MultiAvailability function. When using this function the user selects the recommendation(s) to be added to the active PNR. When successful, the selected recommendation(s) is booked and both PNR and inventory are updated.

Function: SellFromAvailability.

Overview

The SellFromAvailability function enables users to request the booking of a flight availability previously retrieved using the MultiAvailability function.

Supported Operations

Sell from Amadeus Availability

This function enables to book air segment(s) by referring to a flight availability previously retrieved using MultiAvailability function.

Dual Sell from Amadeus Availability

In this advanced usage it is possible to sell multiple recommended flight availability.

Moreover, the behavior of the function depends on the options used to retrieve the flight availability:

Sell from Negotiated Space Availability

A successful MultiAvailability function with nego option is required prior to this transaction.

Sell from Direct Access Availability

A successful MultiAvailability function with direct access option is required prior to this transaction.

Sell from Redemption Availability

A successful MultiAvailability function with redemption option is required prior to this transaction.

Limitations

Not applicable

Unsupported Operations

Not applicable

Prerequisites

Before selling, the fonction get multi availability has been made and the list of flights returned is stored in an Amadeus context. In other words, an Availability context was requested and successfully stored.

Building A Query

The query could contain only a reference to the flight availability. But, for flexibility purpose, the itinerary of the selected flight availability is expected.

Message element

Set the /message/messageFunctionDetails/messageFunction element to 60.

Elements	Value
/message/messageFunctionDetails/messageFunction	60

Origin element

to give details on the originator of the request.

Reservation Control Information

Record Locator or Agent Identifier, 7 characters max.

Itinerary details

This element contains the passenger's origin and destination (originDestinationDetails) of the journey followed by the detailed information (segmentInformation) on each segment being part of the flight itinerary.

The itinerary details element is repeatable in case of dual sell.

Origin and Destination details

This group describes passenger's origin and destination of the journey.

Elements /itineraryDetails/originDestinationDetails	Comment
/origin	Airport/city code of origin
/destination	Airport/city code of destination

Travel product information

This group of data enables to specify the class of service on the given availability flight.

Elements of /itineraryDetails/segmentInformation	Comment
/travelProductInformation/flightDate	Date of departure

/travelProductInformation/boardPointDetails	Place/location identification
/travelProductInformation/offpointDetails	Place/location identification
/travelProductInformation/companyDetails	Airline code
/travelProductInformation/flightIdentification	Flight Number and Class of Service
/travelProductInformation/itemNumber	Flight availability reference

At travel product information level, the following data are mandatory:

- the flight number and the class of service,
- the flight availability line number,

Related Product Information

This group of mandatory data contains the number of seats requested (number in party) and action code.

Elements of /itineraryDetails/segmentInformation	Comment
/relatedproductInformation/Quantity	Number of passengers
/relatedproductInformation/statusCode	ActionCode

Then 2 optional group of data can be specified:

- the **Reservation Control Information** to specify a reference to a reservation using Record Locator for passive and informational.
- the **Reference Information** to provide specific reference identification for a traveller.

Receiving A Reply

For each query requested, either an error message or a valid response will be returned. The reply information will vary depending on the query information provided.

Message element

The message element gives details on the message type and business function.

Error at Message Level

If at least one booking is unsuccessful, the `errorAtMessageLevel` element contains explanations on the not booked segment. (see Error Messages below).

Itinerary details

If the booking is successful, the `itineraryDetails` element contains additional schedule information for each segment booked: departure/arrival times, equipment code, day of operation, electronic ticketing information, departure and arrival terminals, etc.

If the booking is unsuccessful the `itineraryDetails` element contains status code for each segment.

ReplyStructure

To be Defined

XML Error Reply

Error Messages

The common errors messages are:

Number	Message	Description
00001	INVALID EDIFACT FORMAT	Syntax Error
00042	CHECK LINE NUMBER	The given flight availability number does not exist in the list of recommendations
00006	CHECK ACTION CODE	The action code doesn't exist.
00021	CHECK CLASS OF SERVICE	The given booking class is not available at least.
00025	CHECK NUMBER IN PARTY	The requested number of seats is not between allowed values: 1-9 for individual PNR.
00054	MESSAGE TOO LONG	-
03325	INVALID ACTION CODE FOR XX	The airline XX is not expecting the given action code.
03171	CHECK AGES	When requesting space for unaccompanied minor is over upper age limit set by the airline.

04725	INVALID PASSENGER ASSOCIATION	The given passenger segment associations are in breach of the active PNR.
01903	CHECK PASSENGER ASSOCIATION	
03350	RESTRICTED/NAME ELEMENT PREVIOUSLY CANCELLED	
06271	RESTRICTED ENTRY - PNR RETRIEVED IN READ MODE	The active PNR can't be modified.
07622	RESTRICTED DURING PNR CLAIM MODE - FINISH OR IGNORE	There is a Claim action in progress. It fortunately forbids concurrent changes on the active PNR.
09548	RESTRICTED - TOUR SEGMENT PRESENT IN PNR	-
04419	RESTRICTED FOR TR AGENT	According to the settings, TR agent is not allowed to perform this booking.
03394	RESTRICTED ACTION CODE	The requested action code is not authorised in the given context.
04362	SEGMENT SELLS RESTRICTED	Default error for any restrictions raised on the air segment(s).
00020	RESTRICTED	Default error for any other restriction issues.
00011	UNABLE TO PROCESS	An internal error occurred. Please re-try

Operation: Connection flights

PoweredAir_MultiAvailability has to be requested prior to PoweredAir_SellFromAvailability Same reference (itemNumber) for both segments

Query Structure

```
<Air_SellFromAvailability>
  <itineraryDetails>
    <originDestinationDetails>
      <origin>NCE</origin>
```

```

    <destination>JFK</destination>
  </originDestinationDetails>
  <segmentInformation>
    <travelProductInformation>
      <flightDate>
        <departureDate>150505</departureDate>
      </flightDate>
      <boardPointDetails>
        <trueLocationId>NCE</trueLocationId>
      </boardPointDetails>
      <offpointDetails>
        <trueLocationId>CDG</trueLocationId>
      </offpointDetails>
      <companyDetails>
        <marketingCompany>DL</marketingCompany>
      </companyDetails>
      <flightIdentification>
        <flightNumber>83</flightNumber>
        <bookingClass>Y</bookingClass>
      </flightIdentification>
      <itemNumber>22</itemNumber>
    </travelProductInformation>
    <relatedproductInformation>
      <quantity>2</quantity>
      <statusCode>NN</statusCode>
    </relatedproductInformation>
  </segmentInformation>
  <segmentInformation>
    <travelProductInformation>
      <flightDate>
        <departureDate>150505</departureDate>
      </flightDate>
      <boardPointDetails>
        <trueLocationId>CDG</trueLocationId>
      </boardPointDetails>
      <offpointDetails>
        <trueLocationId>JFK</trueLocationId>
      </offpointDetails>
      <companyDetails>
        <marketingCompany>DL</marketingCompany>
      </companyDetails>
      <flightIdentification>
        <flightNumber>119</flightNumber>
        <bookingClass>E</bookingClass>
      </flightIdentification>
      <itemNumber>22</itemNumber>
    </travelProductInformation>
    <relatedproductInformation>
      <quantity>2</quantity>
      <statusCode>NN</statusCode>
    </relatedproductInformation>
  </segmentInformation>

```

```

    </relatedproductInformation>
  </segmentInformation>
</itineraryDetails>
</Air_SellFromAvailability>

```

Reply Structure

Possible Errors

Operation: Direct Access

PoweredAir_MultiAvailability has to be requested prior to PoweredAir_SellFromAvailability with following option: DIRBE

Query Structure

```

<Air_SellFromAvailability>
  <itineraryDetails>
    <originDestinationDetails>
      <origin>EXT</origin>
      <destination>BHD</destination>
    </originDestinationDetails>
    <segmentInformation>
      <travelProductInformation>
        <flightDate>
          <departureDate>240605</departureDate>
        </flightDate>
        <boardPointDetails>
          <trueLocationId>EXT</trueLocationId>
        </boardPointDetails>
        <offpointDetails>
          <trueLocationId>BHD</trueLocationId>
        </offpointDetails>
        <companyDetails>
          <marketingCompany>BE</marketingCompany>
        </companyDetails>
        <flightIdentification>
          <flightNumber>496</flightNumber>
          <bookingClass>Y</bookingClass>
        </flightIdentification>
        <itemNumber>21</itemNumber>
      </travelProductInformation>
      <relatedproductInformation>
        <quantity>2</quantity>
      </relatedproductInformation>
    </segmentInformation>
  </itineraryDetails>
</Air_SellFromAvailability>

```

```

    <statusCode>NN</statusCode>
  </relatedproductInformation>
</segmentInformation>
</itineraryDetails>
</Air_SellFromAvailability>

```

Reply Structure

Possible Errors

Operation: Nego Space: Sell from Negotiated Space Availability AT

A PoweredAir_MultiAvailability has to be requested prior to PoweredAir_SellFromAvailability with following option: TT

Query Structure

```

<Air_SellFromAvailability>
  <itineraryDetails>
    <originDestinationDetails>
      <origin>FRA</origin>
      <destination>NRT</destination>
    </originDestinationDetails>
    <segmentInformation>
      <travelProductInformation>
        <flightDate>
          <departureDate>180505</departureDate>
        </flightDate>
        <boardPointDetails>
          <trueLocationId>FRA</trueLocationId>
        </boardPointDetails>
        <offpointDetails>
          <trueLocationId>NRT</trueLocationId>
        </offpointDetails>
        <companyDetails>
          <marketingCompany>LH</marketingCompany>
        </companyDetails>
        <flightIdentification>
          <flightNumber>710</flightNumber>
          <bookingClass>F</bookingClass>
        </flightIdentification>
        <itemNumber>1</itemNumber>
      </travelProductInformation>
    </segmentInformation>
  </itineraryDetails>
  <relatedproductInformation>

```

```

    <quantity>1</quantity>
    <statusCode>NN</statusCode>
  </relatedproductInformation>
</segmentInformation>
</itineraryDetails>
</Air_SellFromAvailability>

```

Reply Structure

Possible Errors

Operation: Redemption

PoweredAir_MultiAvailability has to be requested prior to PoweredAir_SellFromAvailability with following option: REDRE

Query Structure

```

<Air_SellFromAvailability>
  <itineraryDetails>
    <originDestinationDetails>
      <origin>LHR</origin>
      <destination>BCN</destination>
    </originDestinationDetails>
    <segmentInformation>
      <travelProductInformation>
        <flightDate>
          <departureDate>170805</departureDate>
        </flightDate>
        <boardPointDetails>
          <trueLocationId>LHR</trueLocationId>
        </boardPointDetails>
        <offpointDetails>
          <trueLocationId>BCN</trueLocationId>
        </offpointDetails>
        <companyDetails>
          <marketingCompany>IB</marketingCompany>
        </companyDetails>
        <flightIdentification>
          <flightNumber>4183</flightNumber>
          <bookingClass>X</bookingClass>
        </flightIdentification>
        <itemNumber>1</itemNumber>
      </travelProductInformation>
    </segmentInformation>
  </itineraryDetails>
</Air_SellFromAvailability>

```

```

    <relatedproductInformation>
      <quantity>1</quantity>
      <statusCode>NN</statusCode>
    </relatedproductInformation>
  </segmentInformation>
</itineraryDetails>
</Air_SellFromAvailability>

```

Reply Structure

Possible Errors

Operation: Sell from Multi Availability

A PoweredAir_MultiAvailability has to be requested prior to PoweredAir_SellFromAvailability

Query Structure

```

<Air_SellFromAvailability>
  <itineraryDetails>
    <originDestinationDetails>
      <origin>NCE</origin>
      <destination>ORY</destination>
    </originDestinationDetails>
    <segmentInformation>
      <travelProductInformation>
        <flightDate>
          <departureDate>150505</departureDate>
        </flightDate>
        <boardPointDetails>
          <trueLocationId>NCE</trueLocationId>
        </boardPointDetails>
        <offpointDetails>
          <trueLocationId>ORY</trueLocationId>
        </offpointDetails>
        <companyDetails>
          <marketingCompany>AF</marketingCompany>
        </companyDetails>
        <flightIdentification>
          <flightNumber>6203</flightNumber>
          <bookingClass>Y</bookingClass>
        </flightIdentification>
        <itemNumber>1</itemNumber>
      </travelProductInformation>
    </segmentInformation>
  </itineraryDetails>
</Air_SellFromAvailability>

```

```
<relatedproductInformation>  
  <quantity>2</quantity>  
  <statusCode>NN</statusCode>  
</relatedproductInformation>  
</segmentInformation>  
</itineraryDetails>  
</Air_SellFromAvailability>
```

Reply Structure

Possible Errors