

```

#include<iostream>

using namespace std;

class cq
{
    public: char q1,
           q2,
           q3,
           q4;
    static int score;
    int o;
    void eq();
    void mq();
    void hq();
};

int cq::score = 0;

void cq::eq() {
    cout << "1.How many players are on each team in a cricket match?\na) 9\nb)10\nc)
11\nd) 12\n";

    cin >> q1;

    if (q1 == 'c')
    {
        score += 4;
    }

    else
    {

```

```

    score -= 1;
}

cout << "2.What is the length of a cricket pitch?\na) 20.12 meters\nb) 22 yards\nc) 25
meters\nd) 30 yards\n";

cin >> q2;

if (q2 == 'b')
{
    score += 4;
}

else
{
    score -= 1;
}

cout << "3.What are the horizontal pieces placed across the top of the wickets
called?\na) Bails \nb) Crossbars\nc) Pins\nd) Rods\n";

cin >> q3;

if (q3 == 'a')
{
    score += 4;
}

else
{
    score -= 1;
}

cout << "4.What is the term for a ball bowled outside the batsman's reach?\na) No
ball\nb) Wide \nc) Bye\nd) Dead ball\n";

cin >> q4;

```

```
if (q4 == 'b')
{
    score += 4;
}
else
{
    score -= 1;
}
if (score == 16)
{
    cout << "you have a great knowledge in cricket\nscore:" << score;
}
else if (score == 11)
{
    cout << "you have a good knowledge in cricket\nscore:" << score;
}
else if (score == 6)
{
    cout << "you have a average knowledge in cricket\nscore:" << score;
}
else if (score == 1)
{
    cout << "you have a poor knowledge in cricket\nscore:" << score;
}
else
{

```

```

        cout << "you have a bad knowledge in cricket\nscore:" << score;
    }
}

void cq::mq() {
    cout << "1. What is the maximum number of overs a single bowler can bowl in a One Day
International (ODI) match?\na) 8\nb)10\nc) 12\nd) 15\n";

    cin >> q1;

    if (q1 == 'b')
    {
        score += 4;
    }

    else
    {
        score -= 1;
    }

    cout << "2. Which of the following is NOT a valid method of dismissal in cricket?\na)
Bowled\nb) Stumped\nc) Handled the ball\nd) Fouled\n";

    cin >> q2;

    if (q2 == 'd')
    {
        score += 4;
    }

    else
    {
        score -= 1;
    }
}

```

```
cout << "3. Who is credited with inventing the googly in cricket?\na) Shane Warne\nb) Muttiah Muralitharan\nc) B.J.T. Bosanquet\nd) Anil Kumble\n";
```

```
cin >> q3;
```

```
if (q3 == 'c')
```

```
{
```

```
    score += 4;
```

```
}
```

```
else
```

```
{
```

```
    score -= 1;
```

```
}
```

```
cout << "4. What is the minimum number of overs that must be bowled to constitute a result in a One Day International (ODI) match?\na) 10\nb) 20\nc) 25\nd) 30\n";
```

```
cin >> q4;
```

```
if (q4 == 'b')
```

```
{
```

```
    score += 4;
```

```
}
```

```
else
```

```
{
```

```
    score -= 1;
```

```
}
```

```
if (score == 16)
```

```
{
```

```
    cout << "you have a great knowledge in cricket\nscore:" << score;
```

```
}
```

```
else if (score == 11)
```

```

{
    cout << "you have a good knowledge in cricket\nscore" << score;
}
else if (score == 6)
{
    cout << "you have a average knowledge in cricket\nscore:" << score;
}
else if (score == 1)
{
    cout << "you have a poor knowledge in cricket\nscore:" << score;
}
else
{
    cout << "you have a bad knowledge in cricket\nscore:" << score;
}
}

void cq::hq() {
    cout << "1. Who is the only cricketer to have scored a triple century in a Test match while
batting at number 8 or lower in the order?\na)Ben Stokes\nb)Wasim Akram\nc)Kamran
Akmal\nd)Adam Gilchrist\n";

    cin >> q1;

    if (q1 == 'a')
    {
        score += 4;
    }

    else
    {

```

```

        score -= 1;
    }

    cout << "2. According to the Laws of Cricket, what is the maximum allowable width of a
cricket bat?\na) 4.00 inches\nb) 4.25 inches\nc) 4.50 inches\nd) 4.75 inches\n";

    cin >> q2;

    if ("b")
    {
        score += 4;
    }
    else
    {
        score -= 1;
    }

    cout << "3. Which player holds the record for the most dismissals by a wicket-keeper in
Cricket World Cup history?\na) Adam Gilchrist (Australia)\nb) Mark Boucher (South
Africa)\nc) Kumar Sangakkara (Sri Lanka)\nd) MS Dhoni (India)\n";

    cin >> q3;

    if (q3 == 'c')
    {
        score += 4;
    }
    else
    {
        score -= 1;
    }

    cout << "4. How many distinct methods of dismissal are officially recognized in cricket
under the Laws?\na) 8\nb) 9\nc) 10\nd) 11\n";

```

```
cin >> q4;

if (q4 == 'c')
{
    score += 4;
}
else
{
    score -= 1;
}

if (score == 16)
{
    cout << "you have a great knowledge in cricket\nscore:" << score;
}

else if (score == 11)
{
    cout << "you have a good knowledge in cricket\nscore:" << score;
}

else if (score == 6)
{
    cout << "you have a average knowledge in cricket\nscore:" << score;
}

else if (score == 1)
{
    cout << "you have a poor knowledge in cricket\nscore:" << score;
}

else
```



```

{
    cout << "you have a bad knowledge in cricket\nscore:" << score;
}
}
class moq
{
    public: char q1,
    q2,
    q3,
    q4;
    static int score;
    int o;
    void eq();
    void mq();
    void hq();
};
int moq::score = 0;
void moq::eq() {
    cout << "1. Who is known as the 'Megastar' of Telugu cinema?\na) Mahesh Babu\nb)
Pawan Kalyan\nc) Chiranjeevi\nd) Nandamuri Balakrishna\n";
    cin >> q1;
    if (q1 == 'c')
    {
        score += 4;
    }
    else

```

```

{
    score -= 1;
}

cout << "2. Which TFI film was India's official entry to the Oscars in 2023?\na) RRR\nb)
Pushpa: The Rise\nc) KGF: Chapter 2\nd) Bheemla Nayak\n";

cin >> q2;

if (q2 == 'a')
{
    score += 4;
}

else
{
    score -= 1;
}

cout << "3. What is the debut lead role of actor Prabhas?\na) Baahubali\nb) Yogi\nc)
Saaho\nd) Ek Niranjan\n";

cin >> q3;

if (q3 == 'b')
{
    score += 4;
}

else
{
    score -= 1;
}

cout << "4. Which actress played the female lead in Arjun Reddy?\na) Shalini Pandey\nb)
Sai Pallavi\nc) Rashmika Mandanna\nd) Anu Emmanuel\n";

```

```
cin >> q4;

if (q4 == 'a')
{
    score += 4;
}
else
{
    score -= 1;
}

if (score == 16)
{
    cout << "you have a great knowledge in movies\nscore:" << score;
}

else if (score == 11)
{
    cout << "you have a good knowledge in movies\nscore:" << score;
}

else if (score == 6)
{
    cout << "you have a average knowledge in movies\nscore:" << score;
}

else if (score == 1)
{
    cout << "you have a poor knowledge in movies\nscore:" << score;
}

else
```

```

{
    cout << "you have a bad knowledge in movies\nscore:" << score;
}
}

void moq::mq() {
    cout << "1. Which Telugu film was remade in Hindi as Good Luck Jerry, starring Janhvi
Kapoor?\na) Aswathama\nb) Kshanam\nc) Dhrushyam\nd) Jathi Ratnalu\n";

    cin >> q1;

    if (q1 == 'c')
    {
        score += 4;
    }
    else
    {
        score -= 1;
    }

    cout << "2. Who directed the 2022 blockbuster RRR?\na) S. S. Rajamouli\nb)
Sukumar\nc) Trivikram Srinivas\nd) Vamshi Paidipally\n";

    cin >> q2;

    if (q2 == 'a')
    {
        score += 4;
    }
    else
    {
        score -= 1;
    }
}

```

```
cout << "3. Which actor played the lead role in Arjun Reddy (2017), a film that sparked a wave of realistic romantic dramas in TFI?\na) Nani\nb) Vijay Devarakonda\nc) Ram Pothineni\nd) Naga Chaitanya\n";
```

```
cin >> q3;

if (q3 == 'b')
{
    score += 4;
}
else
{
    score -= 1;
}
```

```
cout << "4. What is the title of the first part of the Baahubali duology?\na) Baahubali: The Beginning\nb) Baahubali: The Rise\nc) Baahubali: The Rebellion\nd) Baahubali: The Legend\n";
```

```
cin >> q4;

if (q4 == 'a')
{
    score += 4;
}
else
{
    score -= 1;
}

if (score == 16)
{
```

```
    cout << "you have a great knowledge in movies\nscore:" << score;
```

```

}
else if (score == 11)
{
    cout << "you have a good knowledge in movies\nscore:" << score;
}
else if (score == 6)
{
    cout << "you have a average knowledge in movies\nscore:" << score;
}
else if (score == 1)
{
    cout << "you have a poor knowledge in movies\nscore:" << score;
}
else
{
    cout << "you have a bad knowledge in movies\nscore:" << score;
}
}

void moq::hq() {
    cout << "1. Which TFI film was the first South Indian movie to be shot in IMAX format?\n(a)
Baahubali: The Beginning\n(b) Saaho\n(c) RRR\n(d) Kalki 2898 AD\n";

    cin >> q1;

    if (q1 == 'c')
    {
        score += 4;
    }
}

```

```

else

{
    score -= 1;
}

cout << "2. Who is the only Telugu actor to have won the National Film Award for Best Actor twice?\na) Chiranjeevi\nb) Nagarjuna\nc) Mahesh Babu\nd) Allu Arjun\n";

cin >> q2;

if (q2 == 'd')
{
    score += 4;
}

else
{
    score -= 1;
}

cout << "3. Which TFI film holds the record for the highest-grossing opening weekend worldwide?\na) Baahubali 2: The Conclusion\nb) RRR\nc) Pushpa: The Rise\nd) Kalki 2898 AD\n";

cin >> q3;

if (q3 == 'a')
{
    score += 4;
}

else
{
    score -= 1;
}

```

```
cout << "4. Which director is known as the \"Father of Tollywood\" for pioneering  
mythological and social films in early Telugu cinema?\na) K. Viswanath\nb) B. N. Reddy\nc)  
Adurthi Subba Rao\nd) V. Sekhar\n";
```

```
cin >> q4;
```

```
if (q4 == 'b')
```

```
{
```

```
    score += 4;
```

```
}
```

```
else
```

```
{
```

```
    score -= 1;
```

```
}
```

```
if (score == 16)
```

```
{
```

```
    cout << "you have a great knowledge in movies\nscore:" << score;
```

```
}
```

```
else if (score == 11)
```

```
{
```

```
    cout << "you have a good knowledge in movies\nscore:" << score;
```

```
}
```

```
else if (score == 6)
```

```
{
```

```
    cout << "you have a average knowledge in movies\nscore:" << score;
```

```
}
```

```
else if (score == 1)
```

```
{
```

```
    cout << "you have a poor knowledge in movies\nscore:" << score;
```



```

    }
    else
    {
        cout << "you have a bad knowledge in movies\nscore:" << score;
    }
}

int main()
{
    int n, a;

    cout << "welcome to the quiz\n";
    cout << "select the topic:\n1.cricket\n2.movies\n";
    cin >> n;
    switch (n) {
        case 1:
            cout << "select your difficulty :\n1.easy\n2.medium\n3.hard\n";
            cin >> a;
            switch (a) {
                case 1:
                    cq o1;
                    o1.eq();
                    break;
                case 2:
                    cq o2;
                    o2.mq();
                    break;
                case 3:

```

```

        cq o3;

        o3.hq();

        break;
    }

    break;
case 2:

    cout << "select your difficulty :\n1.easy\n2.medium\n3.hard\n";

    cin >> a;

    switch (a) {

        case 1:

            moq o4;

            o4.eq();

            break;

        case 2:

            moq o5;

            o5.mq();

            break;

        case 3:

            moq o6;

            o6.hq();

            break;

    }

    break;
default:

    cout << "wrong selection";

    break;

```

```
}  
return 0;  
}
```