

11. Selection

Type 1	Type 2	Type 3
<pre>if condition(s): <statement(s)></pre>	<pre>if condition(s): <statement(s)> else: <statement(s)></pre>	<pre>if condition(s): <statement(s)> elif condition(s): <statement(s)> else: <statement(s)></pre>

12. Functions

Function definitions

@<optional decorator(s)>

def <function name> (<parameters>):
 <function body>

Function calls

<function name>(<value>, <name>=<value>)

13. Object-Oriented Programming

class <class name> (<optional parent class>):

def **__init__**(**self**, <parameters>):
 <constructor body>

def <method name> (**self**, <parameters>):
 <method body>

14. Built-in Functions and Attributes

<code>__file__</code>	<code><file>.readlines()</code>	<code><list>.copy()</code>	<code>print()</code>	<code><str>.isdigit()</code>
<code>__name__</code>	<code><file>.write()</code>	<code><list>.index()</code>	<code>range()</code>	<code><str>.islower()</code>
<code>abs()</code>	<code>float()</code>	<code><list>.insert()</code>	<code>round()</code>	<code><str>.isspace()</code>
<code>bin()</code>	<code>hex()</code>	<code><list>.pop()</code>	<code>staticmethod()</code>	<code><str>.isupper()</code>
<code><bytes>.decode()</code>	<code>input()</code>	<code><list>.remove()</code>	<code>str()</code>	<code><str>.lower()</code>
<code>chr()</code>	<code>int()</code>	<code><list>.reverse()</code>	<code><str>.encode()</code>	<code><str>.startswith()</code>
<code><dict>.clear()</code>	<code>len()</code>	<code><list>.sort()</code>	<code><str>.endswith()</code>	<code><str>.upper()</code>
<code><dict>.copy()</code>	<code>list()</code>	<code>max()</code>	<code><str>.format()</code>	
<code><file>.close()</code>	<code><list>.append()</code>	<code>min()</code>	<code><str>.index()</code>	
<code><file>.read()</code>	<code><list>.extend()</code>	<code>open()</code>	<code><str>.isalnum()</code>	
<code><file>.readline()</code>	<code><list>.clear()</code>	<code>ord()</code>	<code><str>.isalpha()</code>	

csv module	datetime module	math module
<code>reader()</code> <code>writer()</code> <code><writer>.writerow()</code>	<code>datetime()</code> <code>datetime.now()</code> <code>datetime.strptime()</code> <code><datetime>.isoformat()</code> <code><datetime>.strftime()</code> <code><datetime>.year</code> <code><datetime>.month</code>	<code><datetime>.day</code> <code><datetime>.hour</code> <code><datetime>.minute</code> <code><datetime>.second</code> <code><timedelta>.days</code> <code><timedelta>.seconds</code> <code>ceil()</code> <code>exp()</code> <code>floor()</code> <code>log()</code> <code>pow()</code> <code>sqrt()</code> <code>trunc()</code>

os.path module	random module	sqlite3 module	socket module	sys module
<code>basename()</code> <code>dirname()</code> <code>isdir()</code> <code>isfile()</code> <code>join()</code>	<code>random()</code> <code>randint()</code> <code>randrange()</code> <code>shuffle()</code>	<code>connect()</code> <code><connection>.commit()</code> <code><connection>.close()</code> <code><connection>.execute()</code> <code><connection>.rollback()</code> <code><connection>.row_factory</code> <code><cursor>.fetchone()</code> <code><cursor>.fetchall()</code> <code>Row</code>	<code>socket()</code> <code>bind()</code> <code>listen()</code> <code>accept()</code> <code>connect()</code> <code>recv()</code> <code>sendall()</code>	<code>exit()</code>