

15. Additional Functions and Attributes

pymongo module		flask module
MongoClient() <client>.database_names() <client>.get_database() <client>.drop_database() <client>.close() <database>.collection_names() <database>.get_collection() <database>.drop_collection() <collection>.insert_one() <collection>.insert_many() <collection>.find_one() <collection>.find()	<collection>.update_one() <collection>.update_many() <collection>.delete_one() <collection>.delete_many() <collection>.count() <cursor>.count()	Flask() <flask application>.route() <flask application>.run() render_template() request.files request.form request.method send_from_directory() redirect() url_for() secure_filename() <uploaded file>.save()

2. SQL Statements

```
CREATE TABLE table_name(  
  column1_name COLUMN1_TYPE COLUMN1_CONSTRAINTS,  
  column2_name COLUMN2_TYPE COLUMN2_CONSTRAINTS,  
  ...  
  PRIMARY KEY (column1_name, column2_name, ...),  
  FOREIGN KEY (column_name) REFERENCES table_name(column_name)  
);
```

```
SELECT column1_name, column2_name, ...  
FROM table_name  
WHERE where_expression  
ORDER BY order_expression ASC;
```

```
SELECT column1_name, column2_name, ...  
FROM table_name  
WHERE where_expression  
ORDER BY order_expression DESC;
```

```
SELECT table1_name.column1_name, table2_name.column2_name, ...  
FROM table_name, table2_name  
WHERE where_expression;
```

```
SELECT table1_name.column1_name, table2_name.column2_name, ...  
FROM table1_name  
INNER JOIN table2_name ON join_expression;
```

```
SELECT table1_name.column1_name, table2_name.column2_name, ...  
FROM table1_name  
LEFT OUTER JOIN table2_name ON join_expression;
```