

```

CREATE TABLE [dbo].[Equipo] (
    [id_equipo] INT IDENTITY (1, 1) NOT NULL,
    [nombre] VARCHAR (50) NOT NULL,
    [fecha_creacion] DATE NOT NULL,
    [logo_url] VARCHAR (100) NULL,
    [descripcion] VARCHAR (255) NULL,
    [id_capitan] INT NULL,
    [max_jugadores] INT DEFAULT ((5)) NOT NULL,
    PRIMARY KEY CLUSTERED ([id_equipo] ASC),
    CONSTRAINT [UQ_Equipo_Nombre] UNIQUE NONCLUSTERED ([nombre] ASC),
    CONSTRAINT [FK_Equipo_Jugador]
        FOREIGN KEY ([id_capitan])
        REFERENCES [dbo].[Jugador] ([codigo])
);

```

```

CREATE TABLE [dbo].[Inscripcion] (
    [id_inscripcion] INT IDENTITY (1, 1) NOT NULL,
    [id_equipo] INT NOT NULL,
    [id_torneo] INT NOT NULL,
    [fecha_inscripcion] DATE NOT NULL,
    [estado] VARCHAR (10) NULL,
    [cuota_pagada] FLOAT (53) NOT NULL,
    [moneda] CHAR (3) NOT NULL,
    PRIMARY KEY CLUSTERED ([id_inscripcion] ASC),
    CONSTRAINT [UQ_Equipo_Torneo]
        UNIQUE NONCLUSTERED ([id_equipo] ASC, [id_torneo] ASC),
    CONSTRAINT [FK_Inscripcion_Torneo]

```

```

FOREIGN KEY ([id_torneo])
REFERENCES [dbo].[Torneo] ([codigo]),
CONSTRAINT [FK_Inscripcion_Equipo]
FOREIGN KEY ([id_equipo])
REFERENCES [dbo].[Equipo] ([id_equipo])
);

```

```

CREATE TABLE [dbo].[Jugador] (
[codigo] INT IDENTITY (1, 1) NOT NULL,
[email_usuario] VARCHAR (100) NOT NULL,
[apodo] VARCHAR (50) NOT NULL,
[winrate] FLOAT (53) NULL,
[nivel] INT NULL,
[hardware] VARCHAR (10) NULL,
[buscando_equipo] BIT DEFAULT ((0)) NULL,
[equipo_actual] INT NULL,
[juego] INT NULL,
[rol] VARCHAR (20) NULL,
[kda] FLOAT (53) NULL,
PRIMARY KEY CLUSTERED ([codigo] ASC),
CONSTRAINT [FK_Jugador_Usuario]
FOREIGN KEY ([email_usuario])
REFERENCES [dbo].[Usuario] ([email]),
CONSTRAINT [FK_Jugador_VideoJuego]
FOREIGN KEY ([juego])
REFERENCES [dbo].[VideoJuego] ([codigo]),
CONSTRAINT [CHK_Tipo_hardware]

```

```
        CHECK ([hardware] = 'mando' OR [hardware] = 'teclado')
    );
```

```
CREATE TABLE [dbo].[LikesNoticias] (
    [usuario] VARCHAR (100) NOT NULL,
    [noticia] INT      NOT NULL,
    [fecha] DATETIME   DEFAULT (getdate()) NULL,
    PRIMARY KEY CLUSTERED ([usuario] ASC, [noticia] ASC),
    CONSTRAINT [FK_Like_Noticia]
        FOREIGN KEY ([noticia])
        REFERENCES [dbo].[Noticia] ([IdNoticia])
        ON DELETE CASCADE,
    CONSTRAINT [FK_Like_Usuario]
        FOREIGN KEY ([usuario])
        REFERENCES [dbo].[Usuario] ([email])
);
```

```
CREATE TABLE [dbo].[Noticia] (
    [IdNoticia] INT      IDENTITY (1, 1) NOT NULL,
    [Titulo]    VARCHAR (100) NOT NULL,
    [Contenido] TEXT     NOT NULL,
    [FechaPublicacion] DATETIME NOT NULL,
    [IdUsuario] VARCHAR (100) NOT NULL,
    [ImagenUrl] VARCHAR (500) NULL,
    [Visitas]   INT      DEFAULT ((0)) NOT NULL,
    PRIMARY KEY CLUSTERED ([IdNoticia] ASC),
```

```
CONSTRAINT [FK_Noticia_Usuario]
    FOREIGN KEY ([IdUsuario])
    REFERENCES [dbo].[Usuario] ([email])
    ON DELETE CASCADE
);
```

```
CREATE TABLE [dbo].[Partida] (
    [codigo]      INT      NOT NULL,
    [torneo]      INT      NULL,
    [fecha]       DATE     NOT NULL,
    [descripcion] VARCHAR (MAX) NULL,
    [videojuego]  INT      NOT NULL,
    [enlace_repeticion] VARCHAR (255) NULL,
    [equipo_ganador] INT     NOT NULL,
    PRIMARY KEY CLUSTERED ([codigo] ASC),
    CONSTRAINT [FK_Partida_VideoJuego]
        FOREIGN KEY ([videojuego])
        REFERENCES [dbo].[VideoJuego] ([codigo]),
    CONSTRAINT [FK_Partida_Torneo]
        FOREIGN KEY ([torneo])
        REFERENCES [dbo].[Torneo] ([codigo])
);
```

```
CREATE TABLE [dbo].[Partida_EquiposPerdedores] (
    [id_partida] INT NOT NULL,
    [id_equipo]  INT NOT NULL,
```

```

[posicion] INT NOT NULL,
PRIMARY KEY CLUSTERED ([id_partida] ASC, [id_equipo] ASC),
FOREIGN KEY ([id_partida])
REFERENCES [dbo].[Partida] ([codigo])
);

```

```

CREATE TABLE [dbo].[Partida_Jugadores] (
[id_partida] INT NOT NULL,
[id_jugador] INT NOT NULL,
PRIMARY KEY CLUSTERED ([id_partida] ASC, [id_jugador] ASC),
FOREIGN KEY ([id_partida])
REFERENCES [dbo].[Partida] ([codigo]),
FOREIGN KEY ([id_jugador])
REFERENCES [dbo].[Jugador] ([codigo])
);

```

```

CREATE TABLE [dbo].[Patrocinador] (
[IdPatrocinador] INT IDENTITY (1, 1) NOT NULL,
[Nombre] VARCHAR (25) NOT NULL,
[Telefono] VARCHAR (15) NOT NULL,
[Email] VARCHAR (25) NOT NULL,
[PaginaWeb] VARCHAR (500) NULL,
[InicioContrato] DATE NOT NULL,
[FinContrato] DATE NOT NULL,
PRIMARY KEY CLUSTERED ([IdPatrocinador] ASC),
CONSTRAINT [UQ_Patrocinador_Email]

```

```
        UNIQUE NONCLUSTERED ([Email] ASC),  
    CONSTRAINT [UQ_Patrocinador_Telefono]  
        UNIQUE NONCLUSTERED ([Telefono] ASC)  
);
```

```
CREATE TABLE [dbo].[Patrocinio] (  
    [IdPatrocinador] INT NOT NULL,  
    [Codigo] INT NOT NULL,  
    [Cantidad] INT NOT NULL,  
    PRIMARY KEY CLUSTERED ([Codigo] ASC, [IdPatrocinador] ASC),  
    CONSTRAINT [FK_PatATor]  
        FOREIGN KEY ([IdPatrocinador])  
        REFERENCES [dbo].[Patrocinador] ([IdPatrocinador])  
        ON DELETE CASCADE,  
    CONSTRAINT [FK_TorPat]  
        FOREIGN KEY ([Codigo])  
        REFERENCES [dbo].[Torneo] ([codigo])  
        ON DELETE CASCADE  
);
```

```
CREATE TABLE [dbo].[Torneo] (  
    [codigo] INT IDENTITY (1, 1) NOT NULL,  
    [id_videojuego] INT NOT NULL,  
    [precioInscripcion] FLOAT (53) NOT NULL,  
    [nombre] VARCHAR (255) NOT NULL,  
    [descripcion] VARCHAR (MAX) NULL,
```

```

[profesional] BIT NOT NULL,
[costeOrganizacion] FLOAT (53) NOT NULL,
[fecha] DATETIME NOT NULL,
[ubicacion] VARCHAR (255) NULL,
[premio] FLOAT (53) DEFAULT ((0)) NOT NULL,
[capacidad] INT DEFAULT ((32)) NOT NULL,
[url_logo] NVARCHAR (500) NULL,
PRIMARY KEY CLUSTERED ([codigo] ASC),
CONSTRAINT [FK_Torneo_VideoJuego]
    FOREIGN KEY ([id_videojuego])
    REFERENCES [dbo].[VideoJuego] ([codigo])
    ON DELETE CASCADE
);

```

```

CREATE TABLE [dbo].[Usuario] (
    [email] VARCHAR (100) NOT NULL,
    [password] VARCHAR (255) NOT NULL,
    [nombre] VARCHAR (100) NOT NULL,
    [apellidos] VARCHAR (100) NULL,
    [fecha_nacimiento] DATE NOT NULL,
    [pais] VARCHAR (50) NULL,
    [saldo_cartera] FLOAT (53) DEFAULT ((0)) NULL,
    [verificado] BIT DEFAULT ((0)) NULL,
    PRIMARY KEY CLUSTERED ([email] ASC)
);

```

```
CREATE TABLE [dbo].[VideoJuego] (  
    [codigo] INT IDENTITY (1, 1) NOT NULL,  
    [nombre] VARCHAR (100) NOT NULL,  
    [descripcion] VARCHAR (MAX) NOT NULL,  
    [tipo] CHAR (2) NOT NULL,  
    [edadminima] INT NOT NULL,  
    [icon_url] VARCHAR (255) NULL,  
    [cara_url] VARCHAR (255) NULL,  
    PRIMARY KEY CLUSTERED ([codigo] ASC)  
);
```