Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:04
Sample ID	: 26091276R	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276R

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
GLUCOSE PLASMA RANDOM				
Glucose Plasma Random ^	107.00	mg/dl	60 - 145	Hexokinase
Interpretation	Glucose measurements are used in the diagnosis and treatment of carbohydrate metabolic disorders including diabetes mellitus, idiopathic hypoglycemia, and pancreatic islet cell neoplasm. Random Blood between 140 and 200mg/dl (7.8–11.1 mmol/l) is considered pre-diabetes and ≥ 200 mg/dl is considered diabetes according to ADA guidelines.			
Note	Tests marked with ^ are included in NABL scope. Test results relate to the sample as received. Kindly correlate clinically.			

Checked By :

Reviewed By
Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:35
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
CREATININE, SERUM				
CREATININE ^ SERUM	0.66	mg/dL	0.40 - 0.90	KInetic,Jaffe method

Interpretation

Serum Creatinine is useful in the evaluation of kidney function and in monitoring renal dialysis.

Note

Tests marked with ^ are included in NABL scope

Test results relate to the sample as received.

Kindly correlate clinically.

Checked By :

Reviewed By

Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:34
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
ALBUMIN SERUM				
ALBUMIN^	4.57	g/dL	3.5 - 5.2 g/dL	Colorimetric ,BCG

Interpretation

Serum albumin measurements are used in the monitoring and treatment of numerous diseases involving primarily the liver and kidney. Its main value lies in the follow-up therapy where improvement in the serum albumin level is the best sign of successful medical treatment. There may also be a loss of albumin in the gastrointestinal tract, in the urine by the damaged kidney or direct loss of albumin through the skin. More than 50% of patients with gluten enteropathy have depressed albumin. The only cause of increased albumin is dehydration; there is no naturally occurring hyperalbuminemia.

Note

Tests marked with ^ are included in NABL scope.

Test results relate to the sampleas received.

Kindly correlate clinically.

Checked By :

Reviewed By

Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:32
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
BILIRUBIN (TOTAL) SERUM				
Bilirubin Total ^	0.38	mg/dl	0.0-1.2	Diazo (DPD)
Bilirubin Direct ^	0.23	mg/dl	0.0-0.3	Diazo (DPD)
Bilirubin Indirect ^	0.15	mg/dl	0.0 - 1.0	Calculation

Interpretation

Measurement of the levels of bilirubin is used in the diagnosis and treatment of liver, hemolytic, hematologic, and metabolic disorders, including hepatitis and gallbladder obstructive disease.

Note

Tests marked with ^ are included in NABL scope.

Results relate to the sample as received.

Kindly correlate clinically.

Checked By :

Reviewed By

Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:37
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
CHOLESTEROL TOTAL SERUM				
Total Cholesterol^	144.0	mg/dL	Desirable : < 200 Border-line high : 200 - 239 High : ≥ 240	Enzymatic , colorimetric

Interpretation

Used to evaluate cardio-vascular risk.

Note

Tests marked with ^ are included in NABL Scope

Test results relate to the sample as received.

Kindly correlate clinically

Checked By :

Reviewed By

Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:53
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	METHOD
CBC WITH ESR				
SAMPLE TYPE : EDTA WHOLE BLOOD				
Erythrocyte Count	4.60	10^6 / µL	3.8 - 4.8	Hydro-Dynamic Focusing Impedance
Hemoglobin	**11.7**	gms/dL	12.0 - 15.0	SLS-Hemoglobin Photometry
Total Leucocyte Count	4950	/µL	4000 - 10000	Hydro-Dynamic Focusing Impedance
Platelet Count	276000	/µL	150000 - 410000	Hydro-Dynamic Focusing Impedance
Packed Cell Volume HCT	38.4	%	36 - 46	Cumulative RBC pulse height Detection
RBC Indices				
Mean Cell Volume (MCV)	83.48	fL	83 - 101	Calculated
Mean Cell Hemoglobin (MCH)	**25.43**	pg	27- 32	Calculated
Mean Cell Hb Conc (MCHC)	**30.47**	g/dL	31.5 - 34.5	Calculated
Mean Platelet Volume	**12.4**	fL	6 - 10	Calculated
RDW (CV)	14.4	%	11.5 - 14.5	Calculated
WBC Differential Count				
Neutrophils	61.2	%	35 - 80	Microscopy/FFC
Lymphocytes	28.3	%	18 - 45	Microscopy/FLC
Eosinophils	2.4	%	1 - 6	Microscopy/Fluorescence Flow Cytometry
Monocytes	7.7	%	2 - 10	Microscopy/Fluorescence Flow Cytometry
Basophils	**0.4**	%	0.5 - 2.0	Microscopy/Fluorescence Flow Cytometry
PERIPHERAL SMEAR FINDINGS				
Abnormalities of Erythrocytes	Normocytic Normochromic			Microscopy
Abnormalities of Leucocytes	Within normal limits			Microscopy
Platelet On Smear	Adequate			Microscopy

Note:

Mentzer Index : > 13 : Iron Deficiency Anemia ; < 13 : B-Thalassemia

Mentzer Index sensitivity for beta-thalassemia trait is 74% to 93% and for iron deficiency anemia is 83% to 91% .

Patient Name	: **MRS. GARGI ASERI**	Patient ID / Billing ID	: 1910777 / 2148132
Age / Sex	: 29 Years / Female	Specimen Collected at	: LIVE LONG (THANE)
Ref. Doctor	: Dr. LIVE LONG	Sample Collected On	: 23/09/2026 18:15
Client Name	: LIVE LONG (THANE)	Reported On	: 23/09/2026 21:53
Sample ID	: 26091276	Printed On	: 24/09/2026 13:58
Printed By	: NITA GAIKWAD		

26091276

Advised Hb Electrophoresis if indicated.

ESR	17	mm/hr.	1 - 20	Thermal Infra-red Detection

Checked By :

Reviewed By
Dr. Vivek Bonde
MD Pathology

MC-2107

END OF REPORT