Merchant integration manual

Confidential © 2025 INECOBANK CJSC

Notice

All information contained in this documentation, as well as the software described in it, is proprietary to INECOBANK PG and its affiliates. INECOBANK PG reserves any and all intellectual property rights in respect of this document.
The Customer is granted the right to use this document in accordance with the relevant agreement entered into with INECOBANK CJSC Banking Technologies. Except as permitted by the relevant license agreement, no part of this documentation may be reproduced, stored in a retrieval system, or transmitted in any form or by electronic, mechanical, recording, or any other means, without the prior written permission of INECOBANK CJSC.
The limited warranties provided in respect of this document are described in the relevant legal agreement entered into with INECOBANK CJSC. INECOBANK CJSC provides no other warranties, explicit or implied.
This document is confidential and proprietary and is not intended for use by any person other than a named Customer.

For information regarding permissions, write to:
INECOBANK CJSC
Neuhofstrasse 5a
6340 Baar
Switzerland

Phone: +41 43 508 4024
Email: info@bpcbt.com
Web: www.bpcbt.com

File: merchant_manual_api-spec_en_20251609.pdf
Applicable to: INECOBANK PG 1.0
Permitted distribution: Under NDA only

Contents

Text conventions 4
Order registration request 4
Request parameters 4
Response parameters 5
Error codes 5
Managing merchants 6
Merchant creation request 6
Request parameters 7
Response parameters 8
Error codes 8
Order completion request 9
Request parameters 9
Response parameters 9
Error codes (errorCode) and messages (errorMessage) 9
Refund request 10
Request parameters 10
Format of the params tag 10
Response parameters 10
Error codes 11
Order reversal request 11
Request parameters 11
Response parameters 12
Error codes (errorCode) and messages (errorMessage) 12
Extended order status request 13
Request parameters 13
Response parameters for versions 01, 02, 03 13
Response parameters for versions 02, 03 14
Response parameters for version 03 14
Error codes (values of the errorCode field) 15

Confidential © 2025 INECOBANK CJSC

Text conventions

The following text conventions are used in this document:

Convention	Description
Boldface	Graphical user interface elements such as buttons, menu items, links and titles.
`Monospaced boldface`	Commands, functions, processes, and parameter names.
Monospaced	Parameter values, file names and paths, system output, and user input.
Dark red italicized text	Placeholder variables to be replaced by a suitable value.
`Monospaced on a gray background`	Code examples.
80	Page reference.

Order registration request

To register an order, one of the following methods is used depending on the payment scheme: **register.do** - for one-phase payments

registerPreAuth.do - for two-phase payments

These requests are designed to register orders in the TSYS E-commerce Payment Gateway and have the same set of parameters.

Request parameters

Name	Type	Mandatory	Description
userName	AN..30	Yes	User's login.
password	AN..30	Yes	User's password.
orderNumber	AN..24	Yes	Identifier of the order in the merchant system.
amount	N..20	Yes ? (It's possible to not set)	Order amount in the minor denomination (for example, cents).
currency	N3	Yes ? (set by default from the code?)	Payment currency code in the ISO 4217 format.
returnUrl	AN..512	Yes	URL to which the customer is redirected after a successful payment.
description			
language			
clientId			
email			
phone			
jsonParams[]			
sessionTimeoutSecs			
expirationDate			
bindingId			
features			
recurrenceType		Yes for recurring payments	

Confidential © 2025 INECOBANK CJSC

recurrenceFrequency		For MANUAL: No For AUTO: Yes	
recurrenceStartDate			
recurrenceEndDate			
orderId			
formUrl			
errorCode			
errorMessage			
recurrenceId		Yes for recurring payments	

Response parameters

Name	Type	Mandatory	Description
orderId	ANS36	No	Unique order number in the TSYS Ecommerce Payment Gateway. It is absent if the order registration has failed (the error is described in the ErrorCode field).
formUrl	AN..512	No	URL of the payment page to which the customer should be redirected. If the order registration has failed, this parameter is absent (the error is described in the ErrorCode field).
errorCode	N3	No	Response code: · 0 in case of a successful transaction · Other code if an error occurred when processing the request.
errorMessage	AN..512	No	Information message about the transaction result: a success message or the description of an error.
recurrenceId	N6	Yes	Merchant identifier in the EPG system (passed in the data block).

Error codes

Value	Description
0	No system error.
1	Order with given order number has already been processed or the ***childId*** is incorrect.
	Order with this number was registered, but was not paid.
	Submerchant is blocked or deleted.
3	Unknown currency.
4	Order number is not specified.
	Merchant user name is not specified.

Confidential © 2025 INECOBANK CJSC

Request example

```
POST https://pg.inecoecom.am/payment/rest/register.do
{
"userName": "384.29005619.29535619",
"password": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"OrderNumber": "n_1758115872",
"amount" : "200",
"currency": "051",
"returnUrl": "https://vteam.m",
"description": "TEST - payment for some goods",
"language": "hy",
"pageView": "DESKTOP",
"lalala": "AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA",
"recurrenceType": "AUTO",
"recurrenceFrequency": "000001",
"phone": "+37400"
}
```

Response example


```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```


Managing merchants

An *aggregator* is a merchant that has submerchants and processes their transactions. A *submerchant* is a dependent merchant that does not have its own terminal and processes its payments through an aggregator. A submerchant does not have a ***Processing ID*** or ***Terminal ID***. It uses aggregator's values for these parameters.

In the TSYS E-commerce Payment Gateway system, it is possible to manage merchants and submerchants through the UI (administrative portal) and through API. The web API enables the creation of a submerchant and modification of its details.

Note: To be able to manage merchants through API, a user must:

• be added in the EPG administrative portal to the group that has the VIEW and EDIT actions for the EXTERNAL_MERCHANT_MANAGEMENT entity (see Administration > Groups in TSYS E-commerce Payment Gateway User Guide)

• have the Use ***Merchant API*** permission enabled (see Creating a user in TSYS E-commerce Payment Gateway User Guide) To be able to manage submerchants through API and UI, a user must have the ***Submerchants management allowed*** and Use ***Merchant API*** permissions enabled. See Creating a user in TSYS E-commerce Payment Gateway User Guide.

Merchant creation request

To create a merchant or a submerchant, the **create.do** method is used.

The HTTP method to use with **create.do** is POST.

A submerchant inherits a range of parameters from the aggregator. If the same parameters are specified for the submerchant, their values will be ignored. The inherited parameters are: ***processingId***, ***terminalId***, ***merchantLogin***, ***visa3dsId***, ***masterCard3dsId***, ***currencies***, ***defaultCurrency***, ***paymentAttempts***, ***mustVerify***, ***externalFraudControlEnabled***, and ***orderStatusPeriodDays***.

Note: To be able to manage merchants through API, a user must:

• be added in the EPG administrative portal to the group that has the VIEW and EDIT actions for the EXTERNAL_MERCHANT_MANAGEMENT entity (see Administration > Groups in TSYS E-commerce Payment Gateway User Guide)

• have the ***Use Merchant API*** permission enabled (see Creating a user in TSYS E-commerce Payment Gateway User Guide) To be able to manage submerchants through API and UI, a user must have the ***Submerchants management allowed*** and ***Use Merchant API*** permissions enabled. See Creating a user in TSYS E-commerce Payment Gateway User Guide.

Request parameters

Note: Any hyphens appearing in the parameter names below are inserted solely for formatting reasons.

Name	Type	Mandatory	Description
userName	AN..30	Yes	User's login.
password	AN..30	Yes	User's password.
merchantLogin	AN..100	Yes	Login of the merchant in the EPG system.
merchantFullName	AN..200	Yes	Full name of the submerchant to be created.
processingId	AN..100	Yes	Identifier of the merchant in the processing center.
terminalId	AN..100	Yes	Identifier of the merchant terminal.
defaultLanguage	AN..2	Yes	Default language of the merchant site interface.
locales	AN..200	Yes	Paths to locale files that support available languages.
currencies	-	Yes	Currencies that are available for the merchant.
defaultCurrency	AN..3	Yes	Default currency for the merchant.
showParamListMapping	-	Yes	showParamListMapping
paymentAttempts	N..2	Yes	Number of attempts allowed to process a payment. The possible values are: · true · false
orderStatusExtendedVersion	AN..16	Yes	Version of the getOrderStatusExtended.do request used for the merchant.
p2PStatusVersion	AN..16	Yes	Version of the getP2PStatus request used for the merchant.
additionalParams	-	Yes	Additional order parameters that this merchant uses.
createDate	-	No	

Confidential © 2025 INECOBANK CJSC

Response parameters

Name	Type	Mandatory	Description
errorCode	N3	No	Response code: · 0 in case of a successful transaction · Other code if an error occurred when processing the request.
errorMessage	AN..512	No	Information message about the transaction result: a success message or the description of an error.
merchantId	N..22	Yes	Merchant identifier in the EPG system (passed in the data block).

Error codes

Value	Description
0	Success
1	Could not find merchant by merchantId.
2	Merchant specified is not a submerchant. Only submerchants can be deleted.
3	Merchant specified has already been deleted.
4	User does not have the permissions required to perform this action.
6	Merchant specified as the aggregator is not allowed to have submerchants.
7	System error.
8	Merchant specified as the aggregator is a submerchant.
9	Merchant specified as the aggregator was not found.
10	Required parameter is not specified in the merchant update request.
11	Validation error.

Request example

```
POST https://pg.inecoecom.am/payment/rest/create.do
{
"userName": "384.29005619.29535619",
"password": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"merchantLogin": "384.29005619.29535619",
"merchantFullName": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"processingId": "3",
"terminalId": "t",
"merchantId": "b",
"locales" : "https://pg.inecoecom.am",
"currencies": "051",
"defaultCurrency": "AMD",
"showParamListMapping": "1,2",
"defaultLanguage": "hy",
"paymentAttempts": "01",
"orderStatusExtendedVersion": "01111111111111",
"p2PStatusVersion": "01111111111111",
"additionalParams": ""
}
```

Confidential © 2025 INECOBANK CJSC

Response example


```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```


Order completion request

The **deposit.do** request is used to complete a preauthorized payment in the case of a two-phase payment.

A merchant can perform this request if it has the relevant permissions in the system.

Request parameters

Name	Type	Mandatory	Description
userName	AN..30	Yes	User's login.
password	AN..30	Yes	User's password.
orderId	ANS36	Yes	Unique order number in the TSYS E- commerce Payment Gateway.
amount	N..20	Yes	Order amount in the minor denomination (for example, cents).

IMPORTANT: If you specify o in the DepositAmount parameter, completion occurs for the entire preauthorized amount.

Response parameters

Name	Type	Mandatory	Description
errorCode	N3	No	Response code: · 0 in case of a successful transaction · Other code if an error occurred when processing the request.
errorMessage	AN..512	No	Information message about the transaction result: a success message or the description of an error.

Error codes (errorCode) and messages (errorMessage)

Value	Message	Description
0	No system error.	No system error.
5	Erroneous value of a request parameter.	Access is denied.
		The user who processes the merchant's payments must change their password.
		Invalid amount.
		Deposit amount must be zero, or more than 1 currency unit (for example, 1 euro).
6		Unregistered ***OrderId***.
7		System error.

Confidential © 2025 INECOBANK CJSC

Request example

```
POST https://pg.inecoecom.am/payment/rest/deposit.do
{
"userName": "384.29005619.29535619",
"password": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"orderId": "cdcd8c4e-58cb-40c9-ae50-f8b03abdb115",
"amount" : "1"
}
```

Response example

```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```

Refund request

The **refundorder** request is used to refund the deposited money. This request returns the money paid for the order back to the customer. The request results in an error if the customer has not been charged. EPG allows multiple refunds but their total amount cannot exceed the amount that was deposited from the customer's account for the order.

The merchant must have the relevant permissions in the system to perform this operation.

The credentials of the user who processes the merchant's transactions (Username and Password) are passed in the header of a SOAP request, not as the request parameters. The header format is given in the request example.

Request parameters

Name	Type	Mandatory	Description
orderId	ANS36	Yes	Unique order number in the TSYS E- commerce Payment Gateway.
refundAmount	N…5	Yes	Refund amount in the order currency. May be less (lowered by previous refunds) or equal to the charged amount.
language	A2	No	Language in the ISO 639-1 format. If it is not specified, the default language specified in the online store settings is used.
params[]	AN..1024	No	-

Format of the params tag

Name	Type	Mandatory	Description
name	ANS..255	Yes	Name of an additional parameter.
value	ANS..1024	Yes	Value of the additional parameter.

Response parameters

Name	Type	Mandatory	Description
errorCode	N3	No	Error code.
errorMessage	AN..512	No	Description of the error.

Confidential © 2025 INECOBANK CJSC

Error codes

Value	Description
0	No system error.
5	Access is denied.
	The user who processes the merchant's payments must change their password.
	orderId is empty.
	Invalid amount.
6	Unregistered ***OrderId***.
7	Refund is impossible for the transaction in the current state.
	Refund amount exceeds deposited amount.
	System error.

Request example

POST https://pg.inecoecom.am/payment/rest/refund.do

```
{
"userName": "384.29005619.29535619",
"password": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"amount": "100",
"orderId": "cdcd8c4e-58cb-40c9-ae50-f8b03abdb115"
}
```

Response example

```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```

Order reversal request

The **reverseOrder** request is used to reverse an order. This functionality is available for a limited period, that is specified by the bank.

The reversal operation may be performed only once. If the reversal request caused an error, the next try will not be successful.

The reversal operation is only available for merchants based on an agreement with the bank. A user who process the merchant's payments must have the appropriate permission to perform the reversal request.

The credentials of the user who processes the merchant's transactions (Username and Password) are passed in the header of a SOAP request, not as the request parameters. The header format is given in the request example.

Request parameters

Name	Type	Mandatory	Description
orderId	ANS36	Yes	Unique order number in the TSYS E- commerce Payment Gateway.
language	A2	No	Language in the ISO 639-1 format. If it is not specified, the default language specified in the online store settings is used.
params[]	AN..1024	No	An additional tag with attributes used to pass the additional parameters of a merchant.

Confidential © 2025 INECOBANK CJSC

			The limit is 99 characters, and the following characters cannot be used: %, +, \r (end of a line), and \n (line break). To pass N parameters, the request must contain N Params tags in which the name attribute contains the name of a parameter and the value attribute contains its value. The the tag description is given below.

Response parameters

Name	Type	Mandatory	Description
errorCode	N3	No	Error code.
errorMessage	AN..512	No	Description of the error.

Error codes (errorCode) and messages (errorMessage)

Value	Message	Description
0	No system error.	No system error.
5	Erroneous value of a request parameter.	Access is denied.
		The user who processes the merchant's payments must change their password.
		orderId is empty.
6	Incorrect order number.	Unregistered ***OrderId***.
7		Reversal is impossible for the current transaction.
	System error.	System error.

Request example

```
POST https://pg.inecoecom.am/payment/rest/reverse.do
{
"userName": "384.29005619.29535619",
"password": "Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"orderId": "cdcd8c4e-58cb-40c9-ae50-f8b03abdb115",
"amount" : "10"
}
```

Response example


```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```


Confidential © 2025 INECOBANK CJSC

Extended order status request

The **getorderStatusExtended.do** is used to obtain the status of a registered order.

Request parameters

Name	Type	Mandatory	Description
userName	AN..30	Yes	User's login.
password	AN..30	Yes	User's password.
orderId	ANS36	Yes*	Unique order number in the TSYS E- commerce Payment Gateway.
orderNumber	AN..32	Yes*	Identifier of the order in the merchant system.
language	A2	No	Language code in the ISO 639-1 format. If unspecified, SmartVista E-commerce Payment Gateway uses the default language from the merchant settings. Error messages are returned in this language.

* It is necessary to specify whether orderId or orderNumber is in the request. If the request contains both parameters, orderId has priority.

There are three sets of response parameters. These sets depend on getOrderStatusExtended version that is specified in the merchant settings.

Response parameters for versions 01, 02, 03

The following parameters are returned regardless of the **gerorderStatusExtended** version:

Name	Type	Mandatory	Description
orderNumber	AN..32	Yes	Identifier of the order in the merchant system.
orderStatus	N2	No	Order status in SmartVista E-commerce Payment Gateway. The value is selected from the variants listed below. It is absent if no matching order was found.
actionCode	N3	Yes	Processing system authorization code.
actionCodeDescription	AN..512	Yes	Action code description in the language specified in the Language parameter.
errorCode	N3	No	Error code.
errorMessage	AN..512	No	Description of the error in the language that was sent in the language parameter of the request.
amount	N..20	Yes	Order amount in the minor denomination (for example, cents).
currency	N3	No	Payment currency code in the ISO 4217 format. If not specified, the default value is used.
date	ANS	Yes	Date of order registration.
orderDescription	AN..512	No	Free form description of the order.
ip	N..	Yes	IP address of the customer who paid for the order.
cardAuthinfo (element has structure which includes the list of elements secureAuthinfo type and maskedPan, expiration, cardholderName and approvalCode attributes)			
pan	N..19	No	Masked number of the card that was used in the payment. It is specified only for paid orders.

Confidential © 2025 INECOBANK CJSC

expiration	N6	No	Card expiration date in the YYYYMM format. It is specified only for paid orders.
cardholderName	A..64	No	Name of the cardholder. This parameter is verified according to the following criteria. • acceptable characters are: Latin letters, 0-9, $,), (,-,., a white space • cardholder name must start with a letter • minimal length: one Latin letter • maximum length: 26 characters • null is valid • upper case and lower case are acceptable
approvalCode	AN6	No	Payments network authorization code. The field has fixed length of six characters; it can contain both numbers and letters.
secureAuthInfo (element includes eci element and elements of threeDSInfo type, which is a list of cavv and xid):			
eci	N..4	No	Electronic Commerce Indicator.
cavv	ANS..200	No	Cardholder Authentication Verification Value.
xid	ANS..80	No	Electronic Commerce Transaction Identifier.
BindingInfo (element consits of clientId and bindingId):			
clientid	AN..255	No	Client number (ID) in the merchant system, transferred during the order registration. It is present only if a merchant is allowed to create links.
bindingId	AN..255	No	The identifier of a link created during order payment or used for payment. It is present only if a merchant is allowed to create links.

Response parameters for versions 02, 03

If **getOrderStatusExtended** version is 02 or higher, the following parameters are also returned along with the parameters described above.

Name	Type	Mandatory	Description
authDateTime	ANS	No	Authorization date and time.
authRefNum	AN..24	No	Reference number.
terminalId	AN..10	No	Terminal ID.

Response parameters for version 03

If **getOrderStatusExtended** version is 03, the following parameters are also returned along with the parameters described above.

Name	Type	Mandatory	Description
paymentAmountInfo element (consists of approvedAmount, depositedAmount, refundedAmount and paymentState parameters):			
approvedAmount	N..20	No	Amount hold on the customer's card (only for two-phase payments).
depositedAmount	N..20	No	Amount confirmed for deposit.
refundedAmount	N..20	No	Refund amount.

paymentState	N2	No	Payment state.
bankInfo element (consist of bankName, bankCountryCode and bankCountryName parameters):			
bankName	AN..200	No	Name of issuing bank.
bankCountryCode	AN..4	No	Code of issuing bank country.
bankCountryName	AN..160	No	Country of the issuing bank in the language specified in the *language* parameter. It is in the user language if the *language* parameter is not specified.

The **OrderStatus** field may have the following statuses:

State number	Description
0	Order registered, but not paid.
1	Preauthorization amount was put on hold (for a two-phase payment).
2	Amount was deposited successfully.
3	Authorization has been reversed.
4	Transaction has been refunded.
5	Authorization has been initiated via the issuer's ACS.
6	Authorization is declined.

Error codes (values of the errorCode field)

Value	Description
0	No system error.
1	Expected **orderId** or **orderNumber**
2	The order is declined because of an error in the payment credentials.
5	Access is denied.
	The user who processes payments for the merchant must change their password.
6	Unregistered **orderId**.
7	System error.

Request example

```
POST https://pg.inecoecom.am/payment/rest/getOrderStatusExtended.do
{
"userName":"384.29005619.29535619",
"password":"Rpm*BUwGU*qyj3MQn7AaSKpwnR_uA!H!",
"orderId": "fe386f65-a73d-469b-8039-2d933c84b4a4"
}
```

Response example

```
{"orderId":"cdcd8c4e-58cb-40c9-ae50-
f8b03abdb115","formUrl":"https://pg.inecoecom.am/payment/merchants/29005619/payment_hy.html?mdOrder=cd
cd8c4e-58cb-40c9-ae50-f8b03abdb115","errorCode":0,"errorMessage":""}
```

Confidential © 2025 INECOBANK CJSC