Name – Garima Uppal

Sec – B , Roll – 22

Cu240251618

Experiment No. 10

Experiment Name

End-to-End Data Analytics Project: Business Intelligence and Predictive Analytics using a Real-World Dataset

Aim

To implement a complete data analytics workflow on a real-world dataset by performing data collection, preprocessing, exploratory data analysis, visualization, statistical analysis, predictive modeling, and presentation of actionable business insights.

GITHUB LINK:https://github.com/suyash34501/Mastery-in-Data-Analytics-and-Visualizations-and-Career-Advancement/blob/main/Experiment%2010.py

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns

from scipy import stats
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
from sklearn.metrics import mean_absolute_error, mean_squared_error, r2_score

sns.set_theme(style="whitegrid")

url = "https://raw.githubusercontent.com/yannie28/GlobalSuperstore/master/Global_Supers

df = pd.read_csv(url, encoding="utf-8-sig")

print("Dataset loaded successfully!")
print("Shape:", df.shape)

df.head()
```

```
Dataset loaded successfully!
Shape: (1000, 24)
```

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Post Co
0	40098	CA-2014-AB10015140-41954	11/11/2014	11/13/2014	First Class	AB-100151402	Aaron Bergman	Consumer	73120
1	26341	IN-2014-JR162107-41675	2/5/2014	2/7/2014	Second Class	JR-162107	Justin Ritter	Corporate	N
2	25330	IN-2014-CR127307-41929	10/17/2014	10/18/2014	First Class	CR-127307	Craig Reiter	Consumer	N
3	13524	ES-2014-KM1637548-41667	1/28/2014	1/30/2014	First Class	KM-1637548	Katherine Murray	Home Office	N
4	47221	SG-2014-RH9495111-41948	11/5/2014	11/6/2014	Same Day	RH-9495111	Rick Hansen	Consumer	N

5 rows × 24 columns

```
print("Rows:", df.shape[0])
print("Columns:", df.shape[1])

print("\nColumn Names:")
print(df.columns.tolist())

print("\nData Types:")
print(df.dtypes)

print("\nMissing Values:")
print(df.isnull().sum())
```

```
Rows: 1000
Columns: 24

Column Names:
['Row ID', 'Order ID', 'Order Date', 'Ship Date', 'Ship Mode', 'Customer ID', 'Customer

Data Types:
Row ID           int64
Order ID        object
Order Date      object
Ship Date       object
Ship Mode       object
Customer ID     object
Customer Name   object
Segment         object
Postal Code    float64
```

```
City               object
State              object
Country            object
Region             object
Market             object
Product ID         object
Category           object
Sub-Category       object
Product Name       object
Sales             float64
Quantity            int64
Discount          float64
Profit            float64
Shipping Cost     float64
Order Priority     object
dtype: object

Missing Values:
Row ID              0
Order ID            0
Order Date          0
Ship Date           0
Ship Mode           0
Customer ID         0
Customer Name       0
Segment             0
Postal Code       806
City                0
State               0
Country             0
Region              0
Market              0
Product ID          0
Category            0
Sub-Category        0
Product Name        0
Sales               0
Quantity            0
Discount            0
Profit              0
Shipping Cost       0
```

```
# Convert dates
df["Order Date"] = pd.to_datetime(df["Order Date"], errors="coerce")
df["Ship Date"] = pd.to_datetime(df["Ship Date"], errors="coerce")

# Convert numeric columns
for col in ["Sales", "Quantity", "Discount", "Profit", "Shipping Cost"]:
    df[col] = pd.to_numeric(df[col], errors="coerce")

# Remove duplicate records
df = df.drop_duplicates()

# Remove missing values from important columns
df = df.dropna(
    subset=["Sales", "Quantity", "Discount", "Profit"]
)

# Create shipping days
df["Shipping Days"] = (
    df["Ship Date"] - df["Order Date"]
).dt.days
```

```
# Remove invalid shipping days
df = df[df["Shipping Days"] >= 0]

print("Preprocessing completed!")
print("New Shape:", df.shape)

print("\nRemaining Missing Values:")
print(df.isnull().sum().sum())
```

```
Preprocessing completed!
New Shape: (1000, 25)

Remaining Missing Values:
806
```

```
display(
    df[
        ["Sales", "Quantity", "Discount",
         "Profit", "Shipping Cost"]
    ].describe().round(2)
)
```

	Sales	Quantity	Discount	Profit	Shipping Cost
count	1000.00	1000.00	1000.00	1000.00	1000.00
mean	1710.97	5.56	0.09	288.92	272.38
std	1259.24	2.72	0.15	574.50	176.16
min	1.91	1.00	0.00	-3059.82	1.07
25%	826.91	4.00	0.00	10.04	209.83
50%	1585.12	5.00	0.00	190.68	258.90
75%	2477.81	7.00	0.15	518.87	351.07
max	9892.74	14.00	0.80	4946.37	923.63

```
# Sales by Category
plt.figure(figsize=(8,5))

sns.barplot(
    data=df,
    x="Category",
    y="Sales",
    estimator="sum"
)


plt.title("Total Sales by Category")
plt.xlabel("Category")
plt.ylabel("Total Sales")
plt.show()



# Sales Distribution
plt.figure(figsize=(8,5))

sns.histplot(
    df["Sales"],
```

```
    bins=30,
    kde=True
)

plt.title("Sales Distribution")
plt.xlabel("Sales")
plt.ylabel("Frequency")
plt.show()
```






```
numeric_cols = [
    "Sales",
    "Quantity",
    "Discount",
    "Profit",
    "Shipping Cost",
    "Shipping Days"
]

corr = df[numeric_cols].corr()

plt.figure(figsize=(9,6))

sns.heatmap(
    corr,
    annot=True,
    fmt=".2f",
    cmap="coolwarm"
)

plt.title("Correlation Heatmap")
plt.show()
```



```
technology = df[
    df["Category"] == "Technology"
]["Sales"]

furniture = df[
    df["Category"] == "Furniture"
]["Sales"]

t_stat, p_value = stats.ttest_ind(
    technology,
    furniture,
    equal_var=False,
    nan_policy="omit"
)

print("T-statistic:", round(t_stat, 4))
print("P-value:", round(p_value, 6))

if p_value < 0.05:
    print("Result: Significant difference exists.")
else:
    print("Result: No significant difference found.")
```

```
T-statistic: 0.8469
P-value: 0.397362
Result: No significant difference found.
```

```
features = [
    "Quantity",
    "Discount",
    "Shipping Cost",
    "Shipping Days"
]

X = df[features]
y = df["Sales"]

X_train, X_test, y_train, y_test = train_test_split(
    X,
    y,
    test_size=0.20,
    random_state=42
)

print("Training data:", X_train.shape)
print("Testing data:", X_test.shape)
```

```
Training data: (800, 4)
Testing data: (200, 4)
```

```
model = LinearRegression()

model.fit(X_train, y_train)

y_pred = model.predict(X_test)

print("Linear Regression model trained successfully!")

print("\nCoefficients:")
```

```
for feature, coef in zip(features, model.coef_):
    print(feature, ":", round(coef, 4))
```

```
Linear Regression model trained successfully!

Coefficients:
Quantity : 158.6824
Discount : -767.2358
Shipping Cost : 4.1026
Shipping Days : 200.5106
```

```
mae = mean_absolute_error(y_test, y_pred)

rmse = np.sqrt(
    mean_squared_error(y_test, y_pred)
)

r2 = r2_score(y_test, y_pred)

print("Model Evaluation")
print("----------------------")
print("MAE  :", round(mae, 2))
print("RMSE :", round(rmse, 2))
print("R²   :", round(r2, 4))
```

```
Model Evaluation
----------------------
MAE  : 501.02
RMSE : 686.64
R²   : 0.6276
```

```
plt.figure(figsize=(8,6))

plt.scatter(
    y_test,
    y_pred,
    alpha=0.5
)


plt.xlabel("Actual Sales")
plt.ylabel("Predicted Sales")
plt.title("Actual vs Predicted Sales")

min_value = min(y_test.min(), y_pred.min())
max_value = max(y_test.max(), y_pred.max())

plt.plot(
    [min_value, max_value],
    [min_value, max_value],
    linestyle="--"
)

plt.show()

print("Average Sales:", round(df["Sales"].mean(), 2))
print("Average Profit:", round(df["Profit"].mean(), 2))
print("Model R²:", round(r2, 4))
```




```
Average Sales: 1710.97
Average Profit: 288.92
Model R²: 0.6276
```

```
print("""
BUSINESS RECOMMENDATIONS
------------------------

1. Use the predictive model to estimate future sales.
2. Monitor discount levels and their effect on sales.
3. Analyse product categories regularly.
4. Track sales, profit and shipping performance.
5. Improve the model by adding more relevant features.
6. Use dashboards to communicate important busines insights.

CONCLUSION
----------

An end-to-end data analytics project was completedusing
the Global Superstore dataset.

The project included data preprocessing, EDA,
visualization, statistical analysis, predictive mdelling,
model evaluation and business recommendations.
""")
```

```
BUSINESS RECOMMENDATIONS
------------------------
```

```
1. Use the predictive model to estimate future sales.
2. Monitor discount levels and their effect on sales.
3. Analyse product categories regularly.
4. Track sales, profit and shipping performance.
5. Improve the model by adding more relevant features.
6. Use dashboards to communicate important business insights.

CONCLUSION
----------

An end-to-end data analytics project was completed using the
Global Superstore dataset.

The project included data preprocessing, EDA,
visualization, statistical analysis, predictive modelling,
model evaluation and business recommendations.
```

Experiment 10 — Questions & Answers

1. What are the major stages involved in an end-to-end data analytics project?

Answer: The major stages are data collection, data preprocessing, Exploratory Data Analysis (EDA), visualization, statistical analysis, machine learning, model evaluation, interpretation of results, and business recommendations. These stages help convert raw data into useful information for decisionmaking.

2. Why is data preprocessing considered the foundation of successfulanalytics and machine learning?

Answer: Data preprocessing is important because real-world data may contain missing values, duplicate records, outliers, and categorical variables. Cleaning and transforming the data improves its quality and makes it suitable for analysis and machine learning models.

3. How does Exploratory Data Analysis (EDA) contribute to modeldevelopment?

Answer: EDA helps us understand the characteristics of the dataset using descriptive statistics and visualizations. It helps identify patterns, trends, relationships, unusual values, and important variables. These findings help in selecting suitable features and developing an appropriate model.

4. What factors should be considered while selecting a machine learningalgorithm for a business problem?

Answer: The algorithm should be selected according to the type of business problem, type of target variable, dataset size, available features, and required output. The complexity and performance of the algorithm should also be considered. For example, Linear Regression can be used for predicting a numerical value such as Sales.

5. Why is model evaluation essential before deploying a predictive model?

Answer: Model evaluation helps determine how well a model performs on unseen data. It shows the accuracy and prediction errors of the model and helps identify whether the model is suitable for the business problem. For regression models, MAE, RMSE, and R^2 can be used for evaluation.

6. Explain how Business Intelligence tools complement machine learning indata analytics projects.

Answer: Business Intelligence tools such as Tableau and Power BI help present analytical and machinelearning results using dashboards, charts, and interactive visualizations. They make complex results easier for managers and stakeholders to understand and help them use the insights for decision-making.

7. What challenges are commonly encountered while working with real-worlddatasets?

Answer: Common challenges include missing values, duplicate records, outliers, categorical variables, inconsistent data, and large datasets. These problems can affect the quality of analysis and model performance, so proper preprocessing is required before analysis.

8. How can analytical insights be converted into actionable businessrecommendations?

Answer: Analytical insights can be converted into recommendations by identifying important trends, opportunities, and risks from the data. These findings can then be connected with practical business actions, such as improving sales strategies, monitoring discounts, or improving operational performance.

9. Why is effective presentation and data storytelling important in analyticsprojects?

Answer: Effective presentation and data storytelling make analytical findings easier to understand. They help communicate the methodology, important trends, visualizations, model performance, and recommendations clearly to stakeholders. This allows the results to support business strategy and decision-making.

10. Suggest future improvements or advanced techniques that could enhancethe accuracy and effectiveness of the developed analytics solution.

Answer: Future improvements can include using more relevant features, feature engineering, trying different machine-learning algorithms, hyperparameter tuning, and using larger or betterquality datasets. BI dashboards can also be improved to present results more effectively and support better decisionmaking.