

Chapter 3

Designing Accounting Data Input Forms

Theory & Concepts

This chapter will delve into how to build effective HTML forms for data input, especially in an accounting context, and emphasize the importance of accessibility. Students will also continue their exploration of Git and GitHub for collaboration.

3.1 Basic HTML Form Elements:

- **Purpose of Forms (<form>):** The primary mechanism for collecting *input* from users and sending it to a *server*.
- Important Attributes for <form>:
 - **action:** The URL where form data will be sent (will be filled with a PHP file in Chapter 9).
 - **method:** The data submission method (GET or POST).
 - **GET:** Data is visible in the URL, suitable for searches or non-sensitive data.
 - **POST:** Data is not visible in the URL (sent in the request *body*), suitable for sensitive data like transactions or logins.
 - **enctype="multipart/form-data":** Required if there is a *type="file"* *input*.

3.2 Various Types of HTML Inputs for Accounting Data:

- <input> Tag and type Attribute:
 - **type="text":** For short text (e.g., Account Name, Transaction Reference Number).
 - **type="number":** For numerical *input* (e.g., Transaction Amount, Item Price).
 - Attributes min, max, step.
 - **type="date":** For date *input* (e.g., Transaction Date, Invoice Date).
 - **type="email":** For *email* address *input* (basic format validation by the *browser*).
 - **type="password":** For password *input* (characters are masked).
 - **type="radio":** For a single selection from multiple options (e.g., Debit / Credit, Gender). **name** attribute (must be the same for a group) and **value**.
 - **type="checkbox":** For multiple selections from several options (e.g., Required Report Types). **name** attribute (can be the same if an array) and **value**.
 - **type="file":** For uploading files (e.g., Transaction Proof, Scanned Invoice).
 - **type="submit":** Button to submit the form.
 - **type="reset":** Button to reset the form to its *default* values.
 - **type="hidden":** For data not visible to the user but needs to be sent.
- Other Input Elements:
 - **<textarea>:** For long text *input* (e.g., Transaction Description, Asset Description). Attributes rows, cols.
 - **<select> and <option>:** For *dropdown* selections (e.g., Chart of Accounts, Expense Categories). **value** attribute on <option>. **multiple** attribute on <select>.

- `<label>`: Text label for an *input*. **Important for accessibility** (use the `for` attribute that matches the *input*'s id).
- `<fieldset>` and `<legend>`: For grouping related *input* fields semantically and visually (e.g., "Transaction Details", "Company Information").

3.3 Basics of Form Accessibility:

- Why accessibility is important (*screen reader* users, keyboard navigation, cognitive disabilities).
- Keys to Form Accessibility:
 - Always use a `<label>` connected to the *input* (`<label for="input_id">`).
 - Use the placeholder attribute for expected *input* examples.
 - Use the required attribute for mandatory *fields*.
 - Provide clear instructions.

3.4 Git & GitHub (Basic Collaboration):

- **GitHub as a Collaboration Platform:** *Remote* repositories.
- Creating a New *Repository* on GitHub.
- Connecting a Local *Repository* to GitHub:
 - `git remote add origin <URL_repository>`
 - `git branch -M main` (if the main *branch* is not main)
 - `git push -u origin main`: Sending *commits* from local to *remote* for the first time.
- Concept of git pull: Fetching the latest changes from the *remote repository*.

Practical Exercises

This practical session will involve creating various types of HTML forms relevant to accounting scenarios, emphasizing the correct use of *input* elements and accessibility practices. Students will also begin uploading their projects to GitHub.

Class Exercises

1. **Folder Preparation:** Inside your project's *root folder* `week_3/`, create a new folder named `form_exercises/`. All class exercise files will be saved here.
2. **Exercise 3.1: Employee Information & Salary Payment Form (Basic Input & Label)**
 - Create a new HTML file named `employee_salary_form.html` inside `week_3/form_exercises/`.
 - Fill in the basic HTML structure.
 - Create a form (`<form method="post" action="#">`) divided into two sections using `<fieldset>`:
 - **Section 1: Employee Information** (`<legend>Employee Information</legend>`)
 - Full Name (`type="text", id="employeeName", required, placeholder="Employee's full name"`)
 - Employee ID (`type="text", id="employeeID", required,`

- placeholder="Employee ID/NIK")
- Date of Birth (type="date", id="dob", required)
- Gender (type="radio", name="gender", id="male", value="Male" / id="female", value="Female")
- Email Address (type="email", id="employeeEmail", placeholder="email@company.com")
- Phone Number (type="text", id="employeePhone", placeholder="Example: 08123456789")
- Position (type="text", id="position", placeholder="Accounting Manager / Tax Staff")
- **Section 2: Salary Payment Details (<legend>Salary Payment Details</legend>)**
 - Salary Period (type="month", id="salaryPeriod", required)
 - Basic Salary (type="number", id="basicSalary", min="0", step="1000", required, placeholder="Example: 5000000")
 - Transportation Allowance (type="number", id="transportAllowance", min="0", step="500", value="0")
 - BPJS Deduction (type="number", id="bpjsDeduction", min="0", step="100", value="0")
- **Important:** Ensure each *input* has a <label> connected with the appropriate for and id attributes.
- Add submit and reset buttons.
- Save and view in the *browser*. Check the label functionality (*click* the label, *cursor* moves to the *input*).
- **Example Code employee_salary_form.html:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Employee & Salary Data Form</title>
</head>
<body>
  <h1>Employee Data and Salary Payment Input Form</h1>
  <form method="post" action="#">
    <fieldset>
      <legend>Employee Information</legend>
      <p>
        <label for="employeeName">Full Name:</label><br>
        <input type="text" id="employeeName"
name="employeeName" required placeholder="Employee's full name">
      </p>
      <p>
        <label for="employeeID">Employee ID:</label><br>
        <input type="text" id="employeeID" name="employeeID"
required placeholder="Employee ID/NIK">
      </p>
    </fieldset>
  </form>
</body>
</html>
```

```

        <p>
            <label for="dob">Date of Birth:</label><br>
            <input type="date" id="dob" name="dob" required>
        </p>
        <p>
            Gender:<br>
            <input type="radio" id="male" name="gender"
value="Male" required>
            <label for="male">Male</label>
            <input type="radio" id="female" name="gender"
value="Female">
            <label for="female">Female</label>
        </p>
        <p>
            <label for="employeeEmail">Email Address:</label><br>
            <input type="email" id="employeeEmail"
name="employeeEmail" placeholder="email@company.com">
        </p>
        <p>
            <label for="employeePhone">Phone Number:</label><br>
            <input type="text" id="employeePhone"
name="employeePhone" placeholder="Example: 08123456789">
        </p>
        <p>
            <label for="position">Position:</label><br>
            <input type="text" id="position" name="position"
placeholder="Accounting Manager / Tax Staff">
        </p>
    </fieldset>

    <fieldset>
        <legend>Salary Payment Details</legend>
        <p>
            <label for="salaryPeriod">Salary Period:</label><br>
            <input type="month" id="salaryPeriod"
name="salaryPeriod" required>
        </p>
        <p>
            <label for="basicSalary">Basic Salary
(IDR) :</label><br>
            <input type="number" id="basicSalary"
name="basicSalary" min="0" step="1000" required placeholder="Example:
5000000">
        </p>
        <p>
            <label for="transportAllowance">Transportation
Allowance (IDR) :</label><br>
            <input type="number" id="transportAllowance"
name="transportAllowance" min="0" step="500" value="0">
        </p>
        <p>
            <label for="bpjsDeduction">BPJS Deduction
(IDR) :</label><br>
            <input type="number" id="bpjsDeduction"
name="bpjsDeduction" min="0" step="100" value="0">
        </p>
    </fieldset>

```

```

        <p>
            <input type="submit" value="Submit Salary Data">
            <input type="reset" value="Reset Form">
        </p>
    </form>
</body>
</html>

```

3. Exercise 3.2: Leave Request Form (Textarea, Select, Multi-select Checkbox)

- Create a new HTML file named `leave_request_form.html` inside `week_3/form_exercises/`.
- Create a leave request form with:
 - Employee Name (type="text", required).
 - Employee ID (type="text", required).
 - Type of Leave (<select> with options: Annual, Sick, Maternity, Other Important).
 - Leave Start Date (type="date", required).
 - Leave End Date (type="date", required).
 - Reason for Leave (<textarea>, rows and cols attributes).
 - **New:** Supporting Documents (Checkbox): Select documents to be attached (e.g., "Doctor's Certificate", "Family Statement", "Other"). Use `name="documents[]"` to capture multiple values.
- Use <fieldset> and <legend> to group "Employee Information" and "Leave Details".
- Add submit and reset buttons.
- Save and test in the *browser*.
- **Example Code** `leave_request_form.html`:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Employee Leave Request Form</title>
</head>
<body>
    <h1>Employee Leave Request Form</h1>
    <form method="post" action="#">
        <fieldset>
            <legend>Employee Information</legend>
            <p>
                <label for="leaveName">Full Name:</label><br>
                <input type="text" id="leaveName" name="leaveName"
required placeholder="Employee name">
            </p>
            <p>
                <label for="leaveID">Employee ID:</label><br>
                <input type="text" id="leaveID" name="leaveID"
required placeholder="Employee ID/NIK">
            </p>

```

```

    </fieldset>

    <fieldset>
        <legend>Leave Request Details</legend>
        <p>
            <label for="leaveType">Type of Leave:</label><br>
            <select id="leaveType" name="leaveType" required>
                <option value="">-- Select Leave Type --</option>
                <option value="Annual">Annual Leave</option>
                <option value="Sick">Sick Leave</option>
                <option value="Maternity">Maternity Leave</option>
                <option value="OtherImportant">Other Important
Leave</option>
            </select>
        </p>
        <p>
            <label for="leaveStartDate">Leave Start
Date:</label><br>
            <input type="date" id="leaveStartDate"
name="leaveStartDate" required>
        </p>
        <p>
            <label for="leaveEndDate">Leave End Date:</label><br>
            <input type="date" id="leaveEndDate"
name="leaveEndDate" required>
        </p>
        <p>
            <label for="leaveReason">Reason for Leave:</label><br>
            <textarea id="leaveReason" name="leaveReason" rows="5"
cols="40" placeholder="Please explain your reason for leave..."
required></textarea>
        </p>
        <p>
            Supporting Documents (can select more than one):<br>
            <input type="checkbox" id="doctorCert"
name="documents[]" value="Doctor's Certificate">
            <label for="doctorCert">Doctor's
Certificate</label><br>
            <input type="checkbox" id="familyStatement"
name="documents[]" value="Family Statement">
            <label for="familyStatement">Family
Statement</label><br>
            <input type="checkbox" id="otherDoc"
name="documents[]" value="Other">
            <label for="otherDoc">Other</label>
        </p>
    </fieldset>

    <p>
        <input type="submit" value="Submit Leave Request">
        <input type="reset" value="Reset Form">
    </p>
</form>
</body>
</html>

```

4. Exercise 3.3: Internal Quality Audit Form (Combination of Various Inputs)

- Create a new HTML file named `internal_audit_form.html` inside `week_3/form_exercises/`.
- Create an internal quality audit form that includes various types of *input* to collect assessment data:
 - Auditor Name (type="text")
 - Audit Date (type="date")
 - Department Audited (<select> with options: Finance, Production, Marketing, HRD)
 - Audit Type (type="radio": Internal / External)
 - **Assessment Areas (Use <fieldset> and <legend> for each area):**
 - **Documentation Compliance:**
 - "Documents complete and up-to-date?" (type="radio": Yes / No)
 - "Additional Notes:" (<textarea>)
 - **Procedure Compliance:**
 - "Procedures followed correctly?" (type="radio": Yes / No)
 - "Compliance Score (1-5):" (type="number", min="1", max="5")
 - **Identification of Non-conformities:**
 - "Non-conformities found?" (type="checkbox", name="nonConformity[]", options: "Minor", "Major", "Critical")
 - "Description of Non-conformity:" (<textarea>)
 - Upload Supporting Evidence (type="file", enctype="multipart/form-data" on the <form>).
- Add submit and reset buttons.
- Save and test in the *browser*.
- **Example Code `internal_audit_form.html`:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Internal Quality Audit Form</title>
</head>
<body>
  <h1>Internal Quality Audit Form</h1>
  <form method="post" action="#" enctype="multipart/form-data">
    <fieldset>
      <legend>General Audit Information</legend>
      <p>
        <label for="auditorName">Auditor Name:</label><br>
        <input type="text" id="auditorName" name="auditorName"
required placeholder="Full Name of Auditor">
      </p>
      <p>
        <label for="auditDate">Audit Date:</label><br>
```

```

        <input type="date" id="auditDate" name="auditDate"
required>
    </p>
    <p>
        <label for="department">Department
Audited:</label><br>
        <select id="department" name="department" required>
            <option value="">-- Select Department --</option>
            <option value="Finance">Finance</option>
            <option value="Production">Production</option>
            <option value="Marketing">Marketing</option>
            <option value="HRD">Human Resources</option>
        </select>
    </p>
    <p>
        Audit Type:<br>
        <input type="radio" id="internal" name="auditType"
value="Internal" required>
        <label for="internal">Internal</label>
        <input type="radio" id="external" name="auditType"
value="External">
        <label for="external">External</label>
    </p>
</fieldset>

<fieldset>
    <legend>Audit Assessment Areas</legend>
    <fieldset>
        <legend>Documentation Compliance</legend>
        <p>
            Documents complete and up-to-date?<br>
            <input type="radio" id="docYes"
name="docCompliance" value="Yes" required>
            <label for="docYes">Yes</label>
            <input type="radio" id="docNo"
name="docCompliance" value="No">
            <label for="docNo">No</label>
        </p>
        <p>
            <label for="docNotes">Additional
Notes:</label><br>
            <textarea id="docNotes" name="docNotes" rows="3"
cols="50" placeholder="Describe your observations..."></textarea>
        </p>
    </fieldset>

    <fieldset>
        <legend>Procedure Compliance</legend>
        <p>
            Procedures followed correctly?<br>
            <input type="radio" id="procYes"
name="procCompliance" value="Yes" required>
            <label for="procYes">Yes</label>
            <input type="radio" id="procNo"
name="procCompliance" value="No">
            <label for="procNo">No</label>
        </p>
    </fieldset>

```

```

        <p>
            <label for="complianceValue">Compliance Score (1-
5):</label><br>
            <input type="number" id="complianceValue"
name="complianceValue" min="1" max="5" required>
        </p>
    </fieldset>

    <fieldset>
        <legend>Identification of Non-conformities</legend>
        <p>
            Non-conformities found?<br>
            <input type="checkbox" id="minorNon"
name="nonConformity[]" value="Minor">
            <label for="minorNon">Minor</label><br>
            <input type="checkbox" id="majorNon"
name="nonConformity[]" value="Major">
            <label for="majorNon">Major</label><br>
            <input type="checkbox" id="criticalNon"
name="nonConformity[]" value="Critical">
            <label for="criticalNon">Critical</label>
        </p>
        <p>
            <label for="nonComplianceDesc">Description of Non-
conformity:</label><br>
            <textarea id="nonComplianceDesc"
name="nonComplianceDesc" rows="4" cols="50" placeholder="Detail the
non-conformity found..."></textarea>
        </p>
    </fieldset>
</fieldset>

    <p>
        <label for="supportingEvidence">Upload Supporting
Evidence:</label><br>
        <input type="file" id="supportingEvidence"
name="supportingEvidence" accept=".pdf,.doc,.docx,.jpg,.png">
        <small> (Format: PDF, Word, JPG, PNG)</small>
    </p>

    <p>
        <input type="submit" value="Submit Audit Report">
        <input type="reset" value="Reset Form">
    </p>
</form>
</body>
</html>

```

5. Exercise Git 3.4: Connecting Local Repository to GitHub & First Push

- **GitHub Preparation Review:** Each student ensures they have created a new *repository* on GitHub (e.g., basic-programming-ais-YourNIM). Ensure the *repository* is **public**

and **without an initial README or .gitignore.**

- Open the *terminal* in your project's *root folder* (basic_programming_ais_YourNIM/).
- If not already done, add the GitHub *remote repository*:
git remote add origin
https://github.com/YOUR_GITHUB_USERNAME/YOUR_REPO_NAME.git

(Replace YOUR_GITHUB_USERNAME and YOUR_REPO_NAME with your actual username and repository name).

- Ensure the local *branch* is named *main* (if not *main*, rename it):
git branch -M main
- Upload all existing *commits* (from Chapter 1 and Chapter 2) to GitHub:
git push -u origin main
- Verify in the *browser* that the code from Chapter 1 and Chapter 2 now appears in your GitHub *repository*. (The lecturer may ask students to demonstrate this).

6. Exercise Git 3.5: Managing Changes and Committing Chapter 3 Class Exercises.

- After completing Exercises 3.1, 3.2, and 3.3, add the new files to Git:
git add week_3/form_exercises/
git commit -m "Class Exercise: Developed employee, leave, and audit forms"
git push origin main
- Verify the *commit* and *push* on GitHub.

Individual Practical Assignment (Perorangan)

Students will complete this assignment individually. This assignment will test their ability to design more complex accounting data input forms, considering various *input* types and accessibility.

1. Assignment 3.1: Web Page "Company Fixed Asset Recording Form"

- Retrieve your project folder from Chapter 1 (basic_programming_ais_YourNIM/).
- Create a new folder named *final_fixed_asset_form/* inside the *week_3/* folder.
- Inside it, create a new HTML file named *index.html*.
- Fill in the complete HTML structure with relevant *<meta> tags* and an appropriate *<title>* (e.g., Company Fixed Asset Recording Form for [Your Company Name]).
- **Task:** Create a comprehensive *web page* form for recording new fixed asset data for your fictional company from Chapter 1.
- **Mandatory Requirements (All must be included):**
 - Use the *<form method="post" action="#" enctype="multipart/form-data">* element.
 - Use **at least 3 <fieldset> and <legend>** to group information into logical and structured sections (e.g., "Asset Identification", "Acquisition Details",

"Depreciation Information", "Responsible Person & Location").

- Each *input* must have a **connected <label>** with for and id attributes.
 - Include *input* for the following data (use required for all essential *fields*):
 - **Asset Identification:**
 - Asset Name (type="text", with placeholder example: "Automated Production Machine").
 - Asset Code (type="text", with placeholder example: "ME2025001" or "FA-001").
 - Asset Serial Number (type="text", optional).
 - Asset Category (<select> with at least 5 options: Vehicle, Machinery, Building, Office Equipment, Furniture, Land, Software).
 - **Acquisition Details:**
 - Acquisition Date (type="date").
 - Acquisition Value / Purchase Price (type="number", with min="0", step="1000", placeholder example: "50000000").
 - Acquisition Method (type="radio": Cash Purchase / Credit Purchase / Finance Lease / Donation).
 - Vendor/Supplier (type="text").
 - Upload Acquisition Proof (type="file", *no real upload functionality needed, just the tag*, include accept=".pdf,.jpg,.png" attribute).
 - **Depreciation Information (Simple):**
 - Useful Life (Years) (type="number", min="1", max="50", placeholder example: "5").
 - Salvage Value (type="number", min="0", step="1000", placeholder example: "5000000").
 - Depreciation Method (<select> with at least 2 options: Straight-Line / Declining Balance).
 - **Responsible Person & Location:**
 - Responsible Person's Name (type="text").
 - User Department (type="text", placeholder example: "Production / Accounting").
 - Asset Physical Location (type="text", placeholder example: "3rd Floor, Main Building").
 - Responsible Person's Email (type="email").
 - Add **Submit** and **Reset** buttons.
 - Ensure the form is user-friendly, all *inputs* have clear labels, and helpful placeholder attributes.
- **Save Git Changes:** After all HTML files are ready, open the terminal in your project's *root folder* (basic_programming_ais_YourNIM/) and run the commands:
git add week_3/final_fixed_asset_form/

```
git commit -m "Completed Assignment 3.1: Comprehensive Company Fixed Asset  
Recording Form"  
git push origin main
```

Submission Method

Students will create a **PDF document** containing:

1. **HTML Code** from week_3/final_fixed_asset_form/index.html (Assignment 3.1). Ensure the code is neat, properly indented, and easy to read.
2. **Screenshots of the form in the browser.** Ensure all *inputs*, *labels*, *fieldsets*, and buttons are clearly visible, and all parts of the form (General Information, Acquisition, Depreciation, Responsible Person) are captured in the *screenshots*.
3. **Screenshot of the terminal/CMD** showing the output of the git log command after the last commit for Assignment 3.1, and the output of a successful git push origin main.
4. **URL link to the GitHub repository** containing all *commits* from Chapter 1, 2, and 3.
5. The PDF should be printed and submitted to the lecturer for signature.