

[Sign in](#)[Sign up](#)

Instantly share code, notes, and snippets.

mbostock / **.block**



Last active 6 years ago

Embed ▾

<script src="https://g



<> **Code**

Revisions

14



Stars

5



Forks

23

Chord Diagram

<> **.block**

Raw

```
1  license: gpl-3.0
2  height: 960
3  border: no
4  redirect: https://observablehq.com/@d3/d3-chord-diagram
```

<> **README.md**

Raw

[Chord diagrams](#) show directed relationships among a group of entities.
Layout inspired by [Martin Krzywinski](#)'s beautiful work on [Circos](#).

<> **index.html**

Raw

```
1  <!DOCTYPE html>
2  <meta charset="utf-8">
3  <style>
4
5  body {
6    font: 10px sans-serif;
7  }
8
9  .group-tick line {
10    stroke: #000;
11  }
```

```

12
13 .ribbons {
14     fill-opacity: 0.67;
15 }
16
17 </style>
18 <svg width="960" height="960"></svg>
19 <script src="https://d3js.org/d3.v4.min.js"></script>
20 <script>
21
22 var matrix = [
23     [11975, 5871, 8916, 2868],
24     [ 1951, 10048, 2060, 6171],
25     [ 8010, 16145, 8090, 8045],
26     [ 1013,   990,   940, 6907]
27 ];
28
29 var svg = d3.select("svg"),
30     width = +svg.attr("width"),
31     height = +svg.attr("height"),
32     outerRadius = Math.min(width, height) * 0.5 - 40,
33     innerRadius = outerRadius - 30;
34
35 var formatValue = d3.formatPrefix(",.0", 1e3);
36
37 var chord = d3.chord()
38     .padAngle(0.05)
39     .sortSubgroups(d3.descending);
40
41 var arc = d3.arc()
42     .innerRadius(innerRadius)
43     .outerRadius(outerRadius);
44
45 var ribbon = d3.ribbon()
46     .radius(innerRadius);
47
48 var color = d3.scaleOrdinal()
49     .domain(d3.range(4))
50     .range(["#000000", "#FFDD89", "#957244", "#F26223"]);
51
52 var g = svg.append("g")
53     .attr("transform", "translate(" + width / 2 + "," + height / 2 + ")")
54     .datum(chord(matrix));
55
56 var group = g.append("g")
57     .attr("class", "groups")

```

```

58     .selectAll("g")
59     .data(function(chords) { return chords.groups; })
60     .enter().append("g");
61
62     group.append("path")
63     .style("fill", function(d) { return color(d.index); })
64     .style("stroke", function(d) { return d3.rgb(color(d.index)).darker(); })
65     .attr("d", arc);
66
67     var groupTick = group.selectAll(".group-tick")
68     .data(function(d) { return groupTicks(d, 1e3); })
69     .enter().append("g")
70     .attr("class", "group-tick")
71     .attr("transform", function(d) { return "rotate(" + (d.angle * 180 / Math.
72
73     groupTick.append("line")
74     .attr("x2", 6);
75
76     groupTick
77     .filter(function(d) { return d.value % 5e3 === 0; })
78     .append("text")
79     .attr("x", 8)
80     .attr("dy", ".35em")
81     .attr("transform", function(d) { return d.angle > Math.PI ? "rotate(180) t
82     .style("text-anchor", function(d) { return d.angle > Math.PI ? "end" : nul
83     .text(function(d) { return formatValue(d.value); });
84
85     g.append("g")
86     .attr("class", "ribbons")
87     .selectAll("path")
88     .data(function(chords) { return chords; })
89     .enter().append("path")
90     .attr("d", ribbon)
91     .style("fill", function(d) { return color(d.target.index); })
92     .style("stroke", function(d) { return d3.rgb(color(d.target.index)).darker
93
94     // Returns an array of tick angles and values for a given group and step.
95     function groupTicks(d, step) {
96         var k = (d.endAngle - d.startAngle) / d.value;
97         return d3.range(0, d.value, step).map(function(value) {
98             return {value: value, angle: value * k + d.startAngle};
99         });
100     }
101
102 </script>

```

 [thumbnail.png](#)

Raw



raja1985 commented on Aug 29, 2013

...

Hi, I'm trying to play with this (<http://mbostock.github.io/d3/talk/20111116/bundle.html>) example with my own data.

which has csv file contents as below:

source_proj ,issue_link, destination_proj ,dest_issuetype

[Inactive] Eikon Collab MM - Insider iPhone,Bug to Story,[Inactive] Eikon Collab MM - Insider iPhone,Story

[Inactive] Eikon Collab MM - Insider iPhone,jira_subtask_link,[Inactive] Eikon Collab MM - Insider iPhone,Acceptance Test

[Inactive] Eikon Collab MM - Insider iPhone,jira_subtask_link,[Inactive] Eikon Collab MM - Insider iPhone,Task

an so on.

can you guide me how to implement this graph with these four attribute. how to have relationship with them?

source_proj ,issue_link, destination_proj ,dest_issuetype

will this graph suit my requirement?

phoenixzw commented on Aug 29, 2015

...

Hi, I use the Chord Diagram to visualize my own data, but I find a bug. This is the description figure:

https://lh3.googleusercontent.com/tn2BISPfXgKgZ8FpswcwSeM7oTzwUGUpjacVU_W70Y=w536-h873-no

From this figure, we see that the display has errors. I just copy the original code and replace the matrix array. Could someone help me solve this issue? Thank you so much!

[Sign up for free](#)

to join this conversation on GitHub. Already have an account?

[Sign in to comment](#)

[Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#) [Contact](#) [Manage cookies](#)

[Do not share my personal information](#)



© 2025 GitHub, Inc.



IRONPDF

Remove the watermark. Licenses from \$749

<https://ironpdf.com/licensing/>