

Outstanding! Be proud of your hard work!

Your time: 3 mins



Correct

18

Incorrect

0

Next steps

Take a new test



Try another test to boost your confidence.

Review with Flashcards



Study each term as a flashcard to improve recall.

Your answers

1 of 18

Definition

1. Somatic motor and visceral motor nerves
2. Plays a role in eye movement, lens Contortion and pupil dilation
3. Damage can cause double vision (diplopia), inability to coordinate the movement of both eyes (strabismus), eyelid drooping (ptosis), and pupil dilation (mydriasis). One may also experience an inability to open the eye due to paralysis of the levator muscle

[Review flashcards](#)

[New test](#)

Cranial Nerve II: What is its nerve category? Its function? What does damage to it result in?

Cranial Nerve IX: What is its nerve category? Its function? What does damage to it result in?

Don't know?

2 of 18

Term 🔊

Cranial Nerve II: What is its nerve category? Its function? What does damage to it result in?

You're doing great!

1. Special sensory nerve
2. Transmits visual information
3. Damage affects specific aspects of vision depending on the location of the lesion

1. Somatic motor nerve
2. Unique in that it is innervated from the motor cortices of both hemispheres of the brain, tongue movement: swallowing, speech articulation
3. Damage may cause weakness or issues moving the tongue

1. Special sensory nerve
2. Conveys the sense of smell
3. Damage can cause an inability to smell (anosmia), a distortion to smell, or a distortion/lack of taste

1. Branchial motor, visceral motor, visceral sensory, general sensory, special sensory
2. Swallowing, sensations from carotid, salivary gland secretion, sensations of the tongue (posterior 1/3 of tongue)
3. Unilateral absence of a gag reflex suggests a lesion

Don't know?

3 of 18

Term 🔊

Cranial Nerve XI: What is its nerve category? Its function?

Nice work!

1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula

1. Special Somatosensory Nerve
2. Splits into the vestibular and cochlear nerves
 - Equilibrium and balance
 - Ability to hear sound
3. Damage may give rise to the sensation of spinning and dizziness. May

1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate



1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)



Don't know?

4 of 18

Term 🔊


Cranial Nerve VI: What is its nerve category? Its function? What does damage to it result in?

Awesome!

1. Somatic Motor Nerve
2. Lateral Rectus movement
3. Damage also results in Diplopia




1. Branchial motor and general sensory nerves
2. Control the muscles of chewing. Also provides somatic sensations from the face



1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)



1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula



Don't know?

5 of 18

Term 🔊

Cranial Nerve IX: What is its nerve category? Its function? What does damage to it result in?

Excellent!

1. Somatic motor nerve
2. Unique in that it is innervated from the motor cortices of both hemispheres of the brain, tongue movement: swallowing, speech articulation
3. Damage may cause weakness or issues moving the tongue

1. Somatic motor and visceral motor nerves
2. Plays a role in eye movement, lens accommodation and pupil dilation
3. Damage can cause double vision (diplopia), inability to coordinate the movement

One may also experience an inability to open the eye due to paralysis of the levator muscle

1. Branchial motor, visceral motor, visceral sensory, general sensory, special sensory
2. Swallowing, sensations from carotid, salivary gland secretion, sensations of the tongue (posterior 1/3 of tongue)
3. Unilateral absence of a gag reflex suggests a lesion

1. Special sensory nerve
2. Conveys the sense of smell
3. Damage can cause an inability to smell (anosmia), a distortion to smell, or a distortion/lack of taste

Don't know?

6 of 18

Term 

Cranial Nerve X: What is its nerve category? Its function? What does damage to it result in?

You've got this!

1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)



1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula

1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate

1. Special Somatosensory Nerve
2. Splits into the vestibular and cochlear nerves
 - Equilibrium and balance
 - Ability to hear sound
3. Damage may give rise to the sensation of spinning and dizziness. May also cause partial or complete deafness in the affected ear

Don't know?

7 of 18

Term 🔊

What are the 12 cranial nerves of the human body?

You're doing great!

Motor Neurons:

1. Somatic-voluntary muscle control
2. Branchial-motor innervation to the muscles of the pharyngeal arches in humans
3. Visceral-motor innervation of smooth muscle, cardiac muscle, and glands

Sensory Neurons:

5. General-conduct impulses of pain, touch, and temperature from the surface of the body (also, impulses of muscle sense, tendon sense, and joint sense from the deeper structure)
1. Cranial nerves are the nerves that emerge directly from the brain
2. Relay information between the brain and parts of the body, primarily to and from regions of the head and neck
6. Special-carry sense of smell (AKA "olfaction") and taste (AKA "gustation")
3. Come in pairs and can be found on both sides of the body

- 1-Only
2-One
3-Of
4-The
5-Two
6-Athletes
7-Felt
8-Very
9-Good
10-Victorious
11-And
12-Healthy

- 1-Olfactory
2-Optic
3-Oculomotor
4-Trochlear
5-Trigeminal
6-Abducens
7-Facial
8-Vestibulocochlear
9-Glossopharyngeal
10-Vagus
11-Accessory
12-Hypoglossal

Don't know?

Term 🔊

Cranial Nerve I: What is its nerve category? Its function? What does damage to it result in?

Nice work!

1. Special sensory nerve
2. Transmits visual information
3. Damage affects specific aspects of vision depending on the location of the lesion

1. Special sensory nerve
2. Conveys the sense of smell
3. Damage can cause an inability to smell (anosmia), a distortion to smell, or a distortion/lack of taste

1. Somatic motor nerve
2. Unique in that it is innervated from the motor cortices of both hemispheres of the brain, tongue movement: swallowing, speech articulation
3. Damage may cause weakness or issues moving the tongue

1. Branchial motor, visceral motor, visceral sensory, general sensory, special sensory
2. Swallowing, sensations from carotid, salivary gland secretion, sensations of the tongue (posterior 1/3 of tongue)
3. Unilateral absence of a gag reflex suggests a lesion

Don't know?

9 of 18

Term 🔊

What is a good mnemonic to help you recall the name of these 12 cranial nerves?

Awesome!

1-Only
2-One
3-Of
4-The
5-Two
6-Athletes
7-Felt
8-Very
9-Good
10-Victorious
11-And
12-Healthy

1-Some
2-Say
3-Marry
4-Money
5-But
6-My
7-Brother

10-Business

11-Marry

12-Money

1. Special sensory nerve
2. Transmits visual information
3. Damage affects specific aspects of vision depending on the location of the lesion

1-Olfactory

2-Optic

3-Oculomotor

4-Trochlear

5-Trigeminal

6-Abducens

7-Facial

8-Vestibulocochlear

9-Glossopharyngeal

10-Vagus

11-Accessory

12-Hypoglossal

Don't know?

10 of 18

Definition 🔊

1. Branchial motor, visceral motor, general sensory
2. Facial movement, gland secretion, taste (anterior 2/3 of tongue), general sensations from external ear tympanic membrane
3. Lesions may manifest a facial palsy. Also, the most commonly injured cranial nerve in blunt trauma

Excellent!

Cranial Nerve VII: What is its nerve category? Its function? What does damage to it result in?

Cranial Nerve IX: What is its nerve category? Its function? What does damage to it result in?

Cranial Nerve V: What is its nerve category? Its function? Comprised of?

Cranial Nerve VI: What is its nerve category? Its function? What does damage to it result in?

Don't know?

11 of 18

Term 🔊

Cranial Nerve VIII: What is its nerve category? Its function? What does damage to it result in?

You've got this!

1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate

1. Special Somatosensory Nerve

3. Damage may give rise to the sensation of spinning and dizziness.
May also cause partial or complete deafness in the affected ear

1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula

1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)

Don't know?

12 of 18

Term 🔊

What is a good mnemonic to help you recall whether each of the cranial nerves has "sensory" and/or "motor" control

You're doing great!

- 1-Some
- 2-Say
- 3-Marry
- 4-Money
- 5-But
- 6-Mv

9-Bad

1. Special sensory nerve

10-Business

2. Transmits visual information

11-Marry

3. Damage affects specific aspects of vision depending on the location of the lesion

12-Money

1-Only

2-One

3-Of

4-The

5-Two

6-Athletes

7-Felt

8-Very

9-Good

10-Victorious

11-And

12-Healthy

1. Special sensory nerve

2. Conveys the sense of smell

3. Damage can cause an inability to smell (anosmia), a distortion to smell, or a distortion/lack of taste

Don't know?

13 of 18

Term 🔊

Cranial Nerve XII: What is its nerve category? Its function? What does damage to it result in?

Nice work!

1. Special sensory nerve
2. Conveys the sense of smell
3. Damage can cause an inability to smell (anosmia), a distortion to smell, or a distortion/lack of taste

1. Somatic motor and visceral motor nerves
2. Plays a role in eye movement, lens Contortion and pupil dilation
3. Damage can cause double vision (diplopia), inability to coordinate the movement of both eyes (strabismus), eyelid drooping (ptosis), and pupil dilation (mydriasis). One may also experience an inability to open the eye due to paralysis of the levator muscle

1. Branchial motor, visceral motor, visceral sensory, general sensory, special sensory
2. Swallowing, sensations from carotid, salivary gland secretion, sensations of the tongue (posterior 1/3 of tongue)
3. Unilateral absence of a gag reflex suggests a lesion

1. Somatic motor nerve
2. Unique in that it is innervated from the motor cortices of both hemispheres of the brain, tongue movement: swallowing, speech articulation
3. Damage may cause weakness or issues moving the tongue

Don't know?

Term 🔊

What are the 6 Major Cranial Nerve Categories?

Awesome!

1. Cranial nerves are the nerves that emerge directly from the brain
2. Relay information between the brain and parts of the body, primarily to and from regions of the head and neck
3. Come in pairs and can be found on both sides of the body

Motor Neurons:

1. Somatic-voluntary muscle control
2. Branchial-motor innervation to the muscles of the pharyngeal arches in humans
3. Visceral-motor innervation of smooth muscle, cardiac muscle, and glands

Sensory Neurons:

4. Visceral-conduct sensory impulses from the internal organs, glands, and blood vessels to the CNS (mostly pain or reflex sensations)
5. General-conduct impulses of pain, touch, and temperature from the surface of the body (also, impulses of muscle sense, tendon sense, and joint sense from the deeper structure)
6. Special-carry sense of smell (AKA "olfaction") and taste (AKA "gustation")

1-Only
2-One
3-Of
4-The
5-Two
6-Athletes
7-Felt
8-Very
9-Good
10-Victorious
11-And
12-Healthy

1-Olfactory
2-Optic
3-Oculomotor
4-Trochlear
5-Trigeminal
6-Abducens
7-Facial
8-Vestibulocochlear
9-Glossopharyngeal
10-Vagus
11-Accessory
12-Hypoglossal

Don't know?

15 of 18

Term 🔊

Diagram: 12 cranial nerves, their corresponding locations, and function

Excellent!

1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)



1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula



1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate



Don't know?

16 of 18

Term 🔊

Cranial Nerve V: What is its nerve category? Its function? Comprised of?

1. Branchial motor and general sensory nerves
2. Control the muscles of chewing. Also provides somatic sensations from the face
3. Comprised of three distinct parts (V1, V2, and V3 nerves)



1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate



1. Somatic Motor Nerve
2. Lateral Rectus movement
3. Damage also results in Diplopia



1. Branchial motor, visceral motor, general sensory
2. Facial movement, gland secretion, taste (anterior 2/3 of tongue), general sensations from external ear tympanic membrane
3. Lesions may manifest a facial palsy. Also, the most commonly injured cranial nerve in blunt trauma

Don't know?

17 of 18

Term

Cranial Nerve IV: What is its nerve category? Its function? What does damage to it result in?

You're doing great!

1. Somatic Motor Nerve
2. Superior oblique movement. Also plays a role in eye movement
3. Damage can also cause diplopia with the eye adducted and elevated (cannot move downwards)



1. Branchial motor
2. Sternomastoid and trapezius muscle, winging of the scapula



1. Special Somatosensory Nerve
2. Splits into the vestibular and cochlear nerves
 - Equilibrium and balance
 - Ability to hear sound
3. Damage may give rise to the sensation of spinning and dizziness. May also cause partial or complete deafness in the affected ear



1. Branchial motor, visceral motor, visceral sensory, general sensory
2. Pharynx and larynx movement, blood pressure control
3. Damage may cause trouble swallowing, as well as a rise in blood pressure and heart rate



Don't know?

18 of 18

Term 🔊

What are cranial nerves?

Nice work!

Motor Neurons:

1. Somatic-voluntary muscle control
2. Branchial-motor innervation to the muscles of the pharyngeal arches in humans
3. Visceral-motor innervation of smooth muscle, cardiac muscle, and glands

Sensory Neurons:

4. Visceral-conduct sensory impulses from the internal organs, glands, and blood vessels to the CNS (mostly pain or reflex sensations)
5. General-conduct impulses of pain, touch, and temperature from the surface of the body (also, impulses of muscle sense, tendon sense, and joint sense from the deeper structure)
6. Special-carry sense of smell (AKA "olfaction") and taste (AKA "gustation")

1. Branchial motor, visceral motor, visceral sensory, general sensory, special sensory
2. Swallowing, sensations from carotid, salivary gland secretion, sensations of the tongue (posterior 1/3 of tongue)
3. Unilateral absence of a gag reflex suggests a lesion

- 1-Olfactory
- 2-Optic
- 3-Oculomotor
- 4-Trochlear
- 5-Trigeminal
- 6-Abducens
- 7-Facial
- 8-Vestibulocochlear
- 9-Glossopharyngeal
- 10-Vagus
- 11-Accessory
- 12-Hypoglossal

1. Cranial nerves are the nerves that emerge directly from the brain

from regions of the head and neck

3. Come in pairs and can be found on both sides of the body

Don't know?