

References

- Elnazer, H. Y. (2026). A dual-stage model of hypothalamic-pituitary-adrenal (HPA) axis dysregulation in anxiety disorders: A systematic review. *Psikiyatride Güncel Yaklaşımlar-Current Approaches in Psychiatry*, 18(4), 1421-1438.
- Gkintoni, E., & Suárez Ortiz, P. (2023). Neuropsychology of generalized anxiety disorder in clinical setting: A systematic evaluation. *Preprints.org*.
- Liu, X., Klugah-Brown, B., Zhang, R., Chen, H., Zhang, J., & Becker, B. (2022). Pathological fear, anxiety and negative affect exhibit distinct neurostructural signatures: Evidence from psychiatric neuroimaging meta-analysis. *Translational Psychiatry*, 12, 405.
- Makovac, E., Meeten, F., Watson, D. R., Herman, A., Garfinkel, S. N., Critchley, H. D., & Ottaviani, C. (2016). Alterations in amygdala-prefrontal functional connectivity account for excessive worry and autonomic dysregulation in generalized anxiety disorder. *Biological Psychiatry*, 80(10), 786-795.
- Patriquin, M. A., & Mathew, S. J. (2017). The neurobiological mechanisms of generalized anxiety disorder and chronic stress. *Chronic Stress*, 1, 2470547017703993.