

Strong Years

Daily Practice Sessions 1–30



The first 30 days of follow-along scripts with Chang Yin, plus the monthly retest.

Four levels. Every line, cue, timing and safety callout.

For members, coaches and the production team.

Chang Yin and Sun Yoon are AI characters created by a team of people. Their life story is fiction. The exercises and recipes are built on published research for older adults (sources in the back). This is education, not medical advice. Check with your doctor before starting new exercise.

How to use these scripts

These are the first 30 days of the Strong Years Daily Practice: 30 follow-along sessions, plus the guided monthly retest, with Chang Yin, 8 to 12 minutes each, in the weekly rotation members see in the app. **Monday strength, Tuesday mobility, Wednesday balance, Thursday strength, Friday breath and qigong, Saturday walk-and-talk, Sunday rest and stretch.**

Each session has:

- a **run of show** with minute marks and the dose for all four levels;
- the **full script**: every spoken line for Chang (and Sun Yoon's cameos), the time it lands, and the on-screen text;
- **cues, the easier and harder version, and safety callouts** for every move;
- **gentle-day swaps** for the app's "sore knee / sore back / low energy" button.

The same content is exported as `sessions.json` for the app and the video pipeline (one object per session, one object per segment, per-level variants, beats with timestamps).

The four levels

Level	Who it's for
Rebuild	Chair-based. Seated, or standing with both hands on the counter and the chair right behind you. Anyone who needs their hands to get out of a chair, uses a walker, or feels unsteady. If you can't stand safely at all, do every move seated and skip the standing balance holds.
Steady	Standard version with counter or wall support. Most new members.
Strong	Added load, slower lowering, less hand support.
Iron	For people who already train. Heavier, longer, some moves labelled advanced. Anything past 12 reps, 3 sets or 30-second holds is labelled Advanced on screen (SAFETY M-06).

Move up a level only when a move feels easy for every rep in two sessions in a row. Moving down is always allowed, any day.

Production rules baked into every script

- **Support cue within the first 10 seconds** of every movement (chair against the wall, counter, rail) — M-01.
- **Easier version** on screen for every movement — M-02. **Stop rule** on screen in the first 30 seconds and before hard blocks — M-03.
- **Breathing cue** in every strength move: breathe out on the effort; never "hold your breath" — M-04, E42.
- **Chang's level** demonstrations carry the label "Chang's level — not your starting point" — M-07.

- Chairs shown against a wall; balance next to a counter; shoes on; no rugs; no socks on hard floors — M-09, M-10.
- Every generated movement clip passes human form review before publishing (knees track over toes, neutral spine on hinges, chair doesn't slide) — M-08.
- The "AI character" corner tag is on screen the whole time — D-02. Caption ends with the movement add-on and the disclosure footer — D-03.

Before members start: the app runs the safety screen (chest pain, fainting, recent surgery or fracture, a doctor's limit on activity) and routes those members to the Rebuild level with a note to show their doctor the plan (E43). Stop if you feel chest pain or pressure, dizziness, unusual shortness of breath, or sharp pain. Chest pain, face drooping, arm weakness or trouble speaking? Call 911 now. Pain rule: Mild discomfort up to 3 out of 10 is okay if it settles by tomorrow. Sharper, or worse the next day: back off and ask your doctor or physical therapist.

The 30 days at a glance

#	Day	Type	Title	Length
1	Monday	Strength	Legs first	11:15
2	Tuesday	Mobility	Loosen the hinges	9:50
3	Wednesday	Balance	Steady feet	8:55
4	Thursday	Strength	Push, pull, carry	11:15

#	Day	Type	Title	Length
5	Friday	Breath + qigong	Breathe and flow	9:40
6	Saturday	Walk-and-talk	Walk with me	9:10
7	Sunday	Rest + stretch	Easy Sunday	8:50
8	Monday	Strength	Legs first, one more set	11:50
9	Tuesday	Mobility	Shoulders and hips	9:00
10	Wednesday	Balance	Steadier feet	9:10
11	Thursday	Strength	Push, pull, carry, more	11:15
12	Friday	Breath + qigong	Breathe and flow, longer	9:40
13	Saturday	Walk-and-talk	Walk tall	9:55
14	Sunday	Rest + stretch	Two weeks done	8:25
15	Monday	Strength	Floor-ready legs	11:35
16	Tuesday	Mobility	Back and hips, gently	9:10
17	Wednesday	Balance	New steps	8:45
18	Thursday	Strength	Carry and climb	9:10
19	Friday	Breath + qigong	Two new forms	8:40
20	Saturday	Walk-and-talk	Big steps	9:50
21	Sunday	Rest + stretch	Three weeks in	8:05
22	Monday	Strength	Heavier jug, slower lowering	10:15

#	Day	Type	Title	Length
23	Tuesday	Mobility	Shoulders, ankles, neck	8:25
24	Wednesday	Balance	Put the steps together	8:05
25	Thursday	Strength	Strength and your mini check	8:20
26	Friday	Breath + qigong	The whole flow	10:00
27	Saturday	Walk-and-talk	Longer walk	9:50
28	Sunday	Rest + stretch	Month one	8:25
29	Monday	Strength	Month two begins	10:10
30	Tuesday	Mobility	Loosen up before the retest	8:25

Total follow-along time across 30 days: 285 minutes.

Session 1 • Monday: Legs first

Type	Length	Set	Wardrobe	Voices
Strength	11:15	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Sit-to-stand from a higher seat (cushion) and only halfway down; swap the wall sit for seated knee straightening. **Sore back:** Keep the row upright with the towel pull-apart instead of the hinged jug row. **Low energy:** Do one set of everything and the cool-down. That still counts.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–0:55	Ankle pumps Ankle pumps and circles	10 pumps	10 pumps	10 pumps	10 pumps

Time	Segment	Rebuild	Steady	Strong	Iron
0:55–1:35	March Standing march at the counter	<i>Seated march:</i> 40 seconds, seated	40 seconds, hand on the counter	40 seconds, knees higher	40 seconds, brisk
1:35–1:55	Shoulder rolls	8 rolls	8 rolls	8 rolls	8 rolls + arm circles
1:55–4:15	Chair sit-to-stand	2 sets of 6, hands on thighs, cushion on the seat	2 sets of 8, arms crossed	3 sets of 8, 3-second lower	3 sets of 10, gallon jug at chest, 1-second pause above the seat (advanced)
4:15–6:05	Push Wall push-up	<i>Seated chest press:</i> 2 sets of 8, seated	2 sets of 8	2 sets of 10, feet farther back	<i>Counter push-up:</i> 3 sets of 10, 3-second lower
6:05–7:05	Heel raises Heel raises at the counter	2 sets of 12, seated	2 sets of 10, both hands on the counter	2 sets of 12, one hand on the counter	2 sets of 8 each leg, single leg, both hands on the counter
7:05–8:45	Row One-arm jug row at the counter	<i>Seated towel pull-apart:</i> 3 pulls, 3-second squeeze	2 sets of 8 each arm, half-gallon jug	2 sets of 10 each arm, gallon jug	3 sets of 10 each arm, gallon jug, 1-second pause
8:45–9:40	Finisher High wall sit	<i>Seated knee straightening:</i> 1 set of 8 each leg	2 holds of 15 seconds	2 holds of 20 seconds	2 holds of 30 seconds, a little lower (advanced)
9:40–10:50	Cool-down Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
10:50–11:15	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Good morning. I'm Chang. AI character. Real chair.	Day 1 • Strength
0:08	Chang	Today is strength. Legs first.	Chair against the wall
0:14	Chang	Push your chair against the wall. Shoes on. Kitchen counter close by.	Stop if chest pain, dizziness or sharp pain
0:19	Chang	Pick your level on the screen. Rebuild, Steady, Strong or Iron.	
0:25	Chang	Chest pain, dizziness, sharp pain? Stop. Sit down. Call your doctor.	

0:35–0:55 • Ankle pumps

Time	Who	Spoken	On screen
0:35	Chang	Sit down first. Toes away, toes to you.	Ankle pumps
0:43	Chang	Wake up the calves. They pump blood back up.	Easier: Smaller movements
0:48	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

0:55–1:35 • March

Time	Who	Spoken	On screen
0:55	Chang	Rebuild, stay seated. Everyone else, stand slowly. Hand on the counter.	March
1:08	Chang	March. Easy rhythm. Talk to me if you want. I'm listening. Sort of.	Easier: Sit and march
1:19	Chang	Breathe steadily. You should be able to talk.	

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:35–1:55 • Shoulder rolls

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Shoulder rolls
1:43	Chang	Shoulders up. Back. Down.	Easier: Just shrug and let go
1:48	Chang	Breathe in up, breathe out down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

1:55–4:15 • Chair sit-to-stand

Time	Who	Spoken	On screen
1:55	Chang	Chair against the wall. Sit in the middle. Feet flat, a little behind your knees.	Chair sit-to-stand

Time	Who	Spoken	On screen
2:16	Chang	Nose over toes. Push the floor away. Stand tall.	Easier: Higher seat, hands on thighs
2:35	Chang	Sit down slow. The chair is farther away than you think.	Breathe out as you stand
2:54	Chang	Breathe out as you stand.	Knees over toes
2:58	Chang	One... two... breathe out... three... slow down... four.	
3:12	Chang	Rest. Shake the legs. Next set when you're ready.	Advanced (Iron): not your starting point
3:31	Chang	Knees point where your toes point. Good.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

4:15–6:05 • Push

Time	Who	Spoken	On screen
4:15	Chang	Now arms. Rebuild, sit and press forward. Steady and Strong, the wall. Iron, the counter.	Push
4:40	Chang	Body in one straight line. Chest to the wall, not your chin.	Easier: Closer to wall, half range
5:02	Chang	Breathe out as you push away.	Breathe out as you push

Time	Who	Spoken	On screen
5:04	Chang	One... two... breathe out... three... slow down... four.	
5:24	Chang	Muscle is a savings account. Deposit now.	

Cues: Body in one straight line, head to heels. Chest to the wall, not your chin. **Easier:** Stand closer to the wall and move only halfway. **Harder:** Step your feet farther back. When 15 are easy, move to counter push-ups.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

6:05–7:05 • Heel raises

Time	Who	Spoken	On screen
6:05	Chang	Hands on the counter. Up on your toes. Pause. Down for three.	Heel raises
6:24	Chang	Breathe out as you rise.	Easier: Seated, or rise halfway
6:32	Chang	One... two... breathe out... three... slow down... four.	
6:40	Chang	Calves are your second heart pump. Treat them nicely.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

7:05–8:45 • Row

Time	Who	Spoken	On screen
7:05	Chang	Now pull. Hand on the counter. Long back.	Row
7:28	Chang	Pull with your elbow, not your hand.	Easier: Towel pull or lighter jug
7:48	Chang	Breathe out as you pull. Lower slow.	
7:50	Chang	One... two... breathe out... three... slow down... four.	
8:08	Chang	Switch sides.	

Cues: Pull with your elbow, not your hand. Long back. Don't twist. **Easier:** Stand upright and pull a towel looped around a sturdy door handle (see Towel row), or use a lighter jug. **Harder:** Full gallon jug (about 8 pounds), or a bag with a few cans. Pause for one second at the top.

Safety callouts: Osteoporosis: keep the hinge small and the back long.

8:45–9:40 • Finisher

Time	Who	Spoken	On screen
8:45	Chang	Last one. Back on the wall. Slide down a few inches. Chair beside you.	Finisher
9:02	Chang	Keep breathing. Count out loud with me. Talking means you're not holding your breath.	Easier: Only 2 inches down, 10 s

Time	Who	Spoken	On screen
9:17	Chang	High blood pressure or a heart condition? Keep it short and ask your doctor about long holds.	Keep breathing: count out loud High BP? Ask your doctor before long holds Advanced (Iron): not your starting point

Cues: Shallow is fine. This is not a contest of depth. Knees stay behind or over your toes. **Easier:** Slide down only 2 inches, or hold for just 10 seconds. **Harder:** Slide a little lower (never below where your knees are bent to a right angle), or hold up to 30 seconds.

Safety callouts: Breathe through it. High blood pressure or a heart condition? Ask your doctor before long holds.

9:40–10:50 • Cool-down

Time	Who	Spoken	On screen
9:40	Chang	Hands on the wall. One foot back. Heel down.	Cool-down
10:01	Chang	Breathe slow.	Easier: Smaller step back
10:20	Chang	Now sit. Two sniffs in through the nose, one long sigh out.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

10:50–11:15 • Close

Time	Who	Spoken	On screen
10:50	Chang	That's Day 1. Write your number in the log.	Log today's session
11:03	Chang	Strong is a habit. Same time tomorrow.	

Session 2 • Tuesday: Loosen the hinges

Type	Length	Set	Wardrobe	Voices
Mobility	9:50	SET-LIVING	C-CASUAL	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4; do extra ankle pumps and the seated hamstring stretch. **Sore back:** Keep the turns tiny and do the chest lift slowly; skip the bird-dog. **Low energy:** Do the seated part only, then the breathing.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:05	Ankle pumps Ankle pumps and circles	10 pumps + 5 circles	10 pumps + 5 circles	10 pumps + 5 circles	10 pumps + 5 circles, foot lifted
1:05–1:50	Neck nods and half-turns	5 nods, 3 turns each side, tiny	5 nods, 3 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side + chin tucks

Time	Segment	Rebuild	Steady	Strong	Iron
1:50–2:30	Chest lift Seated chest lift	6 lifts	8 lifts	8 lifts	8 lifts, 3-second hold
2:30–3:20	Gentle seated turn	4 each side, small	6 each side	6 each side	6 each side, hand on knee as a guide
3:20–4:20	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg, lean 1 inch	20 seconds each leg	2 × 20 seconds each leg	2 × 20 seconds each leg, toes pulled back
4:20–5:10	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	20 seconds each side	20 seconds each side	30 seconds each side, hinge forward
5:10–6:10	Standing hip-front stretch	20 seconds each side, both hands on the counter	20 seconds each side	2 × 20 seconds each side	2 × 20 seconds each side, arm reaching up
6:10–6:55	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg, bent-knee version too
6:55–7:45	Standing bird-dog Standing bird-dog at the counter	4 each side, leg only, both hands on the counter	6 each side	8 each side	8 each side, 3-second reach
7:45–8:25	Wall slides	6 finger walks	6 slides	8 slides	8 slides, 2-second hold

Time	Segment	Rebuild	Steady	Strong	Iron
8:25–9:25	4-6 breathing	1 minute, in 3 out 4	1 minute	1 minute	1 minute
9:25–9:50	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Tuesday. Mobility day. My least favorite.	Day 2 • Mobility
0:10	Chang	Sun is standing behind the camera. So we do it properly.	Only as far as comfortable
0:17	Chang	Nothing forced today. Only as far as comfortable.	
0:24	Chang	Stop if anything is sharp, or you feel dizzy.	
0:27	Sun	Hips. Now.	

0:35–1:05 • Ankle pumps

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Toes away, toes back. Then circles.	Ankle pumps
0:50	Chang	Breathe slowly.	Easier: Smaller movements

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:05–1:50 • Neck nods and half-turns

Time	Who	Spoken	On screen
1:05	Chang	Sit tall. Chair against the wall.	Neck nods and half-turns
1:15	Chang	Nod yes. Small. Slow.	Easier: Even smaller movements
1:22	Chang	Turn right, only as far as comfortable. Back. Left.	Nods and half-turns only
1:29	Chang	No big circles with the neck. Ever. Nods and half-turns.	
1:36	Chang	Breathe slowly.	

Cues: Small and slow. Chin stays level when you turn. **Easier:** Make the movement even smaller. **Harder:** Add a chin tuck: gently slide your chin straight back, making a double chin, hold two seconds.

Safety callouts: Nods and half-turns only. Never full neck circles. Dizzy with head movements? Keep it tiny, keep your eyes open, and tell your doctor.

1:50–2:30 • Chest lift

Time	Who	Spoken	On screen
1:50	Chang	Sit near the front of the chair. Lift your chest. Grow tall.	Chest lift
2:09	Chang	Breathe in as you lift. Out as you relax.	Easier: Smaller lift

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

2:30–3:20 • Gentle seated turn

Time	Who	Spoken	On screen
2:30	Chang	Sit tall. Chair against the wall.	Gentle seated turn
2:43	Chang	Arms crossed. Grow tall first. Then turn.	Easier: Smaller turns
2:53	Chang	Breathe out as you turn. Only as far as comfortable.	Osteoporosis: small and gentle
3:03	Chang	Osteoporosis? Small and gentle. Never force it.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

3:20–4:20 • Seated hamstring stretch

Time	Who	Spoken	On screen
3:20	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
3:35	Chang	One leg straight. Heel down. Toes up.	Easier: Lean only an inch
3:47	Chang	Long back. Hinge from the hips. Not the belly.	
3:59	Chang	Breathe slow. A gentle stretch is enough.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

4:20–5:10 • Figure-4 hip stretch

Time	Who	Spoken	On screen
4:20	Chang	Ankle on the other knee, or on the shin. Sit tall.	Figure-4 hip stretch
4:33	Chang	Let the knee relax. Don't push it.	Easier: Ankle on shin, or skip crossing
4:43	Chang	New hip? Follow your surgeon's precautions. Skip this one if they said no crossing.	New hip? Follow your surgeon's precautions
4:53	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

5:10–6:10 • Standing hip-front stretch

Time	Who	Spoken	On screen
5:10	Chang	Stand slowly. Hand on the counter. Small step back.	Standing hip-front stretch

Time	Who	Spoken	On screen
5:29	Chang	Tuck the tailbone. Squeeze the back buttock.	Easier: Smaller step, both hands down
5:45	Chang	Breathe slow. Switch.	
6:02	Sun	He skips this one when I'm not home. I'm always home.	

Cues: Stay tall. Don't arch your back. Small movement, big squeeze.

Easier: Smaller step. **Harder:** Reach the arm on the back-leg side up toward the ceiling, to comfortable height.

6:10–6:55 • Calf stretch

Time	Who	Spoken	On screen
6:10	Chang	Hands on the counter. One foot back. Heel down.	Calf stretch
6:31	Chang	Breathe slowly through the stretch.	Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

6:55–7:45 • Standing bird-dog

Time	Who	Spoken	On screen
6:55	Chang	Both hands on the counter. Slide one foot back.	Standing bird-dog
7:11	Chang	Reach the other arm forward if you're steady.	Easier: Leg only, both hands down

Time	Who	Spoken	On screen
7:24	Chang	Long back. Breathe out as you reach.	

Cues: Long back. No arching. Squeeze the buttock of the moving leg.

Easier: Leg only; both hands stay on the counter. **Harder:** Hold the reach for three seconds.

7:45–8:25 • Wall slides

Time	Who	Spoken	On screen
7:45	Chang	Back on the wall. Arms like a goalpost.	Wall slides
7:58	Chang	Slide up only as far as comfortable. Ribs down.	Easier: Walk fingertips up the wall
8:09	Chang	Breathe in as you slide up, out as you slide down.	

Cues: Ribs down. Slow and smooth. **Easier:** Face the wall and walk your fingertips up it instead. **Harder:** Hold for two seconds at the top.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

8:25–9:25 • 4-6 breathing

Time	Who	Spoken	On screen
8:25	Chang	Sit. In for four. Out for six. No holding.	4-6 breathing
8:52	Chang	About six breaths a minute. Slow breathing like this raises heart-rate variability while you do it.	Easier: In for 3, out for 4

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

9:25–9:50 • Close

Time	Who	Spoken	On screen
9:25	Chang	That's mobility. Sun says seven out of ten.	
9:38	Chang	Tomorrow, balance. Same time.	
9:42	Sun	Seven. Because I love you.	

Session 3 • Wednesday: Steady feet

Type	Length	Set	Wardrobe	Voices
Balance	8:55	SET-KITCHEN	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Keep feet wider and holds shorter; skip the heel-to-toe walk. **Sore back:** Skip the clock reach behind you; reach front and side only. **Low energy:** Weight shifts, heel-to-toe stand and one-leg stand only.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:20	Weight shifts	5 each way, seated	5 each way	8 each way	8 each way, one hand hovering

Time	Segment	Rebuild	Steady	Strong	Iron
1:20– 2:35	Heel-to-toe stand Heel-to-toe stand at the counter	3 × 10 seconds each side, half-step, both hands on the counter	3 × 10 seconds each side, hands on the counter	3 × 15 seconds each side, one hand hovering	3 × 20 seconds each side, both hands hovering
2:35– 3:50	One-leg stand One-leg stand at the counter	3 × 10 seconds each side, toe stays down	3 × 10 seconds each side, both hands on the counter	3 × 15 seconds each side, one hand hovering	3 × 20 seconds each side, both hands hovering
3:50– 4:50	Heel-to-toe walk Heel-to-toe walk along the counter	2 lengths, feet apart, holding the counter	2 lengths, hand on the counter	2 lengths, hand hovering	2 lengths forward, hand hovering + 1 length backward, hand on the counter
4:50– 5:40	Side steps Side steps along the counter	1 set of 6 each way	2 sets of 10 each way	2 sets of 10 each way, knees bent	2 sets of 12 each way, knees bent
5:40– 6:30	Sit-to-stand, no hands Sit-to-stand without hands (balance version)	<i>Chair sit-to-stand:</i> 1 set of 5, hands on thighs	1 set of 6	1 set of 6, feet together	2 sets of 6, feet together, 3-second lower
6:30– 7:20	Clock reach	3 each way, front and side only	3 each direction	4 each direction	4 each direction, on one foot for 12 o'clock

Time	Segment	Rebuild	Steady	Strong	Iron
7:20–8:00	Heel raises Heel raises at the counter	1 set of 10, seated	1 set of 10	1 set of 12, one hand	1 set of 8 each leg
8:00–8:30	Cyclic sighing	30 seconds	30 seconds	30 seconds	30 seconds
8:30–8:55	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Wednesday. Balance. We live at the counter today.	Day 3 • Balance
0:10	Chang	Shoes on. No rugs. Chair right behind you.	Stand at the counter
0:17	Chang	Balance drills always start with support. Hands hover. They don't wander.	Stop if dizzy
0:24	Chang	Dizzy? Sit down. Tell your doctor if it keeps happening.	

0:35–1:20 • Weight shifts

Time	Who	Spoken	On screen
0:35	Chang	Both hands on the counter. Shift right. Pause. Shift left.	Weight shifts
0:50	Chang	Like a tree in wind. Feet stay flat.	Easier: Do it seated
1:02	Chang	Breathe slowly.	

Cues: Move from your ankles and hips, like a tree swaying. Feet stay flat on the floor. **Easier:** Do it seated: shift your weight side to side on the chair. **Harder:** Make the shifts bigger, or let one hand hover.

1:20–2:35 • Heel-to-toe stand

Time	Who	Spoken	On screen
1:20	Chang	Hands on the counter. One foot in front of the other. Heel to toe.	Heel-to-toe stand
1:35	Chang	Eyes on something still. Soft knees.	Easier: Half-step, both hands down
1:47	Chang	Breathe slowly. Ten, nine, eight...	Hands hover, they don't wander
1:59	Chang	Switch feet.	
2:11	Chang	Rebuild: half a step, both hands down. That's real practice.	

Cues: Eyes on something still at eye level. Soft knees. Tall head. **Easier:** Half-step stance: front foot's heel beside the big toe of the back foot. Both hands on the counter. **Harder:** Lift one hand to hover just above the counter. Later: both hands hovering.

Safety callouts: Balance drills always start with support. Hands hover, they don't wander away from the counter.

2:35–3:50 • One-leg stand

Time	Who	Spoken	On screen
2:35	Chang	Hands on the counter. Weight on the left foot. Lift the right a few inches.	One-leg stand

Time	Who	Spoken	On screen
2:53	Chang	Stand tall. Squeeze the buttock of the standing leg.	Easier: Toe stays on the floor
3:08	Chang	Count out loud. Breathe.	Chang's level — not your starting point
3:23	Chang	This is my level. Thirty seconds, hands hovering, right beside the counter. Not your starting point.	

Cues: Stand tall. Don't lean on the counter. Squeeze the buttock of the standing leg. **Easier:** Just shift your weight onto one foot, keeping the other toe lightly on the floor. **Harder:** One hand hovering above the counter, then both hands hovering, right next to the counter.

Safety callouts: No barefoot drills on slippery floors, no socks on hard floors, no rugs under your feet.

3:50–4:50 • Heel-to-toe walk

Time	Who	Spoken	On screen
3:50	Chang	One hand on the counter. Heel in front of toes. Ten steps.	Heel-to-toe walk
4:05	Chang	Eyes forward. Slow is correct.	Easier: Feet apart, hold the counter
4:17	Chang	Turn carefully. Walk back.	
4:29	Chang	Breathe steadily.	

Cues: Eyes forward, not down at your feet. Slow is correct. **Easier:** Walk with your feet slightly apart, not touching, holding the counter. **Harder:** Let your hand hover above the counter. Later: walk backward along the counter with one hand resting on it (normal steps).

4:50–5:40 • Side steps

Time	Who	Spoken	On screen
4:50	Chang	Face the counter. Step right. Feet meet. Ten steps.	Side steps
5:06	Chang	Toes forward. Stay tall. Back to the left.	Easier: Fewer, slower steps
5:12	Chang	One... two... breathe out... three... slow down... four.	
5:19	Chang	Breathe normally. Talk or count out loud.	

Cues: Stay tall. Small, controlled steps. Feet don't cross. **Easier:** Fewer steps, slower. **Harder:** Bend your knees slightly and stay low, or tie a resistance loop above your knees.

5:40–6:30 • Sit-to-stand, no hands

Time	Who	Spoken	On screen
5:40	Chang	Chair against the wall. Stand. Find your balance at the top. Two seconds.	Sit-to-stand, no hands
6:02	Chang	One... two... breathe out... three... slow down... four.	
6:03	Chang	Breathe out as you stand. Sit slow.	Easier: Hands on thighs

Cues: Find your balance at the top before you move. Slow down. **Easier:** Use your hands on your thighs. **Harder:** Feet together.

6:30–7:20 • Clock reach

Time	Who	Spoken	On screen
6:30	Chang	Side-on to the counter. Near hand down.	Clock reach
6:46	Chang	Reach to twelve o'clock. Back. Three o'clock. Back.	Easier: Smaller reaches, front and side
6:59	Chang	Behind you, only as far as comfortable. Breathe out as you reach.	

Cues: Follow your hand with your eyes. Feet stay planted. **Easier:** Smaller reaches, and only to the front and side. **Harder:** Stand on one foot while you reach to 12 o'clock, holding the counter.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

7:20–8:00 • Heel raises

Time	Who	Spoken	On screen
7:20	Chang	Both hands on the counter. Up. Pause. Down for three.	Heel raises
7:38	Chang	One... two... breathe out... three... slow down... four.	
7:39	Chang	Breathe out as you rise.	Easier: Seated, or rise halfway

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

8:00–8:30 • Cyclic sighing

Time	Who	Spoken	On screen
8:00	Chang	Sit. Two sniffs in. One long sigh out.	Cyclic sighing Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

8:30–8:55 • Close

Time	Who	Spoken	On screen
8:30	Chang	Good. Balance is a skill. Skills get better with practice.	Tonight: toothbrush balance
8:43	Chang	Brush your teeth heel-to-toe tonight. Hand on the sink.	

Session 4 • Thursday: Push, pull, carry

Type	Length	Set	Wardrobe	Voices
Strength	11:15	SET-GARAGE	C-TRAIN-A	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Replace step-ups with seated knee straightening; power stands from a higher seat, normal speed. **Sore back:** Use the seated hinge instead of the jug pick-up; carry one light bag only. **Low energy:** Do the power stands, the curls and the carry. One set each.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	March Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:15– 1:40	Shoulder rolls	6 rolls	8 rolls	8 rolls	8 rolls + arm circles
1:40– 2:10	Easy sit-to-stands Chair sit-to-stand	3 easy reps, hands on thighs	5 easy reps	5 easy reps	5 easy reps
2:10– 4:00	Power stands Power stand (fast up, slow down)	<i>Chair sit-to-stand</i> : 2 sets of 5, normal speed, hands on thighs	2 sets of 5	3 sets of 5	3 sets of 6, gallon jug at chest (advanced)
4:00– 5:50	Step-ups Step-ups on the bottom stair	<i>Seated march</i> : 2 × 30 seconds, knees high, seated	2 sets of 10 toe taps, hand on the rail	2 sets of 6 each leg, hand on the rail	2 sets of 8 each leg, bag in the free hand (advanced)
5:50– 7:10	Hinge Counter hip hinge	<i>Seated hip hinge</i> : 2 sets of 6	2 sets of 8	2 sets of 8, jug from the chair seat	3 sets of 8, jug from the bottom step
7:10– 8:10	Curls Water-bottle curl	2 sets of 8, light bottles	2 sets of 10, bottles	2 sets of 10, half-gallon jug	3 sets of 10, gallon jug
8:10– 9:10	Carry Grocery carry	<i>Towel wring (grip)</i> : 3 wrings each direction (seated grip work)	2 walks of 20 seconds, one light bag, hand on the counter	2 walks of 30 seconds, two bags	3 walks of 40 seconds, two heavy bags
9:10– 9:50	Towel wring Towel wring (grip)	2 wrings each way	3 wrings each way	3 wrings each way	3 wrings each way, damp towel

Time	Segment	Rebuild	Steady	Strong	Iron
9:50–10:50	Cool-down Seated chest lift	6 lifts	6 lifts	6 lifts	6 lifts
10:50–11:15	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Thursday. Second strength day.	Day 4 • Strength
0:10	Chang	Today we stand up faster. Not sloppy. Faster.	Fast up, slow down
0:17	Chang	Lifting quick and lowering slow helps older adults move better in daily life, in the research.	Stop if chest pain, dizziness or sharp pain
0:24	Chang	Chair against the wall. Bottom stair with a rail, if you have one. Stop if anything feels wrong.	

0:35–1:15 • March

Time	Who	Spoken	On screen
0:35	Chang	Hand on the counter. March. Warm up the hips.	March
0:54	Chang	Breathe steady. You should be able to talk.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:40 • Shoulder rolls

Time	Who	Spoken	On screen
1:15	Chang	Sit tall. Chair against the wall.	Shoulder rolls
1:28	Chang	Up, back, down. Breathe in up, out down.	Easier: Just shrug and let go

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

1:40–2:10 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:40	Chang	Chair against the wall. Five easy ones. Just waking the legs.	Easy sit-to-stands
1:55	Chang	Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

2:10–4:00 • Power stands

Time	Who	Spoken	On screen
2:10	Chang	Sit tall. Pop up. Stand tall one second. Lower for three.	Power stands
2:35	Chang	Fast up, slow down. Breathe out hard as you stand.	Easier: Normal speed, hands on thighs
2:57	Chang	If standing fast makes you dizzy, go back to normal speed.	Dizzy? Normal speed
2:59	Chang	One... two... breathe out... three... slow down... four.	
3:19	Chang	Getting up quick is what saves you when you trip. Legs first.	Advanced (Iron): not your starting point

Cues: Fast up, slow down. Quick is not the same as sloppy. Knees stay over toes. **Easier:** Normal-speed sit-to-stand with hands on your thighs. **Harder:** Hold a jug of water at your chest, or pause one second just above the seat on the way down.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

4:00–5:50 • Step-ups

Time	Who	Spoken	On screen
4:00	Chang	Bottom stair. Hand on the rail. The whole time.	Step-ups
4:25	Chang	Whole foot on the step. Push through the heel.	Easier: Toe taps, hand on rail

Time	Who	Spoken	On screen
4:47	Chang	Breathe out as you step up. Step down slow.	Rail hand stays on the rail
4:49	Chang	One... two... breathe out... three... slow down... four.	
5:09	Chang	Rebuild: stay seated, knees high. Same muscles.	Advanced (Iron): not your starting point

Cues: Whole foot on the step, not just the toes. Push through the heel of the top foot. Rail hand stays on the rail. **Easier:** Toe taps: tap the step with one foot, then the other, holding the rail. Or use a lower step, like a sturdy doorway threshold. **Harder:** Step up without pushing off the bottom foot. Later: carry a light bag of groceries in the hand that isn't on the rail.

Safety callouts: If stairs make you dizzy or you have fallen on stairs, do toe taps only until you've practiced balance for two weeks.

5:50–7:10 • Hinge

Time	Who	Spoken	On screen
5:50	Chang	Hands on the counter. Hips back like closing a car door.	Hinge
6:09	Chang	Long back. Chest proud. No rounding.	Easier: Smaller hinge, hands stay down
6:25	Chang	Squeeze your buttocks to stand. Breathe out.	Long back. No rounding.
6:26	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
6:41	Chang	Osteoporosis? This is the safe way to bend. Long back.	

Cues: Hips go back, not down. Long back, chest proud. No rounding. Stand up by squeezing your buttocks. **Easier:** Smaller movement, hands stay on the counter the whole time. **Harder:** Pick up a jug of water from the seat of a chair using the same hinge, and set it back down. Later: from a lower surface, like a step.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl. Osteoporosis or a past spine fracture: this is the safe way to bend. Keep your back long; never round forward under load.

7:10–8:10 • Curls

Time	Who	Spoken	On screen
7:10	Chang	Sit tall. Elbows by your sides. Curl up. Lower slow.	Curls
7:29	Chang	Breathe out as you curl.	Easier: One arm, or empty bottles
7:37	Chang	One... two... breathe out... three... slow down... four.	
7:45	Chang	Yes, I'm flexing. Sun, don't look.	
8:02	Sun	NO MIRROR FLEXING.	

Cues: Elbows stay by your sides. No swinging. **Easier:** One arm at a time, or empty bottles. **Harder:** Heavier: a half-gallon jug (about 4 pounds), then a full gallon jug (about 8 pounds), one at a time.

8:10–9:10 • Carry

Time	Who	Spoken	On screen
8:10	Chang	Clear path. Walk along the counter or a hallway wall.	Carry
8:22	Chang	Pick the bags up with a hinge. Long back.	Easier: One light bag, hand on counter
8:32	Chang	Stand tall. Short steady steps.	
8:41	Chang	Breathe. You should be able to talk.	
8:51	Chang	Put them down the same way. Hinge.	

Cues: Tall, like you're proud of the groceries. Short, steady steps. **Easier:** One light bag, and keep your free hand trailing along the counter. **Harder:** Heavier: two full gallon jugs (about 8 pounds each). Iron track: two heavier bags or kettlebells.

Safety callouts: Hand arthritis flaring today? Squeeze gently, or skip and do the finger spread only. Pick up and put down with a hinge. Never round your back to lift.

9:10–9:50 • Towel wring

Time	Who	Spoken	On screen
9:10	Chang	Sit tall. Chair against the wall.	Towel wring
9:23	Chang	Wring it like laundry. Three seconds.	Easier: Squeeze a rolled sock
9:34	Chang	Breathe out as you squeeze.	

Cues: Squeeze from your whole hand, not just your fingertips. Shoulders relaxed. **Easier:** Squeeze a soft ball or rolled sock instead. **Harder:** Use a damp towel, or hold each wring for five seconds.

Safety callouts: Hand arthritis flaring today? Squeeze gently, or skip and do the finger spread only.

9:50–10:50 • Cool-down

Time	Who	Spoken	On screen
9:50	Chang	Sit. Lift the chest. Relax.	Cool-down
10:17	Chang	Two sniffs in. Long sigh out. Twice more.	Easier: Smaller lift

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

10:50–11:15 • Close

Time	Who	Spoken	On screen
10:50	Chang	Push, pull, carry. That's daily life. You trained it.	
11:03	Chang	One more. A good one. Tomorrow.	

Session 5 • Friday: Breathe and flow

Type	Length	Set	Wardrobe	Voices
Breath + qigong	9:40	SET-PROM	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Do every piece seated or with a narrow, tall stance. **Sore back:** Seated versions; skip the looking-back turn if it bothers you. **Low energy:** Breathing plus two pieces. That's enough.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Cyclic sighing	90 seconds, seated	2 minutes	2 minutes	2 minutes
2:35–3:35	Holding up the sky Holding up the sky (baduanjin piece 1)	4 reps, seated, to shoulder height	4 reps	5 reps, slower	5 reps, rise onto toes, chair back in one hand

Time	Segment	Rebuild	Steady	Strong	Iron
3:35– 4:35	Drawing the bow Drawing the bow (baduanjin piece 2, high stance)	3 each side, seated	3 each side	4 each side	4 each side, knees a little more bent
4:35– 5:35	Separating heaven and earth Separating heaven and earth (baduanjin piece 3)	3 each side, seated	3 each side	4 each side	4 each side, slower
5:35– 6:25	Looking back Looking back (baduanjin piece 4, gentle)	3 each side, eyes more than head	3 each side	3 each side	3 each side, hold one breath
6:25– 7:15	Punching with a steady gaze Punching with a steady gaze (baduanjin piece 7, high stance)	4 each side, seated	4 each side	5 each side	5 each side, lower stance
7:15– 8:15	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated, arms only	1 minute, near the counter	1 minute	1 minute with a side step
8:15– 9:15	4-6 breathing	1 minute, in 3 out 4	1 minute	1 minute	1 minute
9:15– 9:40	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Friday. Breath and flow.	Day 5 • Breath + qigong
0:07	Chang	Tai chi and qigong are exercise. That's how we teach them. Movement you can measure.	Chair behind you
0:12	Chang	Today: slow breathing, then five pieces of a qigong set called baduanjin.	Stop if dizzy or chest pain
0:17	Chang	We skip two pieces. They round the spine and put your head below your heart. Not for everyone. So not for us.	
0:21	Chang	Chair behind you. Sit down anytime.	
0:26	Chang	Stop if you feel dizzy, light-headed or any chest pain.	

0:35–2:35 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit comfortably. Breathe in through the nose.	Cyclic sighing
0:54	Chang	At the top, sip a little more air.	Easier: Just slow nose breathing
1:10	Chang	Now a long, slow sigh out through the mouth.	2 sniffs in • 1 long sigh out
1:26	Chang	No holding. Ever. The out-breath is longer.	No breath holds
1:42	Chang	In a one-month study, five minutes of this a day lifted mood more than meditation.	

Time	Who	Spoken	On screen
1:58	Chang	Light-headed? Go back to normal breathing.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

2:35–3:35 • Holding up the sky

Time	Who	Spoken	On screen
2:35	Chang	Hand on the counter. Chair behind you.	Holding up the sky
2:50	Chang	Stand slowly. Fingers laced at your belly.	Easier: Seated, to shoulder height
3:02	Chang	Breathe in. Hands float up. Palms to the sky.	
3:02	Chang	One... two... breathe out... three... slow down... four.	
3:14	Chang	Only to comfortable height. Breathe out. Arms float down.	

Cues: Slow, like moving through warm water. Look straight ahead. **Easier:** Sit and do it seated, or lift only to shoulder height. **Harder:** Rise onto your toes a little at the top, holding the chair back with one hand if needed.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

3:35–4:35 • Drawing the bow

Time	Who	Spoken	On screen
3:35	Chang	Hand on the counter. Chair behind you.	Drawing the bow
3:50	Chang	Feet a little wide. High stance. Not a squat.	Easier: Seated, arms only
4:02	Chang	Push the left hand out. Pull the right elbow back. Eyes follow.	
4:14	Chang	Breathe out as you draw. Switch.	

Cues: Knees over toes. Grow tall through the top of the head. **Easier:** Sit tall in your chair and do the arm movement only. **Harder:** Bend your knees a little more (never below comfortable).

4:35–5:35 • Separating heaven and earth

Time	Who	Spoken	On screen
4:35	Chang	Hand on the counter. Chair behind you.	Separating heaven and earth
4:50	Chang	One hand presses up. One presses down.	Easier: Seated, to shoulder height
5:02	Chang	Breathe in as you separate. Out as you return.	
5:14	Chang	Shoulder sore? Only to shoulder height.	

Cues: One hand reaches up, one presses down. Long spine. **Easier:** Seated, or lift only to shoulder height. **Harder:** Slower, with a longer out-breath.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

5:35–6:25 • Looking back

Time	Who	Spoken	On screen
5:35	Chang	Stand or sit tall. Turn your head, only as far as comfortable.	Looking back
5:51	Chang	Chin level. Shoulders down. Half-turns only.	Easier: Turn the eyes more
6:04	Chang	Breathe out as you turn, in as you return.	Half-turns only

Cues: Chin level. Shoulders stay down. **Easier:** Turn your eyes more than your head. **Harder:** Hold the turn for one slow breath.

Safety callouts: Nods and half-turns only. Never full neck circles. Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

6:25–7:15 • Punching with a steady gaze

Time	Who	Spoken	On screen
6:25	Chang	Hand on the counter. Chair behind you.	Punching with a steady gaze
6:38	Chang	Loose fists at the waist. Slow punch forward. Turn the palm down.	Easier: Seated, same arm movement
6:48	Chang	Open, grip the air, pull it back.	
6:58	Chang	Breathe out as you punch. This is not boxing. Sun asked.	

Cues: Slow punch. This is not boxing. Eyes steady and focused. **Easier:** Seated, same arm movement. **Harder:** Bend your knees a little more, keeping them over your toes.

7:15–8:15 • Cloud hands

Time	Who	Spoken	On screen
7:15	Chang	Hand on the counter. Chair behind you.	Cloud hands
7:26	Chang	Shift your weight right. Right hand floats past your face.	Easier: Seated, or one hand on counter
7:34	Chang	Shift left. The hands switch. Like wiping a big window.	Soft knees, slow shifts
7:42	Chang	In tai chi we call this sinking. Really, it's lowering your center of mass. Soft knees.	
7:50	Chang	Slow weight shifts like this are balance practice. And balance is one of the most trainable things there is.	
7:58	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

8:15–9:15 • 4-6 breathing

Time	Who	Spoken	On screen
8:15	Chang	Sit. In for four. Out for six.	4-6 breathing
8:34	Chang	No pause at the top. No pause at the bottom.	Easier: In for 3, out for 4
8:50	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

9:15–9:40 • Close

Time	Who	Spoken	On screen
9:15	Chang	Every day, a little.	
9:28	Chang	Tomorrow we walk. Find your shoes.	

Session 6 • Saturday: Walk with me

Type	Length	Set	Wardrobe	Voices
Walk-and-talk	9:10	SET-PROM	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Flat route only, easy pace throughout, shorter brisk bits. **Sore back:** Easy pace; take the rests on a bench. **Low energy:** Easy pace the whole time. Still counts.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes seated, or walker lengths of the hallway at your pace	2 minutes, easy pace	2 minutes, easy pace	2 minutes, easy pace
2:35–3:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute, faster	1 minute, a little faster	1 minute brisk: can talk, can't sing	1 minute brisk, uphill if you have one

Time	Segment	Rebuild	Steady	Strong	Iron
3:35–4:35	Easy Walk and talk	<i>Seated march:</i> 1 minute, easy	1 minute easy	1 minute easy	1 minute easy
4:35–5:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute, faster	1 minute, a little faster	1 minute brisk	1 minute brisk
5:35–6:35	Easy Walk and talk	<i>Seated march:</i> 1 minute, easy	1 minute easy	1 minute easy	1 minute easy
6:35–8:05	Cool-down walk Walk and talk	<i>Seated march:</i> 90 seconds, slow	90 seconds, slow	90 seconds, slow	90 seconds, slow
8:05–8:45	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, holding with both hands	20 seconds each leg	20 seconds each leg	20 seconds each leg
8:45–9:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Saturday. We walk and talk.	Day 6 • Walk
0:10	Chang	Good shoes. A flat route. No ice. Cane or walker if you use one.	Indoors counts

Time	Who	Spoken	On screen
0:17	Chang	Indoors is fine. Kitchen to front door and back.	Chest pain? Stop and call
0:24	Chang	Chest pain or unusual breathlessness? Stop, sit, call your doctor.	
0:27	Sun	Visor on. It's fashion.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:54	Chang	Easy pace. Tall. Eyes ahead, not at your feet.	Easier: Indoors, touching the counter
1:10	Chang	Arms swing. Heel, then toe.	Study: adults 60+, 6,000–8,000 steps/day
1:26	Chang	In adults over 60, the benefit linked with daily steps levelled off around six to eight thousand steps a day.	
1:42	Chang	Not ten thousand. Six to eight. Good news for your knees.	
1:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–3:35 • Brisk

Time	Who	Spoken	On screen
2:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
2:50	Chang	Pick it up. Can talk. Can't sing.	Easier: Indoors, touching the counter
3:02	Chang	Sun can sing. She's not walking fast enough.	
3:14	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	
3:27	Sun	I'm walking at the correct speed.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

3:35–4:35 • Easy

Time	Who	Spoken	On screen
3:35	Chang	Good shoes. Cane or walker if you use one.	Easy
3:47	Chang	Back to easy.	Easier: Indoors, touching the counter
3:57	Chang	Walking speed matters. In 34,485 adults over 65, faster walking speed was linked with longer survival.	Study: 34,485 adults 65+

Time	Who	Spoken	On screen
4:06	Chang	It's a link. Not a race. Walk tall.	
4:16	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

4:35–5:35 • Brisk

Time	Who	Spoken	On screen
4:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
4:54	Chang	One more brisk minute.	Easier: Indoors, touching the counter
5:10	Chang	Tall. Arms swing. Breathe.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:35–6:35 • Easy

Time	Who	Spoken	On screen
5:35	Chang	Good shoes. Cane or walker if you use one.	Easy
5:50	Chang	Easy again.	Easier: Indoors, touching the counter
6:02	Chang	Tip: walk after your biggest meal. Even a few minutes lowers the blood-sugar rise after eating.	
6:14	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

6:35–8:05 • Cool-down walk

Time	Who	Spoken	On screen
6:35	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:02	Chang	Slow it down. Let your breathing settle.	Easier: Indoors, touching the counter
7:26	Chang	Find a rail or a wall for the stretch.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

8:05–8:45 • Calf stretch at the rail

Time	Who	Spoken	On screen
8:05	Chang	Hands on the rail. One foot back. Heel down.	Calf stretch at the rail
8:24	Chang	Breathe slow. Switch.	Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

8:45–9:10 • Close

Time	Who	Spoken	On screen
8:45	Chang	Tell me your steps today. Honest number.	
8:58	Chang	Tomorrow, rest and stretch. You earned it.	

Session 7 • Sunday: Easy Sunday

Type	Length	Set	Wardrobe	Voices
Rest + stretch	8:50	SET-LIVING	C-CASUAL	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4. **Sore back:** Keep the turn tiny; do the bed bridge only if it feels good. **Low energy:** Breathing and the check-in. That's a full Sunday.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:35	Cyclic sighing	1 minute	1 minute	1 minute	1 minute
1:35–2:15	Neck nods and half-turns	4 nods, 2 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side
2:15–2:45	Shoulder rolls	6 rolls	8 rolls	8 rolls	8 rolls
2:45–3:30	Gentle seated turn	3 each side, small	5 each side	5 each side	5 each side

Time	Segment	Rebuild	Steady	Strong	Iron
3:30– 4:30	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg, small lean	20 seconds each leg	30 seconds each leg	30 seconds each leg
4:30– 5:20	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	20 seconds each side	30 seconds each side	30 seconds each side
5:20– 6:05	Calf stretch Calf stretch at the wall	20 seconds each leg, both hands on the counter	20 seconds each leg	20 seconds each leg	20 seconds each leg
6:05– 6:50	Bed bridge (optional) Bridge on the bed	6 squeezes, no lift	8 bridges	8 bridges, 3-second hold	10 bridges, 3-second hold
6:50– 7:20	Ankle pumps Ankle pumps and circles	10 pumps	10 pumps	10 pumps	10 pumps
7:20– 8:20	Week check-in	All levels together			
8:20– 8:50	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Sunday. Rest day. Rest is not nothing.	Day 7 • Rest + stretch
0:10	Chang	Gentle stretches, then we look at your week.	Stop if sharp pain or dizziness
0:17	Chang	Pencil and your log nearby.	
0:24	Chang	Anything sharp, or dizziness? Stop and sit.	
0:27	Sun	He calls this rest. He did push-ups at six a.m.	

0:35–1:35 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
0:54	Chang	Two sniffs in through the nose. Long sigh out.	Easier: Just slow nose breathing
1:10	Chang	No holding.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

1:35–2:15 • Neck nods and half-turns

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Neck nods and half-turns
1:48	Chang	Small nods. Half-turns. Slow.	Easier: Even smaller movements
1:59	Chang	Breathe slowly.	

Cues: Small and slow. Chin stays level when you turn. **Easier:** Make the movement even smaller. **Harder:** Add a chin tuck: gently slide your chin straight back, making a double chin, hold two seconds.

Safety callouts: Nods and half-turns only. Never full neck circles. Dizzy with head movements? Keep it tiny, keep your eyes open, and tell your doctor.

2:15–2:45 • Shoulder rolls

Time	Who	Spoken	On screen
2:15	Chang	Sit tall. Chair against the wall.	Shoulder rolls
2:26	Chang	Up, back, down.	Easier: Just shrug and let go
2:34	Chang	Breathe in as you lift, out as you roll down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

2:45–3:30 • Gentle seated turn

Time	Who	Spoken	On screen
2:45	Chang	Sit tall. Chair against the wall.	Gentle seated turn
3:00	Chang	Tall first. Then turn. Only as far as comfortable.	Easier: Smaller turns
3:12	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

3:30–4:30 • Seated hamstring stretch

Time	Who	Spoken	On screen
3:30	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
3:49	Chang	Leg straight. Long back. Hinge from the hips.	Easier: Lean only an inch
4:05	Chang	Breathe slow.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

4:30–5:20 • Figure-4 hip stretch

Time	Who	Spoken	On screen
4:30	Chang	Ankle on knee or shin. Sit tall. Let it relax.	Figure-4 hip stretch
4:46	Chang	New hip? Your surgeon's rules first.	Easier: Ankle on shin, or skip crossing
4:59	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

5:20–6:05 • Calf stretch

Time	Who	Spoken	On screen
5:20	Chang	Stand slowly. Hands on the counter. Heel down.	Calf stretch
5:41	Chang	Breathe slowly through the stretch.	Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

6:05–6:50 • Bed bridge (optional)

Time	Who	Spoken	On screen
6:05	Chang	Optional. On your bed. Knees bent. Squeeze and lift a few inches.	Bed bridge (optional)

Time	Who	Spoken	On screen
6:20	Chang	Breathe out as you lift.	Easier: Squeeze without lifting
6:32	Chang	Sit a moment before you stand. Then stand slowly, holding something.	Sit a moment before you stand

Cues: Push through your heels. Lift with your buttocks, not your back.

Easier: Just squeeze your buttocks without lifting. **Harder:** Hold three seconds at the top, or lift higher.

Safety callouts: Sit a moment before you stand, then stand slowly while holding something steady.

6:50–7:20 • Ankle pumps

Time	Who	Spoken	On screen
6:50	Chang	Seated. Toes away, toes to you. Before you stand, every time.	Ankle pumps
7:05	Chang	Breathe slowly.	Easier: Smaller movements

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

7:20–8:20 • Week check-in

Time	Who	Spoken	On screen
7:20	Chang	Now the log. Three numbers.	Sessions • Best chair stands • Sleep 1–5
7:35	Chang	How many sessions this week. Your best chair stands. How you slept, one to five.	
7:47	Chang	Anything that hurt more than three out of ten and didn't settle by the next day? Tell the app. We'll swap it.	
7:59	Chang	Your full Strength Age retest is on day 30. Not today.	

8:20–8:50 • Close

Time	Who	Spoken	On screen
8:20	Chang	Week one. Done.	
8:31	Chang	Call someone today. Tell them what you did.	
8:39	Chang	Same time tomorrow. Legs first.	
8:42	Sun	And eat something with protein. Grams, not vibes.	

Session 8 • Monday: Legs first, one more set

Type	Length	Set	Wardrobe	Voices
Strength	11:50	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Higher seat and half range for sit-to-stands; seated knee straightening instead of the split squat and wall sit. **Sore back:** Towel pull-apart instead of the jug row; skip the overhead press. **Low energy:** Last week's Day 1 numbers. No extra set.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:20	Warm-up march Standing march at the counter	<i>Seated march:</i> 45 seconds	45 seconds	45 seconds	45 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:20–1:50	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps
1:50–4:00	Legs Chair sit-to-stand	3 sets of 6, hands on thighs	3 sets of 8, arms crossed	3 sets of 10, 3-second lower	<i>Counter split squat (Iron track):</i> 3 sets of 8 each leg, hand on the counter (advanced)
4:00–5:50	Push Wall push-up	<i>Seated chest press:</i> 3 sets of 8	3 sets of 8	<i>Counter push-up:</i> 3 sets of 8	<i>Counter push-up:</i> 3 sets of 10, 3-second lower
5:50–6:50	Heel raises Heel raises at the counter	3 sets of 12, seated	3 sets of 10	3 sets of 12, one hand	3 sets of 8 each leg
6:50–8:30	Row One-arm jug row at the counter	<i>Seated towel pull-apart:</i> 4 pulls, 3-second squeeze	3 sets of 8 each arm	3 sets of 10 each arm	3 sets of 12 each arm, 1-second pause
8:30–9:30	Press Seated overhead press (to comfortable height)	2 sets of 6, one arm at a time	2 sets of 8	2 sets of 10	3 sets of 10, half-gallon jugs
9:30–10:25	Finisher High wall sit	<i>Seated knee straightening:</i> 2 sets of 8 each leg	2 holds of 20 seconds	3 holds of 20 seconds	3 holds of 30 seconds (advanced)

Time	Segment	Rebuild	Steady	Strong	Iron
10:25–11:25	Cool-down Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
11:25–11:50	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Week two. Monday. Strength.	Day 8 • Strength
0:10	Chang	Same moves. One more set. That's how strength works. A little more, slowly.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Chair against the wall. Counter close.	
0:24	Chang	Stop if you feel chest pain, dizziness or sharp pain.	

0:35–1:20 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Then stand slowly.	Warm-up march
0:50	Chang	March. Hand on the counter.	Easier: Sit and march
1:02	Chang	Breathe steadily. You should be able to talk.	

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:20–1:50 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:20	Chang	Hand on the counter. Chair behind you.	Easy sit-to-stands
1:35	Chang	Five easy. Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:50–4:00 • Legs

Time	Who	Spoken	On screen
1:50	Chang	Hand on the counter. Chair behind you.	Legs
2:13	Chang	Three sets today. Nose over toes. Push the floor away.	Easier: Higher seat, hands on thighs
2:34	Chang	Sit down slow. Breathe out as you stand.	Iron: advanced
2:48	Chang	One... two... breathe out... three... slow down... four.	
2:55	Chang	Iron: split squat at the counter. Straight down, like an elevator.	Advanced (Iron): not your starting point
3:16	Chang	Rest. Next set.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

Safety callouts: Advanced. Only if your knees feel good with step-ups.

4:00–5:50 • Push

Time	Who	Spoken	On screen
4:00	Chang	Strong: move to the counter this week.	Push
4:47	Chang	Straight line head to heels. Breathe out as you push.	Easier: Closer to wall, half range
4:49	Chang	One... two... breathe out... three... slow down... four.	

Cues: Body in one straight line, head to heels. Chest to the wall, not your chin. **Easier:** Stand closer to the wall and move only halfway. **Harder:** Step your feet farther back. When 15 are easy, move to counter push-ups.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

5:50–6:50 • Heel raises

Time	Who	Spoken	On screen
5:50	Chang	Hands on the counter. Up. Pause. Down for three.	Heel raises
6:17	Chang	Breathe out as you rise.	Easier: Seated, or rise halfway

Time	Who	Spoken	On screen
6:17	Chang	One... two... breathe out... three... slow down... four.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

6:50–8:30 • Row

Time	Who	Spoken	On screen
6:50	Chang	Hand on the counter. Long back. Pull with the elbow.	Row
7:33	Chang	Breathe out as you pull.	Easier: Towel pull or lighter jug
7:35	Chang	One... two... breathe out... three... slow down... four.	

Cues: Pull with your elbow, not your hand. Long back. Don't twist. **Easier:** Stand upright and pull a towel looped around a sturdy door handle (see Towel row), or use a lighter jug. **Harder:** Full gallon jug (about 8 pounds), or a bag with a few cans. Pause for one second at the top.

Safety callouts: Osteoporosis: keep the hinge small and the back long.

8:30–9:30 • Press

Time	Who	Spoken	On screen
8:30	Chang	Sit tall. Bottles at the shoulders.	Press
8:45	Chang	Press up only to comfortable height. Ribs down.	Easier: One arm, press at a slant
8:57	Chang	Shoulder sore? Press forward at a slant, or skip it today.	
8:57	Chang	One... two... breathe out... three... slow down... four.	
9:09	Chang	Breathe out as you press up.	

Cues: Ribs down. Don't arch your back. Only to comfortable height. **Easier:** One arm at a time, or press forward and up at a slant instead of straight up. **Harder:** Heavier bottles or a half-gallon jug in each hand; stand at the counter to press.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

9:30–10:25 • Finisher

Time	Who	Spoken	On screen
9:30	Chang	Back on the wall. A few inches down.	Finisher
9:47	Chang	Count out loud. Keep breathing.	Easier: Only 2 inches down, 10 s
10:02	Chang	High blood pressure? Short holds, and ask your doctor about long ones.	Keep breathing: count out loud Advanced (Iron): not your starting point

Cues: Shallow is fine. This is not a contest of depth. Knees stay behind or over your toes. **Easier:** Slide down only 2 inches, or hold for just 10 seconds. **Harder:** Slide a little lower (never below where your knees are bent to a right angle), or hold up to 30 seconds.

Safety callouts: Breathe through it. High blood pressure or a heart condition? Ask your doctor before long holds.

10:25–11:25 • Cool-down

Time	Who	Spoken	On screen
10:25	Chang	Calf stretch at the wall. Then sit. Two sniffs in, long sigh out.	Cool-down Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

11:25–11:50 • Close

Time	Who	Spoken	On screen
11:25	Chang	One more set than last week. That's the whole game.	
11:38	Chang	Deposit made. Same time tomorrow.	

Session 9 • Tuesday: Shoulders and hips

Type	Length	Set	Wardrobe	Voices
Mobility	9:00	SET-YARD	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4 and the hip-front stretch; extra ankle circles. **Sore back:** Chin tucks, wall slides and breathing only. **Low energy:** Seated moves only.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Chin tucks Chin tuck	5 small tucks	6 tucks, 2-second hold	8 tucks, 2-second hold	8 tucks, 5-second hold
1:15–1:45	Shoulder rolls	6 rolls	8 rolls	8 rolls + arm circles	8 rolls + arm circles
1:45–2:35	Wall slides	6 finger walks	8 slides	8 slides, 2-second hold	10 slides, 2-second hold

Time	Segment	Rebuild	Steady	Strong	Iron
2:35– 3:15	Chest lift Seated chest lift	6 lifts	8 lifts	8 lifts, 3– second hold	10 lifts, 3– second hold
3:15– 4:05	Gentle seated turn	4 each side, small	6 each side	6 each side	8 each side
4:05– 5:05	Standing hip- front stretch	20 seconds each side, both hands on the counter	2 × 20 seconds each side	2 × 20 seconds each side, arm up	2 × 30 seconds each side, arm up
5:05– 5:55	Standing bird- dog Standing bird- dog at the counter	4 each side, leg only	6 each side	6 each side, 3-second hold	8 each side, 3-second hold
5:55– 6:45	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	20 seconds each side	30 seconds each side	30 seconds each side, hinge forward
6:45– 7:35	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	20 seconds each leg	30 seconds each leg	30 seconds each leg
7:35– 8:35	4-6 breathing	1 minute, in 3 out 4	1 minute	1 minute	1 minute
8:35– 9:00	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Tuesday. Mobility again. I'm told it's good for me.	Day 9 • Mobility
0:10	Chang	Today: shoulders, upper back, hips.	Stop if sharp pain or dizziness
0:17	Chang	Only as far as comfortable. Nothing forced.	
0:24	Chang	Sharp pain or dizziness? Stop.	
0:27	Sun	He's told it's good for him because it is.	

0:35–1:15 • Chin tucks

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Slide your chin straight back. Double chin. Beautiful.	Chin tucks
0:54	Chang	Eyes level. Breathe normally.	Easier: Smaller, 1-second hold

Cues: Slide back, don't tip down. Tall neck. **Easier:** Smaller movement, one-second hold. **Harder:** Hold five seconds.

Safety callouts: Nods and half-turns only. Never full neck circles.

1:15–1:45 • Shoulder rolls

Time	Who	Spoken	On screen
1:15	Chang	Sit tall. Chair against the wall.	Shoulder rolls

Time	Who	Spoken	On screen
1:26	Chang	Big slow circles backward.	Easier: Just shrug and let go
1:34	Chang	Breathe in as you lift, out as you roll down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

1:45–2:35 • Wall slides

Time	Who	Spoken	On screen
1:45	Chang	Back to the wall. Goalpost arms.	Wall slides
2:08	Chang	Slide up only as far as comfortable. Breathe out as you slide down.	Easier: Walk fingertips up the wall

Cues: Ribs down. Slow and smooth. **Easier:** Face the wall and walk your fingertips up it instead. **Harder:** Hold for two seconds at the top.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

2:35–3:15 • Chest lift

Time	Who	Spoken	On screen
2:35	Chang	Near the front of the chair. Lift the chest. Grow tall.	Chest lift
2:54	Chang	Breathe in as you lift, out as you relax.	Easier: Smaller lift

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

3:15–4:05 • Gentle seated turn

Time	Who	Spoken	On screen
3:15	Chang	Sit tall. Chair against the wall.	Gentle seated turn
3:28	Chang	Grow tall. Turn. Only as far as comfortable.	Easier: Smaller turns
3:38	Chang	Osteoporosis: small and gentle.	
3:48	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

4:05–5:05 • Standing hip-front stretch

Time	Who	Spoken	On screen
4:05	Chang	Hand on the fence or counter. Small step back.	Standing hip-front stretch
4:24	Chang	Tuck, squeeze, shift forward a little.	Easier: Smaller step, both hands down
4:40	Chang	Breathe slow.	

Cues: Stay tall. Don't arch your back. Small movement, big squeeze.

Easier: Smaller step. **Harder:** Reach the arm on the back-leg side up toward the ceiling, to comfortable height.

5:05–5:55 • Standing bird-dog

Time	Who	Spoken	On screen
5:05	Chang	Both hands on the fence. Foot back. Arm forward if steady.	Standing bird-dog
5:28	Chang	Long back. Breathe out as you reach.	Easier: Leg only, both hands down

Cues: Long back. No arching. Squeeze the buttock of the moving leg.

Easier: Leg only; both hands stay on the counter. **Harder:** Hold the reach for three seconds.

5:55–6:45 • Figure-4 hip stretch

Time	Who	Spoken	On screen
5:55	Chang	Sit. Ankle on the knee or shin. Relax the knee.	Figure-4 hip stretch
6:11	Chang	New hip? Your surgeon's precautions first.	Easier: Ankle on shin, or skip crossing
6:24	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

6:45–7:35 • Seated hamstring stretch

Time	Who	Spoken	On screen
6:45	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
7:01	Chang	Leg straight, heel down. Long back. Hinge from the hips.	Easier: Lean only an inch
7:14	Chang	Breathe slowly.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

7:35–8:35 • 4-6 breathing

Time	Who	Spoken	On screen
7:35	Chang	Sit tall. Chair against the wall.	4-6 breathing
7:54	Chang	In for four. Out for six. No holds.	Easier: In for 3, out for 4
8:10	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

8:35–9:00 • Close

Time	Who	Spoken	On screen
8:35	Chang	Done. My shoulders say thank you. I won't tell Sun.	
8:48	Chang	Tomorrow: balance.	
8:52	Sun	I heard that.	

Session 10 • Wednesday: Steadier feet

Type	Length	Set	Wardrobe	Voices
Balance	9:10	SET-KITCHEN	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Shorter holds, wider feet; skip the backward walk. **Sore back:** Front and side reaches only. **Low energy:** Heel-to-toe stand, one-leg stand, cloud hands.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Weight shifts	5 each way, seated	6 each way	8 each way, bigger	8 each way, one hand hovering
1:15–2:30	Heel-to-toe stand Heel-to-toe stand at the counter	3 x 15 seconds each side, half-step, both hands down	3 x 15 seconds each side	3 x 20 seconds each side, hands hovering	3 x 30 seconds each side, hands hovering

Time	Segment	Rebuild	Steady	Strong	Iron
2:30–3:45	One-leg stand One-leg stand at the counter	3 × 10 seconds each side, toe down	3 × 15 seconds each side	3 × 20 seconds each side, one hand hovering	3 × 30 seconds each side, hands hovering
3:45–4:45	Heel-to-toe walk Heel-to-toe walk along the counter	2 lengths, feet apart, holding on	3 lengths	2 lengths forward + 1 backward, hand on the counter	2 forward, hand hovering + 2 backward, hand on the counter
4:45–5:35	Side steps Side steps along the counter	1 set of 8 each way	2 sets of 10 each way, knees bent	2 sets of 12 each way, knees bent	3 sets of 12 each way, knees bent
5:35–6:25	Sit-to-stand, no hands Sit-to-stand without hands (balance version)	<i>Chair sit-to-stand:</i> 1 set of 6, hands on thighs	1 set of 8	2 sets of 6, feet together	2 sets of 8, feet together, 3-second lower
6:25–7:15	Clock reach	3 each way, front and side	4 each direction	4 each direction, one foot at 12	5 each direction, one foot at 12
7:15–8:15	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated	1 minute	1 minute	1 minute with side steps
8:15–8:45	Cyclic sighing	30 seconds	30 seconds	30 seconds	30 seconds
8:45–9:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Wednesday. Balance, week two.	Day 10 • Balance
0:10	Chang	Holds get longer today. Support stays the same. Counter. Chair behind you.	Balance is trainable
0:17	Chang	Balance is one of the most trainable things there is. Practise it and you feel steadier on your feet, and more confident on stairs.	
0:24	Chang	Dizzy? Sit down.	

0:35–1:15 • Weight shifts

Time	Who	Spoken	On screen
0:35	Chang	Hands on the counter. Side to side. Front to back.	Weight shifts
0:54	Chang	Breathe slowly.	Easier: Do it seated

Cues: Move from your ankles and hips, like a tree swaying. Feet stay flat on the floor. **Easier:** Do it seated: shift your weight side to side on the chair. **Harder:** Make the shifts bigger, or let one hand hover.

1:15–2:30 • Heel-to-toe stand

Time	Who	Spoken	On screen
1:15	Chang	Heel to toe. Hands on the counter, or hovering if you're Strong or Iron.	Heel-to-toe stand
1:38	Chang	Eyes on something still. Breathe.	Easier: Half-step, both hands down

Time	Who	Spoken	On screen
1:58	Chang	Switch.	

Cues: Eyes on something still at eye level. Soft knees. Tall head. **Easier:** Half-step stance: front foot's heel beside the big toe of the back foot. Both hands on the counter. **Harder:** Lift one hand to hover just above the counter. Later: both hands hovering.

Safety callouts: Balance drills always start with support. Hands hover, they don't wander away from the counter.

2:30–3:45 • One-leg stand

Time	Who	Spoken	On screen
2:30	Chang	Hand on the counter. Chair behind you.	One-leg stand
2:48	Chang	Weight on one foot. Lift the other.	Easier: Toe stays on the floor
3:03	Chang	Count out loud. Squeeze the standing buttock.	
3:18	Chang	Switch.	

Cues: Stand tall. Don't lean on the counter. Squeeze the buttock of the standing leg. **Easier:** Just shift your weight onto one foot, keeping the other toe lightly on the floor. **Harder:** One hand hovering above the counter, then both hands hovering, right next to the counter.

Safety callouts: No barefoot drills on slippery floors, no socks on hard floors, no rugs under your feet.

3:45–4:45 • Heel-to-toe walk

Time	Who	Spoken	On screen
3:45	Chang	Hand on the counter. Heel in front of toes.	Heel-to-toe walk
4:04	Chang	Backward walk for Strong and Iron: normal steps, slow, hand resting on the counter.	Easier: Feet apart, hold the counter
4:20	Chang	Breathe steadily.	

Cues: Eyes forward, not down at your feet. Slow is correct. **Easier:** Walk with your feet slightly apart, not touching, holding the counter. **Harder:** Let your hand hover above the counter. Later: walk backward along the counter with one hand resting on it (normal steps).

4:45–5:35 • Side steps

Time	Who	Spoken	On screen
4:45	Chang	Face the counter. Knees a little bent. Step, feet meet.	Side steps
5:07	Chang	One... two... breathe out... three... slow down... four.	
5:08	Chang	Breathe normally. Talk or count out loud.	Easier: Fewer, slower steps

Cues: Stay tall. Small, controlled steps. Feet don't cross. **Easier:** Fewer steps, slower. **Harder:** Bend your knees slightly and stay low, or tie a resistance loop above your knees.

5:35–6:25 • Sit-to-stand, no hands

Time	Who	Spoken	On screen
5:35	Chang	Stand. Balance two seconds at the top. Sit slow.	Sit-to-stand, no hands
5:57	Chang	One... two... breathe out... three... slow down... four.	
5:58	Chang	Breathe out as you stand.	Easier: Hands on thighs

Cues: Find your balance at the top before you move. Slow down. **Easier:** Use your hands on your thighs. **Harder:** Feet together.

6:25–7:15 • Clock reach

Time	Who	Spoken	On screen
6:25	Chang	Side-on to the counter. Reach to the clock numbers. Eyes follow the hand.	Clock reach
6:48	Chang	Breathe out as you reach.	Easier: Smaller reaches, front and side

Cues: Follow your hand with your eyes. Feet stay planted. **Easier:** Smaller reaches, and only to the front and side. **Harder:** Stand on one foot while you reach to 12 o'clock, holding the counter.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

7:15–8:15 • Cloud hands

Time	Who	Spoken	On screen
7:15	Chang	Hand on the counter. Chair behind you.	Cloud hands
7:30	Chang	Shift and float. Right, then left.	Easier: Seated, or one hand on counter
7:42	Chang	Soft knees. Center of mass low.	
7:54	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

8:15–8:45 • Cyclic sighing

Time	Who	Spoken	On screen
8:15	Chang	Sit. Two sniffs in. Long sigh out.	Cyclic sighing Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

8:45–9:10 • Close

Time	Who	Spoken	On screen
8:45	Chang	Update the fridge chart. Longest one-leg time.	
8:58	Chang	Sun's number is still better. For now.	
9:02	Sun	For always.	

Session 11 • Thursday: Push, pull, carry, more

Type	Length	Set	Wardrobe	Voices
Strength	11:15	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Seated knee straightening instead of step-ups; power stands from a higher seat at normal speed. **Sore back:** Seated hinge; one light bag for the carry. **Low energy:** One set of each block.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:15– 1:45	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps
1:45– 3:35	Power stands Power stand (fast up, slow down)	<i>Chair sit-to-stand:</i> 3 sets of 5, normal speed	3 sets of 5	3 sets of 5, jug at chest	3 sets of 6, gallon jug at chest (advanced)
3:35– 5:25	Step-ups Step-ups on the bottom stair	<i>Seated march:</i> 3 × 30 seconds, knees high	2 sets of 6 each leg	3 sets of 6 each leg	3 sets of 8 each leg, bag in free hand (advanced)
5:25– 6:45	Hinge pick-up Counter hip hinge	<i>Seated hip hinge:</i> 2 sets of 8	2 sets of 8, jug from the chair seat	3 sets of 8, jug from the chair seat	3 sets of 8, heavier bag from the bottom step
6:45– 7:55	Push Wall push-up	<i>Seated chest press:</i> 2 sets of 10	2 sets of 10, feet farther back	<i>Counter push-up:</i> 2 sets of 10	<i>Counter push-up:</i> 3 sets of 10, 3-second lower
7:55– 8:50	Curls Water-bottle curl	2 sets of 10, bottles	2 sets of 10, half-gallon jug	3 sets of 10, half-gallon jug	3 sets of 10, gallon jug
8:50– 10:00	Carry Grocery carry	<i>Towel wring (grip):</i> 4 wrings each direction	2 walks of 30 seconds, two bags	3 walks of 30 seconds, heavier bags	3 walks of 45 seconds, heavy bags
10:00– 10:50	Cool-down Seated chest lift	6 lifts	6 lifts	6 lifts	6 lifts
10:50– 11:15	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Thursday. Strength, week two.	Day 11 • Strength
0:10	Chang	Three sets on the big moves. Fast up, slow down.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Chair against the wall. Stair rail. Counter.	
0:24	Chang	Stop if chest pain, dizziness or sharp pain.	

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Hand on the counter. March.	Warm-up march
0:54	Chang	Breathe steadily. You should be able to talk.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:45 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:15	Chang	Hand on the counter. Chair behind you.	Easy sit-to-stands
1:30	Chang	Five easy. Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:45–3:35 • Power stands

Time	Who	Spoken	On screen
1:45	Chang	Hand on the counter. Chair behind you.	Power stands
2:10	Chang	Pop up. Stand tall. Lower for three.	Easier: Normal speed, hands on thighs
2:32	Chang	Breathe out hard as you stand.	Advanced (Iron): not your starting point
2:34	Chang	One... two... breathe out... three... slow down... four.	
2:54	Chang	Dizzy when you stand fast? Normal speed.	

Cues: Fast up, slow down. Quick is not the same as sloppy. Knees stay over toes. **Easier:** Normal-speed sit-to-stand with hands on your thighs. **Harder:** Hold a jug of water at your chest, or pause one second just above the seat on the way down.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

3:35–5:25 • Step-ups

Time	Who	Spoken	On screen
3:35	Chang	Hand on the rail the whole time.	Step-ups
4:07	Chang	Steady: real step-ups this week. Whole foot on the step.	Easier: Toe taps, hand on rail
4:24	Chang	One... two... breathe out... three... slow down... four.	
4:36	Chang	Breathe out as you step up.	Advanced (Iron): not your starting point

Cues: Whole foot on the step, not just the toes. Push through the heel of the top foot. Rail hand stays on the rail. **Easier:** Toe taps: tap the step with one foot, then the other, holding the rail. Or use a lower step, like a sturdy doorway threshold. **Harder:** Step up without pushing off the bottom foot. Later: carry a light bag of groceries in the hand that isn't on the rail.

Safety callouts: If stairs make you dizzy or you have fallen on stairs, do toe taps only until you've practiced balance for two weeks.

5:25–6:45 • Hinge pick-up

Time	Who	Spoken	On screen
5:25	Chang	Hand on the counter. Chair behind you.	Hinge pick-up
5:44	Chang	Hips back. Long back. Pick up the jug.	Easier: Smaller hinge, hands stay down
6:00	Chang	Squeeze to stand. Breathe out.	
6:01	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
6:16	Chang	Put it down the same way.	

Cues: Hips go back, not down. Long back, chest proud. No rounding. Stand up by squeezing your buttocks. **Easier:** Smaller movement, hands stay on the counter the whole time. **Harder:** Pick up a jug of water from the seat of a chair using the same hinge, and set it back down. Later: from a lower surface, like a step.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl. Osteoporosis or a past spine fracture: this is the safe way to bend. Keep your back long; never round forward under load.

6:45–7:55 • Push

Time	Who	Spoken	On screen
6:45	Chang	Wall in front of you or behind you. Chair nearby.	Push
7:16	Chang	One straight line. Breathe out as you push.	Easier: Closer to wall, half range
7:16	Chang	One... two... breathe out... three... slow down... four.	

Cues: Body in one straight line, head to heels. Chest to the wall, not your chin. **Easier:** Stand closer to the wall and move only halfway. **Harder:** Step your feet farther back. When 15 are easy, move to counter push-ups.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

7:55–8:50 • Curls

Time	Who	Spoken	On screen
7:55	Chang	Sit tall. Chair against the wall.	Curls
8:12	Chang	Elbows by your sides. Curl. Lower slow.	Easier: One arm, or empty bottles
8:19	Chang	One... two... breathe out... three... slow down... four.	
8:27	Chang	Breathe out as you curl up.	

Cues: Elbows stay by your sides. No swinging. **Easier:** One arm at a time, or empty bottles. **Harder:** Heavier: a half-gallon jug (about 4 pounds), then a full gallon jug (about 8 pounds), one at a time.

8:50–10:00 • Carry

Time	Who	Spoken	On screen
8:50	Chang	Clear path. Walk along the counter or a hallway wall.	Carry
9:11	Chang	Hinge to pick up. Stand tall. Short steps.	Easier: One light bag, hand on counter
9:30	Chang	Breathe. Hinge to put down.	

Cues: Tall, like you're proud of the groceries. Short, steady steps. **Easier:** One light bag, and keep your free hand trailing along the counter. **Harder:** Heavier: two full gallon jugs (about 8 pounds each). Iron track: two heavier bags or kettlebells.

Safety callouts: Hand arthritis flaring today? Squeeze gently, or skip and do the finger spread only. Pick up and put down with a hinge. Never round your back to lift.

10:00–10:50 • Cool-down

Time	Who	Spoken	On screen
10:00	Chang	Sit. Chest up. Two sniffs in, long sigh out.	Cool-down Easier: Smaller lift

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

10:50–11:15 • Close

Time	Who	Spoken	On screen
10:50	Chang	I'm made of pixels. Your muscles are made of protein. Go eat some.	
11:03	Chang	Tomorrow: breath and flow.	

Session 12 • Friday: Breathe and flow, longer

Type	Length	Set	Wardrobe	Voices
Breath + qigong	9:40	SET-YARD	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Everything seated or tall-stance; heel raise without the drop. **Sore back:** Seated versions. **Low energy:** Breathing, sky lift, cloud hands.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:05	Cyclic sighing	90 seconds	90 seconds	90 seconds	90 seconds
2:05–3:00	Holding up the sky Holding up the sky (baduanjin piece 1)	4 reps, seated	5 reps	6 reps, slower	6 reps, rise onto toes

Time	Segment	Rebuild	Steady	Strong	Iron
3:00– 3:55	Drawing the bow Drawing the bow (baduanjin piece 2, high stance)	3 each side, seated	4 each side	5 each side	5 each side, knees a little more bent
3:55– 4:50	Separating heaven and earth Separating heaven and earth (baduanjin piece 3)	3 each side, seated	4 each side	5 each side	5 each side, slower
4:50– 5:35	Looking back Looking back (baduanjin piece 4, gentle)	3 each side, eyes more than head	3 each side	4 each side	4 each side, hold one breath
5:35– 6:25	Punching with a steady gaze Punching with a steady gaze (baduanjin piece 7, high stance)	4 each side, seated	5 each side	6 each side	6 each side, lower stance
6:25– 7:15	Heel raise and gentle drop Heel raise and gentle drop (baduanjin piece 8, modified)	<i>Heel raises at the counter: 8 seated heel raises</i>	8 heel raises, slow lower, no drop	7 gentle drops, hands on the counter	10 gentle drops
7:15– 8:15	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated	1 minute	1 minute	1 minute with side steps
8:15– 9:15	4-6 breathing	1 minute	1 minute	1 minute	1 minute
9:15– 9:40	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Friday. Breath and flow. Six pieces today.	Day 12 • Breath + qigong
0:10	Chang	New piece at the end: rise up on the toes. Most of us lower slowly. No jumping.	Stop if dizzy or chest pain
0:17	Chang	Chair behind you.	
0:24	Chang	Light-headed, dizzy, or chest pain? Stop and sit.	

0:35–2:05 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
1:02	Chang	Two sniffs in. Long sigh out.	Easier: Just slow nose breathing
1:26	Chang	No holding. If you feel light-headed, breathe normally.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

2:05–3:00 • Holding up the sky

Time	Who	Spoken	On screen
2:05	Chang	Hand on the counter. Chair behind you.	Holding up the sky
2:29	Chang	One... two... breathe out... three... slow down... four.	
2:30	Chang	Hands rise with the in-breath. Float down with the out-breath.	Easier: Seated, to shoulder height

Cues: Slow, like moving through warm water. Look straight ahead. **Easier:** Sit and do it seated, or lift only to shoulder height. **Harder:** Rise onto your toes a little at the top, holding the chair back with one hand if needed.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

3:00–3:55 • Drawing the bow

Time	Who	Spoken	On screen
3:00	Chang	Hand on the counter. Chair behind you.	Drawing the bow
3:25	Chang	High stance. Push out. Draw back. Breathe out as you draw.	Easier: Seated, arms only

Cues: Knees over toes. Grow tall through the top of the head. **Easier:** Sit tall in your chair and do the arm movement only. **Harder:** Bend your knees a little more (never below comfortable).

3:55–4:50 • Separating heaven and earth

Time	Who	Spoken	On screen
3:55	Chang	Hand on the counter. Chair behind you.	Separating heaven and earth

Time	Who	Spoken	On screen
4:12	Chang	One hand up, one hand down. Long spine.	Easier: Seated, to shoulder height
4:27	Chang	Breathe in as you separate, out as you return.	

Cues: One hand reaches up, one presses down. Long spine. **Easier:** Seated, or lift only to shoulder height. **Harder:** Slower, with a longer out-breath.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

4:50–5:35 • Looking back

Time	Who	Spoken	On screen
4:50	Chang	Hand on the counter. Chair behind you.	Looking back
5:05	Chang	Half-turns only. Chin level.	Easier: Turn the eyes more
5:17	Chang	Breathe out as you turn, in as you return.	

Cues: Chin level. Shoulders stay down. **Easier:** Turn your eyes more than your head. **Harder:** Hold the turn for one slow breath.

Safety callouts: Nods and half-turns only. Never full neck circles. Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

5:35–6:25 • Punching with a steady gaze

Time	Who	Spoken	On screen
5:35	Chang	Hand on the counter. Chair behind you.	Punching with a steady gaze

Time	Who	Spoken	On screen
5:58	Chang	Slow punch. Grip the air. Pull back. Breathe out as you punch.	Easier: Seated, same arm movement

Cues: Slow punch. This is not boxing. Eyes steady and focused. **Easier:** Seated, same arm movement. **Harder:** Bend your knees a little more, keeping them over your toes.

6:25–7:15 • Heel raise and gentle drop

Time	Who	Spoken	On screen
6:25	Chang	Hands on the counter. Up on the toes.	Heel raise and gentle drop
6:38	Chang	Most of you: lower slowly. Strong and Iron: a soft bump.	Easier: Slow lower, no drop
6:48	Chang	Osteoporosis without a training history, pelvic floor problems, or a joint replacement? No drop. Slow lower.	Gentle impact — slow lower if unsure
6:58	Chang	Breathe in as you rise, out as you lower.	

Cues: Tall spine. Soft bump, never a stomp. **Easier:** Heel raise with a slow lower, no drop. **Harder:** Ten gentle drops.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today. Gentle impact. Skip it if you have osteoporosis without a training history, pelvic floor problems, or a joint replacement; do the heel raise without the drop instead.

7:15–8:15 • Cloud hands

Time	Who	Spoken	On screen
7:15	Chang	Hand on the counter. Chair behind you.	Cloud hands
7:34	Chang	Shift and float. Like wiping a big window.	Easier: Seated, or one hand on counter
7:50	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

8:15–9:15 • 4-6 breathing

Time	Who	Spoken	On screen
8:15	Chang	Sit tall. Chair against the wall.	4-6 breathing
8:34	Chang	In for four. Out for six.	Easier: In for 3, out for 4
8:50	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

9:15–9:40 • Close

Time	Who	Spoken	On screen
9:15	Chang	Six pieces. Well done.	

Time	Who	Spoken	On screen
9:28	Chang	Tomorrow we walk. Longer brisk bits.	

Session 13 • Saturday: Walk tall

Type	Length	Set	Wardrobe	Voices
Walk-and-talk	9:55	SET-PROM	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Easy pace, flat route, skip the bench stands. **Sore back:** Easy pace; rest on benches. **Low energy:** Easy pace throughout.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes, or walker lengths of the hallway	2 minutes easy	2 minutes easy	2 minutes easy
2:35–4:05	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 30 seconds easy	90 seconds, a little faster	90 seconds brisk	90 seconds brisk, uphill if you have one

Time	Segment	Rebuild	Steady	Strong	Iron
4:05–5:05	Easy Walk and talk	<i>Seated march:</i> 1 minute easy	1 minute easy	1 minute easy	1 minute easy
5:05–6:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 30 seconds easy	90 seconds, a little faster	90 seconds brisk	90 seconds brisk
6:35–7:20	Bench stands Chair sit-to-stand	3 stands from your chair at home, hands on thighs	5 stands from a sturdy bench, hand on the armrest if needed	8 stands from a bench	8 slow stands from a bench
7:20–8:50	Cool-down walk Walk and talk	<i>Seated march:</i> 90 seconds slow	90 seconds slow	90 seconds slow	90 seconds slow
8:50–9:30	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, both hands on the rail	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:30–9:55	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Saturday. Walk, week two. Longer brisk bits.	Day 13 • Walk
0:12	Chang	Same rules. Good shoes. Flat route. Indoors counts.	Chest pain? Stop and call

Time	Who	Spoken	On screen
0:21	Chang	Chest pain or unusual breathlessness? Stop, sit, call your doctor.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
1:02	Chang	Easy pace. Tall. Eyes ahead.	Easier: Indoors, touching the counter
1:26	Chang	Posture check: ears over shoulders. Shoulders over hips.	
1:50	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–4:05 • Brisk

Time	Who	Spoken	On screen
2:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
2:56	Chang	Brisk. Can talk, can't sing.	Easier: Indoors, touching the counter
3:14	Chang	Push off the back foot. Arms swing.	

Time	Who	Spoken	On screen
3:32	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

4:05–5:05 • Easy

Time	Who	Spoken	On screen
4:05	Chang	Good shoes. Cane or walker if you use one.	Easy
4:32	Chang	Easy. Breathe.	Easier: Indoors, touching the counter

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:05–6:35 • Brisk

Time	Who	Spoken	On screen
5:05	Chang	Good shoes. Cane or walker if you use one.	Brisk

Time	Who	Spoken	On screen
5:32	Chang	Brisk again. Tall walking.	Easier: Indoors, touching the counter
5:56	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	
6:27	Sun	Chang, you're leaning forward like a question mark.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

6:35–7:20 • Bench stands

Time	Who	Spoken	On screen
6:35	Chang	Find a sturdy bench, or your chair at home.	Bench stands
6:56	Chang	Stand up. Sit down slow. Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

7:20–8:50 • Cool-down walk

Time	Who	Spoken	On screen
7:20	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:47	Chang	Slow down. Let your breathing settle.	Easier: Indoors, touching the counter
8:11	Chang	Tip: walk after your biggest meal.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

8:50–9:30 • Calf stretch at the rail

Time	Who	Spoken	On screen
8:50	Chang	Hands on the rail. Heel down. Breathe.	Calf stretch at the rail Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:30–9:55 • Close

Time	Who	Spoken	On screen
9:30	Chang	Tell me your steps. And your fastest brisk minute felt like what, one to five?	

Time	Who	Spoken	On screen
9:43	Chang	Tomorrow: easy Sunday.	

Session 14 • Sunday: Two weeks done

Type	Length	Set	Wardrobe	Voices
Rest + stretch	8:25	SET-LIVING	C-CASUAL	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4. **Sore back:** Tiny turns; skip the bridge. **Low energy:** Breathing and the check-in.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:35	Cyclic sighing	1 minute	1 minute	1 minute	1 minute
1:35–2:05	Chin tucks Chin tuck	5 tucks	6 tucks	6 tucks	6 tucks, 5-second hold
2:05–2:35	Shoulder rolls	6 rolls	8 rolls	8 rolls	8 rolls
2:35–3:20	Gentle seated turn	3 each side, small	5 each side	5 each side	5 each side

Time	Segment	Rebuild	Steady	Strong	Iron
3:20–4:20	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	30 seconds each leg	30 seconds each leg	30 seconds each leg
4:20–5:10	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	30 seconds each side	30 seconds each side	30 seconds each side
5:10–5:55	Calf stretch Calf stretch at the wall	20 seconds each leg, both hands on the counter	20 seconds each leg	20 seconds each leg	20 seconds each leg
5:55–6:40	Bed bridge (optional) Bridge on the bed	6 squeezes, no lift	10 bridges	10 bridges, 3-second hold	12 bridges, 3-second hold
6:40–7:55	Two-week check-in	All levels together			
7:55–8:25	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Sunday. Two weeks done.	Day 14 • Rest + stretch

Time	Who	Spoken	On screen
0:10	Chang	Gentle stretches. Then a look back, and a look ahead.	Stop if sharp pain or dizziness
0:17	Chang	Log and pencil nearby.	
0:24	Chang	Anything sharp, or dizziness? Stop and sit.	

0:35–1:35 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
1:02	Chang	Two sniffs in. Long sigh out.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

1:35–2:05 • Chin tucks

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Chin tucks
1:46	Chang	Slide the chin back. Eyes level.	Easier: Smaller, 1-second hold
1:54	Chang	Breathe normally.	

Cues: Slide back, don't tip down. Tall neck. **Easier:** Smaller movement, one-second hold. **Harder:** Hold five seconds.

Safety callouts: Nods and half-turns only. Never full neck circles.

2:05–2:35 • Shoulder rolls

Time	Who	Spoken	On screen
2:05	Chang	Sit tall. Chair against the wall.	Shoulder rolls
2:16	Chang	Up, back, down.	Easier: Just shrug and let go
2:24	Chang	Breathe in as you lift, out as you roll down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

2:35–3:20 • Gentle seated turn

Time	Who	Spoken	On screen
2:35	Chang	Sit tall. Chair against the wall.	Gentle seated turn
2:50	Chang	Tall, then turn. Only as far as comfortable.	Easier: Smaller turns
3:02	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

3:20–4:20 • Seated hamstring stretch

Time	Who	Spoken	On screen
3:20	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch

Time	Who	Spoken	On screen
3:47	Chang	Long back. Hinge. Breathe.	Easier: Lean only an inch

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

4:20–5:10 • Figure-4 hip stretch

Time	Who	Spoken	On screen
4:20	Chang	Sit tall. Chair against the wall.	Figure-4 hip stretch
4:36	Chang	Ankle on knee or shin. Relax. New hip: surgeon's rules first.	Easier: Ankle on shin, or skip crossing
4:49	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

5:10–5:55 • Calf stretch

Time	Who	Spoken	On screen
5:10	Chang	Stand slowly. Hands on the counter. Heel down.	Calf stretch

Time	Who	Spoken	On screen
5:31	Chang	Breathe slowly through the stretch.	Easier: Smaller step back

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

5:55–6:40 • Bed bridge (optional)

Time	Who	Spoken	On screen
5:55	Chang	Optional. On the bed. Squeeze and lift.	Bed bridge (optional)
6:10	Chang	Sit a moment before you stand. Then stand slowly, holding something.	Easier: Squeeze without lifting
6:22	Chang	Breathe out as you lift.	Sit a moment before you stand

Cues: Push through your heels. Lift with your buttocks, not your back. **Easier:** Just squeeze your buttocks without lifting. **Harder:** Hold three seconds at the top, or lift higher.

Safety callouts: Sit a moment before you stand, then stand slowly while holding something steady.

6:40–7:55 • Two-week check-in

Time	Who	Spoken	On screen
6:40	Chang	Look at your log. Sessions done in fourteen days.	Easy two sessions in a row? Try the next level

Time	Who	Spoken	On screen
6:55	Chang	Compare your Day 1 chair stands with this week's sets. Did the last reps feel easier?	Retest: day 30
7:07	Chang	If a move felt easy for every rep two sessions in a row, the app will offer the next level. You decide.	
7:19	Chang	Anything that hurt more than three out of ten and didn't settle by morning, tell us. We swap it.	
7:31	Chang	Your Strength Age retest is on day 30.	

7:55–8:25 • Close

Time	Who	Spoken	On screen
7:55	Chang	Two weeks. That's a habit starting.	
8:06	Chang	Next week, a new program starts on your dashboard.	
8:14	Chang	Same time tomorrow.	
8:17	Sun	Eight out of ten. Don't get used to it.	

Session 15 • Monday: Floor-ready legs

Type	Length	Set	Wardrobe	Voices
Strength	11:35	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the floor practice; sit-to-stands from a higher seat. **Sore back:** Seated hinge instead of the suitcase lift. **Low energy:** One set each, skip the floor practice.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:15–1:45	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps
1:45–3:45	Legs Chair sit-to-stand	3 sets of 6, hands on thighs	3 sets of 10	3 sets of 10, jug at chest	<i>Counter split squat (Iron track):</i> 3 sets of 10 each leg (advanced)
3:45–5:05	Suitcase lift Suitcase lift (one-hand hinge)	<i>Seated hip hinge:</i> 2 sets of 8	2 sets of 8 each side, half-gallon jug	3 sets of 8 each side, gallon jug	3 sets of 10 each side, heavy bag from the step
5:05–6:25	Push Wall push-up	<i>Seated chest press:</i> 2 sets of 10	2 sets of 10, feet back	<i>Counter push-up:</i> 3 sets of 8	<i>Counter push-up:</i> 3 sets of 12, 3-second lower
6:25–7:35	Band row Seated band row	<i>Seated towel pull-apart:</i> 4 pulls, 3-second squeeze	2 sets of 10	3 sets of 10	3 sets of 12, 2-second pause
7:35–9:05	Floor practice Floor practice with a chair (kneel and rise)	<i>Chair sit-to-stand:</i> 1 set of 5 (no floor today)	2 half-kneels each side, holding the chair	2 kneel-and-rise, holding the chair	2 sit-to-floor and rise, someone home
9:05–9:50	Heel raises Heel raises at the counter	2 sets of 12, seated	2 sets of 12	2 sets of 12, one hand	2 sets of 10 each leg
9:50–10:35	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg

Time	Segment	Rebuild	Steady	Strong	Iron
10:35–11:10	Cool-down breathing Cyclic sighing	35 seconds	35 seconds	35 seconds	35 seconds
11:10–11:35	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Week three. Monday. New move today: the floor.	Day 15 • Strength
0:10	Chang	Getting down and up is a skill. Practise it before you ever need it.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Someone else home for that part. Sturdy chair next to you. Towel for your knee.	
0:24	Chang	Chest pain, dizziness, sharp pain: stop and sit.	

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Stand slowly. Hand on the counter.	Warm-up march
0:54	Chang	March. Easy rhythm. Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:45 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:15	Chang	Chair against the wall. Five easy ones.	Easy sit-to-stands
1:30	Chang	Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:45–3:45 • Legs

Time	Who	Spoken	On screen
1:45	Chang	Chair against the wall. Three sets.	Legs
2:20	Chang	Nose over toes. Push the floor away. Sit down slow.	Easier: Higher seat, hands on thighs
2:39	Chang	One... two... breathe out... three... slow down... four.	
2:52	Chang	Breathe out as you stand.	Advanced (Iron): not your starting point

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

Safety callouts: Advanced. Only if your knees feel good with step-ups.

3:45–5:05 • Suitcase lift

Time	Who	Spoken	On screen
3:45	Chang	Hand on the counter. Chair behind you.	Suitcase lift
4:00	Chang	Push your hips back with a long back and bend your knees a little.	Easier: Lighter jug, higher surface
4:13	Chang	Hips back. Long back.	
4:21	Chang	One... two... breathe out... three... slow down... four.	
4:26	Chang	Don't lean toward the jug. Stay square.	
4:39	Chang	Breathe out as you stand.	

Cues: Hips back. Long back. Don't lean toward the jug. Stay square.

Easier: A lighter jug, and lift it from a higher surface like the counter's edge of a table. **Harder:** A heavier bag, or lift from the bottom step instead of the chair.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl. Osteoporosis or a past spine fracture: long back always, never round to reach.

5:05–6:25 • Push

Time	Who	Spoken	On screen
5:05	Chang	Wall in front of you or behind you. Chair nearby.	Push
5:20	Chang	Bend your elbows and bring your chest toward the wall.	Easier: Closer to wall, half range
5:33	Chang	Body in one straight line, head to heels.	
5:41	Chang	One... two... breathe out... three... slow down... four.	
5:46	Chang	Chest to the wall, not your chin.	
5:59	Chang	Breathe out as you push away.	

Cues: Body in one straight line, head to heels. Chest to the wall, not your chin. **Easier:** Stand closer to the wall and move only halfway. **Harder:** Step your feet farther back. When 15 are easy, move to counter push-ups.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

6:25–7:35 • Band row

Time	Who	Spoken	On screen
6:25	Chang	Sit or stand with the chair behind you. Check the band first.	Band row
6:39	Chang	Pull your elbows back past your ribs.	Easier: Closer to the door, or towel
6:50	Chang	Elbows close to your body.	
6:56	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
7:01	Chang	Tall chest, shoulders down.	
7:12	Chang	Breathe out as you pull.	

Cues: Elbows close to your body. Tall chest, shoulders down. **Easier:** Sit closer to the door so the band is slacker, or do the towel pull-apart.

Harder: Scoot back for more tension, or pause 2 seconds with elbows back.

Safety callouts: Check the band for nicks before every use. Door must open away from you and be locked.

7:35–9:05 • Floor practice

Time	Who	Spoken	On screen
7:35	Chang	Chair or sofa right beside you. Towel down. Someone else is home.	Floor practice
7:52	Chang	Step back. Lower one knee to the towel. Hands on the chair.	Easier: Half-kneel only, or chair stands
8:06	Chang	Front foot flat. Push through it and your hands. Stand. Stand still a moment.	Only with a sturdy chair and someone home
8:21	Chang	Breathe out as you push up. Earn the floor.	
8:35	Chang	New knee, severe knee pain, or dizziness: skip the floor. Chair stands instead.	

Cues: Hands on the chair the whole time. Slow down. Up is a push, not a jump. **Easier:** Only the first step: lower into a half-kneel on the towel and come back up, holding the chair. Or skip the floor and do sit-to-stands. **Harder:** Iron: from kneeling, sit down onto the floor beside the chair, then roll to your knees and rise with the chair. Only with someone home.

Safety callouts: Only try the floor with a sturdy chair or sofa next to you and someone home. Recent hip or knee replacement, or severe knee arthritis: follow your surgeon's or physical therapist's guidance first. New knee? Kneeling may not be allowed yet. Ask your surgeon. Sit a moment before you stand, then stand slowly while holding something steady.

9:05–9:50 • Heel raises

Time	Who	Spoken	On screen
9:05	Chang	Hand on the counter. Chair behind you.	Heel raises
9:15	Chang	Rise up onto the balls of your feet, as high as is comfortable.	Easier: Seated, or rise halfway
9:22	Chang	Tall like someone is pulling a string on top of your head.	
9:25	Chang	One... two... breathe out... three... slow down... four.	
9:29	Chang	Weight over the big toe and second toe, not rolling out.	
9:36	Chang	Breathe out as you rise.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

9:50–10:35 • Calf stretch

Time	Who	Spoken	On screen
9:50	Chang	Hand on the counter. Chair behind you.	Calf stretch
10:00	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
10:07	Chang	Back heel stays down.	
10:14	Chang	Toes point forward.	
10:21	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

10:35–11:10 • Cool-down breathing

Time	Who	Spoken	On screen
10:35	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing

Time	Who	Spoken	On screen
10:52	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

11:10–11:35 • Close

Time	Who	Spoken	On screen
11:10	Chang	You practised the floor. That's the one people skip.	
11:23	Chang	Earn the floor. Same time tomorrow.	

Session 16 • Tuesday: Back and hips, gently

Type	Length	Set	Wardrobe	Voices
Mobility	9:10	SET-LIVING	C-CASUAL	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4 and hip-front stretch. **Sore back:** Chest lift, wall slides, breathing only. **Low energy:** Seated moves only.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:05	Ankle pumps Ankle pumps and circles	10 pumps	10 pumps + circles	10 pumps + circles	10 pumps + circles
1:05–1:45	Chest lift Seated chest lift	6 lifts	8 lifts	8 lifts, 3-second hold	10 lifts, 3-second hold

Time	Segment	Rebuild	Steady	Strong	Iron
1:45– 2:35	Seated hinge Seated hip hinge	6 small hinges	8 hinges	8 hinges, bottle at chest	10 hinges, bottle at chest
2:35– 3:25	Gentle seated turn	4 each side	6 each side	6 each side	8 each side
3:25– 4:25	Standing hip-front stretch	20 seconds each side, both hands down	2 × 20 seconds each side	2 × 20 seconds each side, arm up	2 × 30 seconds each side, arm up
4:25– 5:20	Standing bird-dog Standing bird-dog at the counter	4 each side, leg only	6 each side	8 each side, 3-second hold	10 each side, 3-second hold
5:20– 6:05	Wall slides	6 finger walks	8 slides	8 slides, 2-second hold	10 slides, 2-second hold
6:05– 6:55	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	30 seconds each side	30 seconds each side	30 seconds each side, hinge forward
6:55– 7:45	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	30 seconds each leg	30 seconds each leg	30 seconds each leg
7:45– 8:45	4-6 breathing	1 minute, in 3 out 4	1 minute	1 minute	1 minute
8:45– 9:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Tuesday. Mobility. The back and the hips.	Day 16 • Mobility
0:12	Chang	Move with less stiffness. That's the goal. Nothing forced.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Sharp pain or dizziness? Stop.	

0:35–1:05 • Ankle pumps

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps
0:42	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:47	Chang	Big, slow movements.	
0:52	Chang	Feel your calves work.	
0:57	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:05–1:45 • Chest lift

Time	Who	Spoken	On screen
1:05	Chang	Sit tall. Chair against the wall.	Chest lift
1:14	Chang	Lift your chest up toward the ceiling, growing tall.	Easier: Smaller lift
1:20	Chang	Grow tall.	
1:27	Chang	Look straight ahead, not up.	
1:33	Chang	Breathe in as you lift, out as you relax.	

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

1:45–2:35 • Seated hinge

Time	Who	Spoken	On screen
1:45	Chang	Sit tall. Chair against the wall.	Seated hinge
1:56	Chang	Keep your back long and tip your chest forward from the hips, sliding your hands toward your knees.	Easier: Smaller tip forward
2:04	Chang	Long back, proud chest.	
2:12	Chang	Bend at the hips, not the belly.	
2:20	Chang	Breathe out as you sit tall.	

Cues: Long back, proud chest. Bend at the hips, not the belly. **Easier:** A smaller tip forward. **Harder:** Hold a water bottle against your chest.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl.

2:35–3:25 • Gentle seated turn

Time	Who	Spoken	On screen
2:35	Chang	Sit tall. Chair against the wall.	Gentle seated turn
2:46	Chang	Turn your chest to the right, only as far as comfortable. Eyes follow.	Easier: Smaller turns
2:54	Chang	Grow tall first, then turn.	
3:02	Chang	Hips stay still.	
3:10	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

3:25–4:25 • Standing hip-front stretch

Time	Who	Spoken	On screen
3:25	Chang	Hand on the counter. Chair behind you.	Standing hip-front stretch
3:37	Chang	Tuck your tailbone under slightly and squeeze the buttock of the back leg.	Easier: Smaller step, both hands down
3:47	Chang	Stay tall. Don't arch your back.	
3:56	Chang	Small movement, big squeeze.	
4:06	Chang	Breathe slowly.	

Cues: Stay tall. Don't arch your back. Small movement, big squeeze.

Easier: Smaller step. **Harder:** Reach the arm on the back-leg side up toward the ceiling, to comfortable height.

4:25–5:20 • Standing bird-dog

Time	Who	Spoken	On screen
4:25	Chang	Hand on the counter. Chair behind you.	Standing bird-dog
4:36	Chang	Slide your right foot back and lift it a few inches behind you, toes on or just off the floor.	Easier: Leg only, both hands down
4:45	Chang	Long back. No arching.	
4:54	Chang	Squeeze the buttock of the moving leg.	
5:03	Chang	Breathe out as you reach.	

Cues: Long back. No arching. Squeeze the buttock of the moving leg.

Easier: Leg only; both hands stay on the counter. **Harder:** Hold the reach for three seconds.

5:20–6:05 • Wall slides

Time	Who	Spoken	On screen
5:20	Chang	Wall in front of you or behind you. Chair nearby.	Wall slides
5:30	Chang	Slide your arms up the wall only as far as comfortable.	Easier: Walk fingertips up the wall
5:37	Chang	Ribs down.	
5:44	Chang	Slow and smooth.	

Time	Who	Spoken	On screen
5:51	Chang	Breathe in as you slide up, out as you slide down.	

Cues: Ribs down. Slow and smooth. **Easier:** Face the wall and walk your fingertips up it instead. **Harder:** Hold for two seconds at the top.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

6:05–6:55 • Figure-4 hip stretch

Time	Who	Spoken	On screen
6:05	Chang	Sit tall. Chair against the wall.	Figure-4 hip stretch
6:16	Chang	Rest your right ankle on your left knee, or as close as you can.	Easier: Ankle on shin, or skip crossing
6:24	Chang	Tall back.	
6:32	Chang	Relax the knee, don't push it.	
6:40	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

6:55–7:45 • Seated hamstring stretch

Time	Who	Spoken	On screen
6:55	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch

Time	Who	Spoken	On screen
7:06	Chang	Sit tall, hands on your bent knee.	Easier: Lean only an inch
7:14	Chang	Chest proud. Bend from the hips, not the back.	
7:22	Chang	A gentle stretch is enough.	
7:30	Chang	Breathe slowly.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

7:45–8:45 • 4-6 breathing

Time	Who	Spoken	On screen
7:45	Chang	Sit tall. Chair against the wall.	4-6 breathing
7:57	Chang	Breathe in through your nose for a count of 4.	Easier: In for 3, out for 4
8:07	Chang	Belly rises first.	
8:16	Chang	Soft shoulders.	
8:26	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

8:45–9:10 • Close

Time	Who	Spoken	On screen
8:45	Chang	Stiff in the morning? Tomorrow, notice the first ten minutes. Tell me if it's easier by next week.	
8:58	Chang	Same time tomorrow.	

Session 17 • Wednesday: New steps

Type	Length	Set	Wardrobe	Voices
Balance	8:45	SET-KITCHEN	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the step-overs; weight shifts and heel-to-toe stand instead. **Sore back:** Skip backward walking. **Low energy:** Toe and heel walks, heel-to-toe stand.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Weight shifts	5 each way, seated	6 each way	8 each way	8 each way, hand hovering
1:15–2:05	Toe walk Toe walk along the counter	<i>Heel raises at the counter:</i> 10 seated heel raises	10 heel raises at the counter	2 lengths, hand on the counter	2 lengths, hand hovering

Time	Segment	Rebuild	Steady	Strong	Iron
2:05– 2:55	Heel walk Heel walk along the counter	<i>Ankle pumps and circles:</i> 15 toe lifts, seated	10 toe lifts at the counter	2 lengths, hand on the counter	2 lengths, hand on the counter
2:55– 3:55	Step over a towel Step over a rolled towel	<i>Seated march:</i> 10 high knee lifts, seated	6 steps over a flat towel each way	8 steps over a rolled towel each way	8 forward and back, hand on the counter
3:55– 5:05	Heel-to-toe stand Heel-to-toe stand at the counter	3 × 15 seconds each side, half-step	3 × 20 seconds each side	3 × 20 seconds each side, hand hovering	3 × 30 seconds each side, hands hovering
5:05– 6:15	One-leg stand One-leg stand at the counter	3 × 10 seconds each side, toe down	3 × 15 seconds each side	3 × 20 seconds each side, hand hovering	3 × 30 seconds each side, hands hovering
6:15– 7:05	Backward walk Backward walk along the counter	<i>Weight shifts:</i> 5 front-to-back shifts, seated	5 small steps, hand on the counter	2 × 10 steps, hand on the counter	3 × 10 steps, slower, hand on the counter
7:05– 7:50	Sit-to-stand, no hands Sit-to-stand without hands (balance version)	<i>Chair sit-to-stand:</i> 1 set of 6	1 set of 8	2 sets of 6, feet together	2 sets of 8, feet together
7:50– 8:20	Cool-down breathing Cyclic sighing	30 seconds	30 seconds	30 seconds	30 seconds
8:20– 8:45	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Wednesday. Balance. Four new steps today, all at the counter.	Day 17 • Balance
0:12	Chang	Shoes on. Clear floor. Hand on the counter the whole time for anything new.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Dizzy? Sit down.	

0:35–1:15 • Weight shifts

Time	Who	Spoken	On screen
0:35	Chang	Hand on the counter. Chair behind you.	Weight shifts
0:44	Chang	Slowly shift your weight to your right foot. Pause.	Easier: Do it seated
0:50	Chang	Move from your ankles and hips, like a tree swaying.	
0:57	Chang	Feet stay flat on the floor.	
1:03	Chang	Breathe slowly.	

Cues: Move from your ankles and hips, like a tree swaying. Feet stay flat on the floor. **Easier:** Do it seated: shift your weight side to side on the chair. **Harder:** Make the shifts bigger, or let one hand hover.

1:15–2:05 • Toe walk

Time	Who	Spoken	On screen
1:15	Chang	Hand on the counter. Chair behind you.	Toe walk

Time	Who	Spoken	On screen
1:26	Chang	Rise onto the balls of your feet.	Easier: Heel raises in place
1:34	Chang	Tall.	
1:42	Chang	Small steps.	
1:50	Chang	Breathe steadily.	

Cues: Tall. Small steps. **Easier:** Heel raises in place instead. **Harder:** Hand hovering, still right next to the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

2:05–2:55 • Heel walk

Time	Who	Spoken	On screen
2:05	Chang	Hand on the counter. Chair behind you.	Heel walk
2:16	Chang	Lift your toes and walk on your heels, 10 small steps.	Easier: Toe lifts in place
2:24	Chang	Toes up.	
2:32	Chang	Small steps. Hand on the counter.	
2:40	Chang	Breathe steadily.	

Cues: Toes up. Small steps. Hand on the counter. **Easier:** Toe lifts in place, holding the counter. **Harder:** 20 steps.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

2:55–3:55 • Step over a towel

Time	Who	Spoken	On screen
2:55	Chang	Hand on the counter. Chair behind you.	Step over a towel
3:07	Chang	Step over the towel sideways with the near foot, then the other.	Easier: Flat towel
3:17	Chang	Lift the knee. Clear the towel.	
3:26	Chang	Hand on the counter.	
3:36	Chang	Breathe steadily.	

Cues: Lift the knee. Clear the towel. Hand on the counter. **Easier:** A flat towel instead of rolled. **Harder:** Step over forward and back, still holding the counter.

3:55–5:05 • Heel-to-toe stand

Time	Who	Spoken	On screen
3:55	Chang	Hand on the counter. Chair behind you.	Heel-to-toe stand
4:09	Chang	Place one foot directly in front of the other, heel touching toe.	Easier: Half-step, both hands down
4:20	Chang	Eyes on something still at eye level.	
4:31	Chang	Soft knees. Tall head.	
4:42	Chang	Breathe slowly and steadily.	

Cues: Eyes on something still at eye level. Soft knees. Tall head. **Easier:** Half-step stance: front foot's heel beside the big toe of the back foot. Both hands on the counter. **Harder:** Lift one hand to hover just above the counter. Later: both hands hovering.

Safety callouts: Balance drills always start with support. Hands hover, they don't wander away from the counter.

5:05–6:15 • One-leg stand

Time	Who	Spoken	On screen
5:05	Chang	Hand on the counter. Chair behind you.	One-leg stand
5:19	Chang	Shift your weight to your left foot.	Easier: Toe stays on the floor
5:30	Chang	Stand tall. Don't lean on the counter.	
5:41	Chang	Squeeze the buttock of the standing leg.	
5:52	Chang	Breathe slowly. Count out loud.	

Cues: Stand tall. Don't lean on the counter. Squeeze the buttock of the standing leg. **Easier:** Just shift your weight onto one foot, keeping the other toe lightly on the floor. **Harder:** One hand hovering above the counter, then both hands hovering, right next to the counter.

Safety callouts: No barefoot drills on slippery floors, no socks on hard floors, no rugs under your feet.

6:15–7:05 • Backward walk

Time	Who	Spoken	On screen
6:15	Chang	Hand resting on the counter. Look behind you first. Path clear.	Backward walk
6:31	Chang	Normal steps backward. Toe, then heel.	Easier: Five small steps
6:44	Chang	Breathe steadily. Slow is correct.	Backward: hand stays on the counter

Cues: Hand stays on the counter. Slow. Look where you're going first.

Easier: Five small steps. **Harder:** Ten steps, slower.

Safety callouts: Only ever with a hand resting on the counter.

7:05–7:50 • Sit-to-stand, no hands

Time	Who	Spoken	On screen
7:05	Chang	Hand on the counter. Chair behind you.	Sit-to-stand, no hands
7:15	Chang	Sit with feet slightly narrower than usual.	Easier: Hands on thighs
7:22	Chang	Find your balance at the top before you move.	
7:25	Chang	One... two... breathe out... three... slow down... four.	
7:29	Chang	Slow down.	
7:36	Chang	Breathe out as you stand.	

Cues: Find your balance at the top before you move. Slow down. **Easier:** Use your hands on your thighs. **Harder:** Feet together.

7:50–8:20 • Cool-down breathing

Time	Who	Spoken	On screen
7:50	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing
8:05	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

8:20–8:45 • Close

Time	Who	Spoken	On screen
8:20	Chang	New steps. You did all four.	
8:33	Chang	Tonight: heel-to-toe while you brush your teeth. Hand on the sink.	

Session 18 • Thursday: Carry and climb

Type	Length	Set	Wardrobe	Voices
Strength	9:10	SET-STOOP	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Seated knee straightening instead of stairs. **Sore back:** Two-hand carry only, light bags. **Low energy:** Power stands and one carry.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:15– 1:45	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps
1:45– 3:25	Power stands Power stand (fast up, slow down)	<i>Chair sit-to-stand:</i> 3 sets of 5, normal speed	3 sets of 5	3 sets of 6, jug at chest	3 sets of 8, gallon jug at chest (advanced)
3:25– 5:05	Stair practice Stair practice with the rail	<i>Seated march:</i> 3 × 30 seconds, knees high	Bottom 3 steps, up and down, 3 times	1 flight up and down, twice	2 flights, a light bag in the free hand
5:05– 6:15	One-side carry	<i>Towel wring (grip):</i> 3 wrings each way	2 × 20 seconds each side, light bag	2 × 30 seconds each side	3 × 30 seconds each side, heavier bag
6:15– 7:10	Band pull-apart	2 sets of 8, towel	2 sets of 10	3 sets of 10	3 sets of 12
7:10– 8:05	Curls Water-bottle curl	2 sets of 10, bottles	2 sets of 10, half-gallon jug	3 sets of 10, half-gallon jug	3 sets of 10, gallon jug
8:05– 8:45	Cool-down breathing Cyclic sighing	40 seconds	40 seconds	40 seconds	40 seconds
8:45– 9:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Thursday. Carry and climb. Real life moves.	Day 18 • Strength
0:12	Chang	Stairs with a rail, a bag or two, and your chair.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Chest pain or unusual breathlessness on the stairs: stop, sit, call your doctor.	

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Stand slowly. Hand on the counter.	Warm-up march
0:54	Chang	March. Easy rhythm. Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:45 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:15	Chang	Chair against the wall. Five easy ones.	Easy sit-to-stands
1:30	Chang	Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:45–3:25 • Power stands

Time	Who	Spoken	On screen
1:45	Chang	Hand on the counter. Chair behind you.	Power stands
2:04	Chang	Sit tall, feet flat, arms crossed or hands on thighs.	Easier: Normal speed, hands on thighs
2:20	Chang	Fast up, slow down.	Advanced (Iron): not your starting point
2:30	Chang	One... two... breathe out... three... slow down... four.	
2:36	Chang	Quick is not the same as sloppy. Knees stay over toes.	
2:52	Chang	Breathe out hard as you stand.	

Cues: Fast up, slow down. Quick is not the same as sloppy. Knees stay over toes. **Easier:** Normal-speed sit-to-stand with hands on your thighs. **Harder:** Hold a jug of water at your chest, or pause one second just above the seat on the way down.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

3:25–5:05 • Stair practice

Time	Who	Spoken	On screen
3:25	Chang	Bottom of the stairs. Hand on the rail. The whole time.	Stair practice
3:54	Chang	Whole foot on each step. Steady pace.	Easier: Bottom 3 steps only
4:21	Chang	Breathe steadily. Rest at the top as long as you like.	

Cues: Whole foot on the step. Rail hand never lets go. **Easier:** Just the bottom 3 steps, up and down. **Harder:** Two flights, or carry a light bag in the free hand.

Safety callouts: Chest pain or unusual breathlessness on stairs: stop, sit, and call your doctor.

5:05–6:15 • One-side carry

Time	Who	Spoken	On screen
5:05	Chang	Clear path. Free hand trails along the counter.	One-side carry
5:19	Chang	Stand tall. Don't lean away from the bag.	Easier: Lighter bag, hand on counter
5:30	Chang	Tall like a lamppost.	
5:41	Chang	Shoulders level.	
5:52	Chang	Breathe steadily. You should be able to talk.	

Cues: Tall like a lamppost. Shoulders level. **Easier:** A lighter bag, free hand on the counter the whole time. **Harder:** A heavier bag, or a longer walk.

Safety callouts: Hand arthritis flaring today? Squeeze gently, or skip and do the finger spread only. Pick up and put down with a hinge. Never round your back to lift.

6:15–7:10 • Band pull-apart

Time	Who	Spoken	On screen
6:15	Chang	Sit or stand with the chair behind you. Check the band first.	Band pull-apart
6:26	Chang	Pull the band apart toward your chest by opening your arms.	Easier: Hands wider on the band
6:35	Chang	Shoulders down.	
6:39	Chang	One... two... breathe out... three... slow down... four.	
6:44	Chang	Slow on the way back.	
6:53	Chang	Breathe out as you pull apart.	

Cues: Shoulders down. Slow on the way back. **Easier:** Hands wider apart on the band (less tension), or the towel pull-apart. **Harder:** Hands closer together, or a 2-second squeeze.

7:10–8:05 • Curls

Time	Who	Spoken	On screen
7:10	Chang	Sit tall. Chair against the wall.	Curls
7:21	Chang	Bend your elbows and bring the bottles toward your shoulders.	Easier: One arm, or empty bottles
7:30	Chang	Elbows stay by your sides.	
7:34	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
7:39	Chang	No swinging.	
7:48	Chang	Breathe out as you curl up.	

Cues: Elbows stay by your sides. No swinging. **Easier:** One arm at a time, or empty bottles. **Harder:** Heavier: a half-gallon jug (about 4 pounds), then a full gallon jug (about 8 pounds), one at a time.

8:05–8:45 • Cool-down breathing

Time	Who	Spoken	On screen
8:05	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing
8:24	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

8:45–9:10 • Close

Time	Who	Spoken	On screen
8:45	Chang	Carry and climb. That's groceries and grandkids.	
8:58	Chang	Tomorrow: breath and two new tai chi forms.	

Session 19 • Friday: Two new forms

Type	Length	Set	Wardrobe	Voices
Breath + qigong	8:40	SET-YARD	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Arms-only versions, feet together. **Sore back:** Seated breathing and sky lift only. **Low energy:** Breathing and cloud hands.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:05	Cyclic sighing	90 seconds	90 seconds	90 seconds	90 seconds
2:05–2:55	Holding up the sky Holding up the sky (baduanjin piece 1)	4 reps, seated	5 reps	6 reps	6 reps, rise onto toes

Time	Segment	Rebuild	Steady	Strong	Iron
2:55–4:15	Brush knee Brush knee (tai chi, simplified)	4 each side, arms only	4 each side	6 each side	4 steps across and back
4:15–5:35	Parting the horse's mane Parting the horse's mane (tai chi, simplified)	4 each side, arms only	4 each side	6 each side	4 steps across and back
5:35–6:35	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated	1 minute	1 minute	1 minute with side steps
6:35–7:15	Heel raise and slow lower Heel raise and gentle drop (baduanjin piece 8, modified)	<i>Heel raises at the counter: 8 seated</i>	8, slow lower, no drop	10, slow lower	8 gentle drops
7:15–8:15	4-6 breathing	1 minute	1 minute	1 minute	1 minute
8:15–8:40	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Friday. Breath and two new tai chi forms: brush knee, and parting the horse's mane.	Day 19 • Breath + tai chi
0:12	Chang	Short steps. Slow. Counter or fence within reach.	Stop if chest pain, dizziness or sharp pain

Time	Who	Spoken	On screen
0:21	Chang	Dizzy or light-headed: sit down.	

0:35–2:05 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
0:52	Chang	Breathe in through your nose.	Easier: Just slow nose breathing
1:06	Chang	Two sniffs in, one long sigh out.	
1:21	Chang	No holding at any point.	
1:35	Chang	The out-breath is always longer than the in-breath. No breath holds.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

2:05–2:55 • Holding up the sky

Time	Who	Spoken	On screen
2:05	Chang	Hand on the counter. Chair behind you.	Holding up the sky
2:16	Chang	Breathe in and lift your hands slowly up the front of your body, turning palms to the ceiling as they pass your face.	Easier: Seated, to shoulder height
2:24	Chang	Slow, like moving through warm water.	
2:27	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
2:32	Chang	Look straight ahead.	
2:40	Chang	Breathe in as the hands rise, out as they come down.	

Cues: Slow, like moving through warm water. Look straight ahead. **Easier:** Sit and do it seated, or lift only to shoulder height. **Harder:** Rise onto your toes a little at the top, holding the chair back with one hand if needed.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

2:55–4:15 • Brush knee

Time	Who	Spoken	On screen
2:55	Chang	Near the fence. Feet hip-width. Soft knees.	Brush knee
3:14	Chang	Short step forward, heel first. Hand brushes past the knee. Other hand pushes forward.	Easier: Arms only, feet together
3:30	Chang	Weight moves slowly front. Breathe out as you push.	Short step, slow shift
3:46	Chang	Tai chi is slow balance practice: weight shifts, short steps, turning. Balance is one of the most trainable things there is.	

Cues: Short step, not a lunge. Weight moves slowly from back foot to front foot. **Easier:** Arms only, feet together, one hand on the counter. **Harder:** Four steps across the room and back, near the counter.

4:15–5:35 • Parting the horse's mane

Time	Who	Spoken	On screen
4:15	Chang	Hand on the counter. Chair behind you.	Parting the horse's mane
4:30	Chang	Imagine holding a ball at your chest, right hand on top.	Easier: Arms only, hold the counter
4:43	Chang	Short step.	
4:56	Chang	Slow like honey.	
5:09	Chang	Breathe out as the arm sweeps up.	

Cues: Short step. Slow like honey. **Easier:** Arms only, feet together, holding the counter with one hand. **Harder:** Step forward across the room, left then right, near the counter.

5:35–6:35 • Cloud hands

Time	Who	Spoken	On screen
5:35	Chang	Hand on the counter. Chair behind you.	Cloud hands
5:47	Chang	Shift your weight to the right foot while your right hand floats across in front of your face and your left hand floats low in front of your belly.	Easier: Seated, or one hand on counter
5:57	Chang	Move from your waist and legs, not just your arms.	
6:06	Chang	In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees.	
6:16	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

6:35–7:15 • Heel raise and slow lower

Time	Who	Spoken	On screen
6:35	Chang	Hands on the counter. Up on the toes.	Heel raise and slow lower
6:48	Chang	Lower slowly. Iron can use a soft bump, if bones and joints allow.	Easier: Slow lower, no drop
6:59	Chang	Breathe in as you rise, out as you lower.	

Cues: Tall spine. Soft bump, never a stomp. **Easier:** Heel raise with a slow lower, no drop. **Harder:** Ten gentle drops.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today. Gentle impact. Skip it if you have osteoporosis without a training history, pelvic floor problems, or a joint replacement; do the heel raise without the drop instead.

7:15–8:15 • 4-6 breathing

Time	Who	Spoken	On screen
7:15	Chang	Sit tall. Chair against the wall.	4-6 breathing
7:27	Chang	Breathe in through your nose for a count of 4.	Easier: In for 3, out for 4
7:37	Chang	Belly rises first.	
7:46	Chang	Soft shoulders.	

Time	Who	Spoken	On screen
7:56	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

8:15–8:40 • Close

Time	Who	Spoken	On screen
8:15	Chang	Two new forms. Slow like honey.	
8:28	Chang	Tomorrow: big steps on the walk.	

Session 20 • Saturday: Big steps

Type	Length	Set	Wardrobe	Voices
Walk-and-talk	9:50	SET-PROM	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Normal-length steps, flat route, easy pace. **Sore back:** Easy pace, rest on benches. **Low energy:** Easy pace throughout.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes, or walker lengths of the hallway	2 minutes easy	2 minutes easy	2 minutes easy
2:35–3:35	Big-step drill Big-step walking drill	<i>Seated march:</i> 1 minute, big knee lifts	2 × 10 steps along the counter	2 × 10 big steps	2 × 20 big steps, a little faster

Time	Segment	Rebuild	Steady	Strong	Iron
3:35–5:05	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 30 seconds easy	90 seconds, a little faster	90 seconds brisk	90 seconds brisk, uphill if you have one
5:05–6:05	Easy Walk and talk	<i>Seated march:</i> 1 minute easy	1 minute easy	1 minute easy	1 minute easy
6:05–7:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 30 seconds easy	90 seconds, a little faster	90 seconds brisk	90 seconds brisk
7:35–8:45	Cool-down walk Walk and talk	<i>Seated march:</i> 70 seconds slow	70 seconds slow	70 seconds slow	70 seconds slow
8:45–9:25	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, both hands on the rail	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:25–9:50	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Saturday. We walk. Today a drill: bigger steps.	Day 20 • Walk
0:12	Chang	Good shoes. Flat route. Indoors counts.	Stop if chest pain, dizziness or sharp pain

Time	Who	Spoken	On screen
0:21	Chang	Chest pain or unusual breathlessness? Stop, sit, call your doctor.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
1:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
1:26	Chang	Tall. Eyes ahead, not at your feet.	
1:42	Chang	Arms swing naturally.	
1:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–3:35 • Big-step drill

Time	Who	Spoken	On screen
2:35	Chang	Hand on the counter. Chair behind you.	Big-step drill

Time	Who	Spoken	On screen
2:47	Chang	Walk 10 steps a little longer than your normal step.	Easier: Normal steps, hand on counter
2:57	Chang	Heel, roll, push.	
3:06	Chang	Tall. Eyes ahead.	
3:16	Chang	Breathe steadily.	

Cues: Heel, roll, push. Tall. Eyes ahead. **Easier:** Normal-length steps, hand on the counter. **Harder:** 20 steps, a little faster.

3:35–5:05 • Brisk

Time	Who	Spoken	On screen
3:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
3:50	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
4:02	Chang	Walk at an easy pace for 2 minutes to warm up.	
4:14	Chang	Tall. Eyes ahead, not at your feet.	
4:26	Chang	Arms swing naturally.	
4:38	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:05–6:05 • Easy

Time	Who	Spoken	On screen
5:05	Chang	Good shoes. Cane or walker if you use one.	Easy
5:16	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
5:24	Chang	Walk at an easy pace for 2 minutes to warm up.	
5:32	Chang	Tall. Eyes ahead, not at your feet.	
5:40	Chang	Arms swing naturally.	
5:48	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

6:05–7:35 • Brisk

Time	Who	Spoken	On screen
6:05	Chang	Good shoes. Cane or walker if you use one.	Brisk
6:20	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
6:32	Chang	Walk at an easy pace for 2 minutes to warm up.	
6:44	Chang	Tall. Eyes ahead, not at your feet.	
6:56	Chang	Arms swing naturally.	
7:08	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

7:35–8:45 • Cool-down walk

Time	Who	Spoken	On screen
7:35	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:47	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
7:56	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:06	Chang	Tall. Eyes ahead, not at your feet.	
8:15	Chang	Arms swing naturally.	
8:24	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

8:45–9:25 • Calf stretch at the rail

Time	Who	Spoken	On screen
8:45	Chang	Hand on the counter. Chair behind you.	Calf stretch at the rail
8:54	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:00	Chang	Back heel stays down.	
9:07	Chang	Toes point forward.	
9:13	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:25–9:50 • Close

Time	Who	Spoken	On screen
9:25	Chang	Heel, roll, push. Walk tall.	
9:38	Chang	Tomorrow: rest, stretch, and your three-week check.	

Session 21 • Sunday: Three weeks in

Type	Length	Set	Wardrobe	Voices
Rest + stretch	8:05	SET-LIVING	C-CASUAL	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4. **Sore back:** Tiny knee rocks only if comfortable. **Low energy:** Breathing and the check-in.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:35	Cyclic sighing	1 minute	1 minute	1 minute	1 minute
1:35–2:15	Neck nods and half-turns	4 nods, 2 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side
2:15–3:05	Knee rocks on the bed	4 each side, tiny	6 each side	6 each side	8 each side, pause

Time	Segment	Rebuild	Steady	Strong	Iron
3:05–3:50	Bed bridge Bridge on the bed	6 squeezes	10 bridges	10 bridges, 3-second hold	12 bridges, 3-second hold
3:50–4:20	Ankle pumps before standing Ankle pumps and circles	10 pumps	10 pumps	10 pumps	10 pumps
4:20–5:15	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	30 seconds each leg	30 seconds each leg	30 seconds each leg
5:15–6:00	Calf stretch Calf stretch at the wall	20 seconds each leg, both hands on the counter	20 seconds each leg	20 seconds each leg	20 seconds each leg
6:00–7:35	Three-week check-in	All levels together			
7:35–8:05	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Sunday. Three weeks in.	Day 21 • Rest + stretch

Time	Who	Spoken	On screen
0:12	Chang	Easy stretches, some on the bed, then your check-in.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Anything sharp? Stop.	

0:35–1:35 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
0:47	Chang	Breathe in through your nose.	Easier: Just slow nose breathing
0:57	Chang	Two sniffs in, one long sigh out.	
1:06	Chang	No holding at any point.	
1:16	Chang	The out-breath is always longer than the in-breath. No breath holds.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

1:35–2:15 • Neck nods and half-turns

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Neck nods and half-turns
1:44	Chang	Slowly nod yes: look a little down, then back to level.	Easier: Even smaller movements

Time	Who	Spoken	On screen
1:50	Chang	Small and slow.	
1:57	Chang	Chin stays level when you turn.	
2:03	Chang	Breathe slowly.	

Cues: Small and slow. Chin stays level when you turn. **Easier:** Make the movement even smaller. **Harder:** Add a chin tuck: gently slide your chin straight back, making a double chin, hold two seconds.

Safety callouts: Nods and half-turns only. Never full neck circles. Dizzy with head movements? Keep it tiny, keep your eyes open, and tell your doctor.

2:15–3:05 • Knee rocks on the bed

Time	Who	Spoken	On screen
2:15	Chang	On your bed. Sit down first, then lie back slowly.	Knee rocks on the bed
2:26	Chang	Let both knees drift gently to the right, only as far as comfortable.	Easier: A tiny movement
2:34	Chang	Small and slow.	
2:42	Chang	Shoulders stay on the bed.	
2:50	Chang	Breathe out as the knees drift.	

Cues: Small and slow. Shoulders stay on the bed. **Easier:** A tiny movement, a few inches. **Harder:** Pause for one slow breath on each side.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist. Sit a moment before you stand, then stand slowly while holding something steady.

3:05–3:50 • Bed bridge

Time	Who	Spoken	On screen
3:05	Chang	On your bed. Sit down first, then lie back slowly.	Bed bridge
3:15	Chang	Squeeze your buttocks and lift your hips a few inches.	Easier: Squeeze without lifting
3:22	Chang	Push through your heels.	
3:29	Chang	Lift with your buttocks, not your back.	
3:36	Chang	Breathe out as you lift.	

Cues: Push through your heels. Lift with your buttocks, not your back.

Easier: Just squeeze your buttocks without lifting. **Harder:** Hold three seconds at the top, or lift higher.

Safety callouts: Sit a moment before you stand, then stand slowly while holding something steady.

3:50–4:20 • Ankle pumps before standing

Time	Who	Spoken	On screen
3:50	Chang	Sit up slowly. Ankle pumps. Ten.	Ankle pumps before standing
4:01	Chang	Sit a moment before you stand. Then stand slowly, holding something.	Easier: Smaller movements
4:09	Chang	Breathe slowly.	Sit a moment before you stand

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

4:20–5:15 • Seated hamstring stretch

Time	Who	Spoken	On screen
4:20	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
4:31	Chang	Sit tall, hands on your bent knee.	Easier: Lean only an inch
4:40	Chang	Chest proud. Bend from the hips, not the back.	
4:49	Chang	A gentle stretch is enough.	
4:58	Chang	Breathe slowly.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

5:15–6:00 • Calf stretch

Time	Who	Spoken	On screen
5:15	Chang	Hand on the counter. Chair behind you.	Calf stretch
5:25	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
5:32	Chang	Back heel stays down.	

Time	Who	Spoken	On screen
5:39	Chang	Toes point forward.	
5:46	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

6:00–7:35 • Three-week check-in

Time	Who	Spoken	On screen
6:00	Chang	Log. Sessions in three weeks. Your best chair-stand set.	Retest: day 30 • mini check: day 25
6:22	Chang	Your best one-leg time. How your back feels in the morning, one to five.	
6:41	Chang	Easy two sessions in a row? The app offers the next level. You choose.	
7:00	Chang	Retest on day 30. Next Thursday you'll get a mini check.	

7:35–8:05 • Close

Time	Who	Spoken	On screen
7:35	Chang	Three weeks. Strong is a habit, and you're building one.	
7:50	Chang	Call someone today.	
7:57	Sun	And eat breakfast with protein. I'm watching.	

Session 22 • Monday: Heavier jug, slower lowering

Type	Length	Set	Wardrobe	Voices
Strength	10:15	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Higher seat, half range; skip the floor. **Sore back:** Seated hinge and towel pull-apart. **Low energy:** One set each.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	Seated march: 40 seconds	40 seconds	40 seconds	40 seconds
1:15–1:45	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps

Time	Segment	Rebuild	Steady	Strong	Iron
1:45–3:45	Legs Chair sit-to-stand	3 sets of 8, hands on thighs	3 sets of 8, 3-second lower	3 sets of 10, jug at chest, 3-second lower	<i>Counter split squat (Iron track):</i> 3 sets of 10 each leg, jug (advanced)
3:45–5:15	Push Counter push-up	<i>Seated chest press:</i> 3 sets of 10, band	2 sets of 8	3 sets of 10, 3-second lower	3 sets of 12, 3-second lower
5:15–6:25	Band row Seated band row	<i>Seated towel pull-apart:</i> 5 pulls, 3-second squeeze	3 sets of 10	3 sets of 10, pause	3 sets of 12, pause
6:25–7:35	Suitcase lift Suitcase lift (one-hand hinge)	<i>Seated hip hinge:</i> 2 sets of 8	2 sets of 10 each side	3 sets of 10 each side	3 sets of 10 each side, heavier
7:35–8:30	High wall sit	<i>Seated knee straightening:</i> 2 sets of 10 each leg	2 holds of 20 seconds	3 holds of 20 seconds	3 holds of 30 seconds
8:30–9:15	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:15–9:50	Cool-down breathing Cyclic sighing	35 seconds	35 seconds	35 seconds	35 seconds
9:50–10:15	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Week four. Monday. Same moves, slower lowering.	Day 22 • Strength
0:12	Chang	Slow on the way down is where strength grows.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Chair against the wall. Counter close. Chest pain, dizziness, sharp pain: stop.	

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Stand slowly. Hand on the counter.	Warm-up march
0:54	Chang	March. Easy rhythm. Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:45 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:15	Chang	Chair against the wall. Five easy ones.	Easy sit-to-stands
1:30	Chang	Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:45–3:45 • Legs

Time	Who	Spoken	On screen
1:45	Chang	Hand on the counter. Chair behind you.	Legs
2:07	Chang	Cross your arms over your chest, or rest your hands on your thighs.	Easier: Higher seat, hands on thighs
2:26	Chang	Nose over toes.	Advanced (Iron): not your starting point
2:39	Chang	One... two... breathe out... three... slow down... four.	
2:45	Chang	Knees point the same way as your toes. Don't let them cave inward.	
3:04	Chang	Breathe out as you stand. Breathe in as you sit.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

Safety callouts: Advanced. Only if your knees feel good with step-ups.

3:45–5:15 • Push

Time	Who	Spoken	On screen
3:45	Chang	Hand on the counter. Chair behind you.	Push
4:02	Chang	Lower your chest toward the counter edge.	Easier: Wall push-ups
4:16	Chang	Straight line from head to heels.	
4:25	Chang	One... two... breathe out... three... slow down... four.	
4:31	Chang	Squeeze your buttocks so your hips don't sag.	
4:45	Chang	Breathe out as you push up.	

Cues: Straight line from head to heels. Squeeze your buttocks so your hips don't sag. **Easier:** Wall push-ups. **Harder:** Lower slowly for three seconds. Later (Iron track): a sturdy low bench or bottom stair, only if the counter version is easy for 12 reps.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

5:15–6:25 • Band row

Time	Who	Spoken	On screen
5:15	Chang	Sit or stand with the chair behind you. Check the band first.	Band row
5:29	Chang	Pull your elbows back past your ribs.	Easier: Closer to the door, or towel
5:40	Chang	Elbows close to your body.	

Time	Who	Spoken	On screen
5:46	Chang	One... two... breathe out... three... slow down... four.	
5:51	Chang	Tall chest, shoulders down.	
6:02	Chang	Breathe out as you pull.	

Cues: Elbows close to your body. Tall chest, shoulders down. **Easier:** Sit closer to the door so the band is slacker, or do the towel pull-apart.

Harder: Scoot back for more tension, or pause 2 seconds with elbows back.

Safety callouts: Check the band for nicks before every use. Door must open away from you and be locked.

6:25–7:35 • Suitcase lift

Time	Who	Spoken	On screen
6:25	Chang	Hand on the counter. Chair behind you.	Suitcase lift
6:39	Chang	Push your hips back with a long back and bend your knees a little.	Easier: Lighter jug, higher surface
6:50	Chang	Hips back. Long back.	
6:56	Chang	One... two... breathe out... three... slow down... four.	
7:01	Chang	Don't lean toward the jug. Stay square.	
7:12	Chang	Breathe out as you stand.	

Cues: Hips back. Long back. Don't lean toward the jug. Stay square.

Easier: A lighter jug, and lift it from a higher surface like the counter's edge of a table. **Harder:** A heavier bag, or lift from the bottom step instead of the chair.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl. Osteoporosis or a past spine fracture: long back always, never round to reach.

7:35–8:30 • High wall sit

Time	Who	Spoken	On screen
7:35	Chang	Back on the wall. A few inches down. Chair beside you.	High wall sit
7:52	Chang	Keep talking. Count out loud with me.	Easier: Only 2 inches down, 10 s
8:07	Chang	High blood pressure or a heart condition? Keep it short and ask your doctor about longer holds.	Keep breathing: count out loud

Cues: Shallow is fine. This is not a contest of depth. Knees stay behind or over your toes. **Easier:** Slide down only 2 inches, or hold for just 10 seconds. **Harder:** Slide a little lower (never below where your knees are bent to a right angle), or hold up to 30 seconds.

Safety callouts: Breathe through it. High blood pressure or a heart condition? Ask your doctor before long holds.

8:30–9:15 • Calf stretch

Time	Who	Spoken	On screen
8:30	Chang	Hand on the counter. Chair behind you.	Calf stretch

Time	Who	Spoken	On screen
8:40	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
8:47	Chang	Back heel stays down.	
8:54	Chang	Toes point forward.	
9:01	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:15–9:50 • Cool-down breathing

Time	Who	Spoken	On screen
9:15	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing
9:32	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

9:50–10:15 • Close

Time	Who	Spoken	On screen
9:50	Chang	Slow down. That's where it counts.	
10:03	Chang	Same time tomorrow.	

Session 23 • Tuesday: Shoulders, ankles, neck

Type	Length	Set	Wardrobe	Voices
Mobility	8:25	SET-YARD	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Seated moves only. **Sore back:** Skip the bird-dog. **Low energy:** Seated moves and breathing.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Ankle pumps and circles	10 pumps + circles	10 pumps + circles	10 pumps + circles, foot lifted	10 pumps + circles, foot lifted
1:15–1:55	Chin tucks Chin tuck	5 tucks	6 tucks, 2-second hold	8 tucks	8 tucks, 5-second hold
1:55–2:35	Neck nods and half-turns	4 nods, 2 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side	5 nods, 3 turns each side

Time	Segment	Rebuild	Steady	Strong	Iron
2:35–3:05	Shoulder rolls	6 rolls	8 rolls	8 rolls + circles	8 rolls + circles
3:05–3:55	Wall slides	6 finger walks	8 slides	10 slides, 2-second hold	10 slides, 2-second hold
3:55–4:45	Calf stretch Calf stretch at the wall	20 seconds each leg	2 × 20 seconds each leg	2 × 20 seconds each leg, bent knee too	2 × 30 seconds each leg
4:45–5:35	Standing bird-dog Standing bird-dog at the counter	4 each side, leg only	8 each side	8 each side, 3-second hold	10 each side, 3-second hold
5:35–6:20	Gentle seated turn	4 each side	6 each side	6 each side	8 each side
6:20–7:00	Prayer and wrist stretch	10 seconds, twice	20 seconds, twice	20 seconds, twice	20 seconds, twice
7:00–8:00	4-6 breathing	1 minute, in 3 out 4	1 minute	1 minute	1 minute
8:00–8:25	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Tuesday. Mobility. Shoulders, ankles, neck.	Day 23 • Mobility
0:12	Chang	Small, slow, comfortable.	Stop if chest pain, dizziness or sharp pain

Time	Who	Spoken	On screen
0:21	Chang	Sharp pain or dizziness? Stop.	

0:35–1:15 • Ankle pumps and circles

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps and circles
0:44	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:50	Chang	Big, slow movements.	
0:57	Chang	Feel your calves work.	
1:03	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:15–1:55 • Chin tucks

Time	Who	Spoken	On screen
1:15	Chang	Sit tall. Chair against the wall.	Chin tucks
1:24	Chang	Slide your chin straight back, making a double chin. Keep your eyes level.	Easier: Smaller, 1-second hold
1:30	Chang	Slide back, don't tip down.	
1:37	Chang	Tall neck.	

Time	Who	Spoken	On screen
1:43	Chang	Breathe normally.	

Cues: Slide back, don't tip down. Tall neck. **Easier:** Smaller movement, one-second hold. **Harder:** Hold five seconds.

Safety callouts: Nods and half-turns only. Never full neck circles.

1:55–2:35 • Neck nods and half-turns

Time	Who	Spoken	On screen
1:55	Chang	Sit tall. Chair against the wall.	Neck nods and half-turns
2:04	Chang	Slowly nod yes: look a little down, then back to level.	Easier: Even smaller movements
2:10	Chang	Small and slow.	
2:17	Chang	Chin stays level when you turn.	
2:23	Chang	Breathe slowly.	

Cues: Small and slow. Chin stays level when you turn. **Easier:** Make the movement even smaller. **Harder:** Add a chin tuck: gently slide your chin straight back, making a double chin, hold two seconds.

Safety callouts: Nods and half-turns only. Never full neck circles. Dizzy with head movements? Keep it tiny, keep your eyes open, and tell your doctor.

2:35–3:05 • Shoulder rolls

Time	Who	Spoken	On screen
2:35	Chang	Sit tall. Chair against the wall.	Shoulder rolls

Time	Who	Spoken	On screen
2:42	Chang	Lift your shoulders up toward your ears.	Easier: Just shrug and let go
2:47	Chang	Big, slow circles, backward.	
2:52	Chang	Let your arms hang heavy.	
2:57	Chang	Breathe in as you lift, out as you roll down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

3:05–3:55 • Wall slides

Time	Who	Spoken	On screen
3:05	Chang	Wall in front of you or behind you. Chair nearby.	Wall slides
3:16	Chang	Slide your arms up the wall only as far as comfortable.	Easier: Walk fingertips up the wall
3:24	Chang	Ribs down.	
3:32	Chang	Slow and smooth.	
3:40	Chang	Breathe in as you slide up, out as you slide down.	

Cues: Ribs down. Slow and smooth. **Easier:** Face the wall and walk your fingertips up it instead. **Harder:** Hold for two seconds at the top.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

3:55–4:45 • Calf stretch

Time	Who	Spoken	On screen
3:55	Chang	Hand on the counter. Chair behind you.	Calf stretch
4:06	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
4:14	Chang	Back heel stays down.	
4:22	Chang	Toes point forward.	
4:30	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

4:45–5:35 • Standing bird-dog

Time	Who	Spoken	On screen
4:45	Chang	Hand on the counter. Chair behind you.	Standing bird-dog
4:56	Chang	Slide your right foot back and lift it a few inches behind you, toes on or just off the floor.	Easier: Leg only, both hands down
5:04	Chang	Long back. No arching.	
5:12	Chang	Squeeze the buttock of the moving leg.	
5:20	Chang	Breathe out as you reach.	

Cues: Long back. No arching. Squeeze the buttock of the moving leg. **Easier:** Leg only; both hands stay on the counter. **Harder:** Hold the reach for three seconds.

5:35–6:20 • Gentle seated turn

Time	Who	Spoken	On screen
5:35	Chang	Sit tall. Chair against the wall.	Gentle seated turn
5:45	Chang	Turn your chest to the right, only as far as comfortable. Eyes follow.	Easier: Smaller turns
5:52	Chang	Grow tall first, then turn.	
5:59	Chang	Hips stay still.	
6:06	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

6:20–7:00 • Prayer and wrist stretch

Time	Who	Spoken	On screen
6:20	Chang	Sit at the table. Forearm resting on it.	Prayer and wrist stretch
6:29	Chang	Press your palms together in front of your chest.	Easier: Smaller stretch, 10 s
6:35	Chang	Gentle stretch only.	
6:42	Chang	Shoulders down.	
6:48	Chang	Breathe slowly.	

Cues: Gentle stretch only. Shoulders down. **Easier:** Smaller stretch, 10 seconds. **Harder:** Hold 20 seconds.

Safety callouts: Carpal tunnel symptoms (numb, tingling fingers) that get worse: skip it and tell your doctor.

7:00–8:00 • 4-6 breathing

Time	Who	Spoken	On screen
7:00	Chang	Sit tall. Chair against the wall.	4-6 breathing
7:12	Chang	Breathe in through your nose for a count of 4.	Easier: In for 3, out for 4
7:22	Chang	Belly rises first.	
7:31	Chang	Soft shoulders.	
7:41	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

8:00–8:25 • Close

Time	Who	Spoken	On screen
8:00	Chang	Loose shoulders, happy neck.	
8:13	Chang	Tomorrow, balance.	

Session 24 • Wednesday: Put the steps together

Type	Length	Set	Wardrobe	Voices
Balance	8:05	SET-KITCHEN	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Stands only, no walking drills. **Sore back:** Front reaches only. **Low energy:** Heel-to-toe stand, one-leg stand.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Weight shifts	5 each way, seated	6 each way	8 each way	8 each way, hand hovering
1:15–2:15	Heel-to-toe walk Heel-to-toe walk along the counter	2 lengths, feet apart, holding on	3 lengths	3 lengths, hand hovering	4 lengths, hand hovering

Time	Segment	Rebuild	Steady	Strong	Iron
2:15–3:15	Toe and heel walks Toe walk along the counter	<i>Heel raises at the counter:</i> 10 seated heel raises + 10 toe lifts	1 length toes + 1 length heels	2 lengths toes + 2 heels	2 lengths toes + 2 heels, hand hovering
3:15–4:10	Step over a towel Step over a rolled towel	<i>Seated march:</i> 10 high knee lifts, seated	8 each way	8 forward and back	10 forward and back
4:10–5:20	One-leg stand + reach One-leg stand at the counter	3 × 10 seconds each side, toe down	3 × 20 seconds each side	<i>Clock reach:</i> 4 reaches on one foot each side, hand on the counter	<i>Clock reach:</i> 6 reaches on one foot each side
5:20–6:10	Backward walk Backward walk along the counter	<i>Weight shifts:</i> 5 front-to-back shifts, seated	2 × 10 steps	3 × 10 steps	3 × 10 steps
6:10–7:10	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated	1 minute	1 minute with side steps	90 seconds with side steps
7:10–7:40	Cool-down breathing Cyclic sighing	30 seconds	30 seconds	30 seconds	30 seconds
7:40–8:05	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Wednesday. Balance. We put the new steps together.	Day 24 • Balance
0:12	Chang	Counter for everything. Chair behind you.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Dizzy? Sit down.	

0:35–1:15 • Weight shifts

Time	Who	Spoken	On screen
0:35	Chang	Hand on the counter. Chair behind you.	Weight shifts
0:44	Chang	Slowly shift your weight to your right foot. Pause.	Easier: Do it seated
0:50	Chang	Move from your ankles and hips, like a tree swaying.	
0:57	Chang	Feet stay flat on the floor.	
1:03	Chang	Breathe slowly.	

Cues: Move from your ankles and hips, like a tree swaying. Feet stay flat on the floor. **Easier:** Do it seated: shift your weight side to side on the chair. **Harder:** Make the shifts bigger, or let one hand hover.

1:15–2:15 • Heel-to-toe walk

Time	Who	Spoken	On screen
1:15	Chang	Hand on the counter. Chair behind you.	Heel-to-toe walk

Time	Who	Spoken	On screen
1:27	Chang	Step forward, placing your heel directly in front of the toes of the other foot.	Easier: Feet apart, hold the counter
1:37	Chang	Eyes forward, not down at your feet.	
1:46	Chang	Slow is correct.	
1:56	Chang	Breathe steadily.	

Cues: Eyes forward, not down at your feet. Slow is correct. **Easier:** Walk with your feet slightly apart, not touching, holding the counter. **Harder:** Let your hand hover above the counter. Later: walk backward along the counter with one hand resting on it (normal steps).

2:15–3:15 • Toe and heel walks

Time	Who	Spoken	On screen
2:15	Chang	Hand on the counter. Chair behind you.	Toe and heel walks
2:27	Chang	Rise onto the balls of your feet.	Easier: Heel raises in place
2:37	Chang	Tall.	
2:46	Chang	Small steps.	
2:56	Chang	Breathe steadily.	

Cues: Tall. Small steps. **Easier:** Heel raises in place instead. **Harder:** Hand hovering, still right next to the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

3:15–4:10 • Step over a towel

Time	Who	Spoken	On screen
3:15	Chang	Hand on the counter. Chair behind you.	Step over a towel
3:26	Chang	Step over the towel sideways with the near foot, then the other.	Easier: Flat towel
3:35	Chang	Lift the knee. Clear the towel.	
3:44	Chang	Hand on the counter.	
3:53	Chang	Breathe steadily.	

Cues: Lift the knee. Clear the towel. Hand on the counter. **Easier:** A flat towel instead of rolled. **Harder:** Step over forward and back, still holding the counter.

4:10–5:20 • One-leg stand + reach

Time	Who	Spoken	On screen
4:10	Chang	Hand on the counter. Chair behind you.	One-leg stand + reach
4:24	Chang	Shift your weight to your left foot.	Easier: Toe stays on the floor
4:35	Chang	Stand tall. Don't lean on the counter.	
4:46	Chang	Squeeze the buttock of the standing leg.	
4:57	Chang	Breathe slowly. Count out loud.	

Cues: Stand tall. Don't lean on the counter. Squeeze the buttock of the standing leg. **Easier:** Just shift your weight onto one foot, keeping the other toe lightly on the floor. **Harder:** One hand hovering above the counter, then both hands hovering, right next to the counter.

Safety callouts: No barefoot drills on slippery floors, no socks on hard floors, no rugs under your feet. Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

5:20–6:10 • Backward walk

Time	Who	Spoken	On screen
5:20	Chang	Hand resting on the counter. Look behind you. Clear.	Backward walk
5:36	Chang	Normal steps backward.	Easier: Five small steps
5:49	Chang	Breathe steadily.	

Cues: Hand stays on the counter. Slow. Look where you're going first.

Easier: Five small steps. **Harder:** Ten steps, slower.

Safety callouts: Only ever with a hand resting on the counter.

6:10–7:10 • Cloud hands

Time	Who	Spoken	On screen
6:10	Chang	Hand on the counter. Chair behind you.	Cloud hands
6:22	Chang	Shift your weight to the right foot while your right hand floats across in front of your face and your left hand floats low in front of your belly.	Easier: Seated, or one hand on counter
6:32	Chang	Move from your waist and legs, not just your arms.	
6:41	Chang	In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees.	

Time	Who	Spoken	On screen
6:51	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

7:10–7:40 • Cool-down breathing

Time	Who	Spoken	On screen
7:10	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing
7:25	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

7:40–8:05 • Close

Time	Who	Spoken	On screen
7:40	Chang	Update the fridge chart.	
7:53	Chang	Tomorrow: strength and your mini check.	

Session 25 • Thursday: Strength and your mini check

Type	Length	Set	Wardrobe	Voices
Strength	8:20	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the check; do seated knee straightening. **Sore back:** Skip the carry. **Low energy:** Just the mini check.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:15– 2:45	Power stands Power stand (fast up, slow down)	<i>Chair sit-to-stand</i> : 2 sets of 5	2 sets of 5	2 sets of 6, jug	3 sets of 6, jug (advanced)
2:45– 3:35	Band pull-apart	2 sets of 8, towel	2 sets of 10	3 sets of 10	3 sets of 12
3:35– 4:35	Carry Grocery carry	<i>Towel wring (grip)</i> : 3 wrings each way	2 walks of 30 seconds	2 walks of 40 seconds, heavier	3 walks of 45 seconds, heavy
4:35– 5:35	Rest before the check	All levels together			
5:35– 6:35	Mini check: 30-second chair stand Chair sit-to-stand	30 seconds, count stands, hands allowed (write H)	30 seconds, count full stands	30 seconds, count full stands	30 seconds, count full stands
6:35– 7:45	Mini check: balance stand Heel-to-toe stand at the counter	Half-step stand, both hands hovering over the counter: seconds held (up to 10)	Heel-to-toe, hand hovering: seconds held (up to 10)	<i>One-leg stand at the counter</i> : One-leg stand, hand hovering: seconds held (up to 10)	<i>One-leg stand at the counter</i> : One-leg stand, hand hovering: seconds held (up to 10)
7:45– 8:20	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Thursday. Short strength today, then a mini check: 30-second chair stands and the balance stand.	Day 25 • Strength + mini check
0:12	Chang	A number that moves. Before your renewal date, you get to see it.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Chest pain, dizziness, sharp pain: stop.	Mini check: chair stands + balance

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Stand slowly. Hand on the counter.	Warm-up march
0:54	Chang	March. Easy rhythm. Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–2:45 • Power stands

Time	Who	Spoken	On screen
1:15	Chang	Hand on the counter. Chair behind you.	Power stands

Time	Who	Spoken	On screen
1:32	Chang	Sit tall, feet flat, arms crossed or hands on thighs.	Easier: Normal speed, hands on thighs
1:46	Chang	Fast up, slow down.	Advanced (Iron): not your starting point
1:55	Chang	One... two... breathe out... three... slow down... four.	
2:01	Chang	Quick is not the same as sloppy. Knees stay over toes.	
2:15	Chang	Breathe out hard as you stand.	

Cues: Fast up, slow down. Quick is not the same as sloppy. Knees stay over toes. **Easier:** Normal-speed sit-to-stand with hands on your thighs. **Harder:** Hold a jug of water at your chest, or pause one second just above the seat on the way down.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

2:45–3:35 • Band pull-apart

Time	Who	Spoken	On screen
2:45	Chang	Sit or stand with the chair behind you. Check the band first.	Band pull-apart
2:56	Chang	Pull the band apart toward your chest by opening your arms.	Easier: Hands wider on the band
3:04	Chang	Shoulders down.	
3:07	Chang	One... two... breathe out... three... slow down... four.	

Time	Who	Spoken	On screen
3:12	Chang	Slow on the way back.	
3:20	Chang	Breathe out as you pull apart.	

Cues: Shoulders down. Slow on the way back. **Easier:** Hands wider apart on the band (less tension), or the towel pull-apart. **Harder:** Hands closer together, or a 2-second squeeze.

3:35–4:35 • Carry

Time	Who	Spoken	On screen
3:35	Chang	Clear path. Walk along the counter or a hallway wall.	Carry
3:47	Chang	Stand tall, shoulders down.	Easier: One light bag, hand on counter
3:57	Chang	Tall, like you're proud of the groceries.	
4:06	Chang	Short, steady steps.	
4:16	Chang	Breathe steadily. You should be able to talk.	

Cues: Tall, like you're proud of the groceries. Short, steady steps. **Easier:** One light bag, and keep your free hand trailing along the counter. **Harder:** Heavier: two full gallon jugs (about 8 pounds each). Iron track: two heavier bags or kettlebells.

Safety callouts: Hand arthritis flaring today? Squeeze gently, or skip and do the finger spread only. Pick up and put down with a hinge. Never round your back to lift.

4:35–5:35 • Rest before the check

Time	Who	Spoken	On screen
4:35	Chang	Sit. Drink some water. One minute.	
4:54	Chang	Chair against the wall. Arms crossed, or hands on thighs if you need them. Same way as day one.	
5:10	Chang	Ready the timer. I'll count you in.	

5:35–6:35 • Mini check: 30-second chair stand

Time	Who	Spoken	On screen
5:35	Chang	Chair against the wall. Arms crossed.	Mini check: 30-second chair stand
5:50	Chang	Three, two, one, go. Stand all the way up, sit all the way down.	Easier: Higher seat, hands on thighs
6:02	Chang	Breathe out as you stand. Ten seconds left.	30-second chair stand
6:14	Chang	Stop. Write your number.	Write your number

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

6:35–7:45 • Mini check: balance stand

Time	Who	Spoken	On screen
6:35	Chang	At the counter. Hand hovering just above it. Grab it any time.	Mini check: balance stand
6:56	Chang	Hold up to ten seconds. The moment you touch the counter or move your feet, that's your time.	Easier: Half-step, both hands down
7:15	Chang	Breathe. Switch feet if you like. Write your best time.	Up to 10 seconds • grab the counter anytime

Cues: Eyes on something still at eye level. Soft knees. Tall head. **Easier:** Half-step stance: front foot's heel beside the big toe of the back foot. Both hands on the counter. **Harder:** Lift one hand to hover just above the counter. Later: both hands hovering.

Safety callouts: Balance drills always start with support. Hands hover, they don't wander away from the counter. No barefoot drills on slippery floors, no socks on hard floors, no rugs under your feet.

7:45–8:20 • Close

Time	Who	Spoken	On screen
7:45	Chang	Compare with day one. Up by even one? That's real.	
7:57	Chang	Didn't move? Tired days happen. The full retest is day 30.	
8:06	Chang	Muscle is a savings account. You've been depositing.	

Session 26 • Friday: The whole flow

Type	Length	Set	Wardrobe	Voices
Breath + qigong	10:00	SET-PROM	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Arms-only, seated. **Sore back:** Seated breathing and sky lift. **Low energy:** Breathing and cloud hands.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:05	Cyclic sighing	90 seconds	90 seconds	90 seconds	90 seconds
2:05–2:50	Holding up the sky Holding up the sky (baduanjin piece 1)	4 reps, seated	5 reps	6 reps	6 reps, rise onto toes

Time	Segment	Rebuild	Steady	Strong	Iron
2:50– 3:35	Drawing the bow Drawing the bow (baduanjin piece 2, high stance)	3 each side, seated	4 each side	5 each side	5 each side
3:35– 4:20	Separating heaven and earth Separating heaven and earth (baduanjin piece 3)	3 each side, seated	4 each side	5 each side	5 each side
4:20– 5:00	Looking back Looking back (baduanjin piece 4, gentle)	3 each side, eyes more than head	3 each side	4 each side	4 each side
5:00– 5:45	Punching with a steady gaze Punching with a steady gaze (baduanjin piece 7, high stance)	4 each side, seated	5 each side	6 each side	6 each side
5:45– 6:40	Brush knee Brush knee (tai chi, simplified)	4 each side, arms only	4 each side	6 each side	4 steps across and back
6:40– 7:35	Parting the horse's mane Parting the horse's mane (tai chi, simplified)	4 each side, arms only	4 each side	6 each side	4 steps across and back
7:35– 8:35	Cloud hands Cloud hands (tai chi, simplified)	1 minute, seated	1 minute	1 minute	1 minute with side steps
8:35– 9:35	4-6 breathing	1 minute	1 minute	1 minute	1 minute
9:35– 10:00	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Friday. The whole flow. Everything you've learned, one after another.	Day 26 • Breath + qigong
0:12	Chang	Chair behind you. Slow like honey.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Light-headed or dizzy: sit.	

0:35–2:05 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
0:52	Chang	Breathe in through your nose.	Easier: Just slow nose breathing
1:06	Chang	Two sniffs in, one long sigh out.	
1:21	Chang	No holding at any point.	
1:35	Chang	The out-breath is always longer than the in-breath. No breath holds.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

2:05–2:50 • Holding up the sky

Time	Who	Spoken	On screen
2:05	Chang	Hand on the counter. Chair behind you.	Holding up the sky
2:15	Chang	Breathe in and lift your hands slowly up the front of your body, turning palms to the ceiling as they pass your face.	Easier: Seated, to shoulder height
2:22	Chang	Slow, like moving through warm water.	
2:25	Chang	One... two... breathe out... three... slow down... four.	
2:29	Chang	Look straight ahead.	
2:36	Chang	Breathe in as the hands rise, out as they come down.	

Cues: Slow, like moving through warm water. Look straight ahead. **Easier:** Sit and do it seated, or lift only to shoulder height. **Harder:** Rise onto your toes a little at the top, holding the chair back with one hand if needed.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

2:50–3:35 • Drawing the bow

Time	Who	Spoken	On screen
2:50	Chang	Hand on the counter. Chair behind you.	Drawing the bow
3:00	Chang	Bring both hands in front of your chest.	Easier: Seated, arms only
3:07	Chang	Knees over toes.	
3:14	Chang	Grow tall through the top of the head.	

Time	Who	Spoken	On screen
3:21	Chang	Breathe out as you draw the bow, in as you return.	

Cues: Knees over toes. Grow tall through the top of the head. **Easier:** Sit tall in your chair and do the arm movement only. **Harder:** Bend your knees a little more (never below comfortable).

3:35–4:20 • Separating heaven and earth

Time	Who	Spoken	On screen
3:35	Chang	Hand on the counter. Chair behind you.	Separating heaven and earth
3:45	Chang	Lift your right hand up past your face and press the palm toward the ceiling, to comfortable height.	Easier: Seated, to shoulder height
3:52	Chang	One hand reaches up, one presses down.	
3:59	Chang	Long spine.	
4:06	Chang	Breathe in as you separate, out as you return.	

Cues: One hand reaches up, one presses down. Long spine. **Easier:** Seated, or lift only to shoulder height. **Harder:** Slower, with a longer out-breath.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

4:20–5:00 • Looking back

Time	Who	Spoken	On screen
4:20	Chang	Hand on the counter. Chair behind you.	Looking back

Time	Who	Spoken	On screen
4:29	Chang	Turn your palms outward and slowly turn your head to look over your right shoulder, only as far as comfortable.	Easier: Turn the eyes more
4:35	Chang	Chin level.	
4:42	Chang	Shoulders stay down.	
4:48	Chang	Breathe out as you turn, in as you return.	

Cues: Chin level. Shoulders stay down. **Easier:** Turn your eyes more than your head. **Harder:** Hold the turn for one slow breath.

Safety callouts: Nods and half-turns only. Never full neck circles. Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

5:00–5:45 • Punching with a steady gaze

Time	Who	Spoken	On screen
5:00	Chang	Hand on the counter. Chair behind you.	Punching with a steady gaze
5:10	Chang	Slowly punch your right fist forward, turning it palm down.	Easier: Seated, same arm movement
5:17	Chang	Slow punch. This is not boxing.	
5:24	Chang	Eyes steady and focused.	
5:31	Chang	Breathe out as you punch.	

Cues: Slow punch. This is not boxing. Eyes steady and focused. **Easier:** Seated, same arm movement. **Harder:** Bend your knees a little more, keeping them over your toes.

5:45–6:40 • Brush knee

Time	Who	Spoken	On screen
5:45	Chang	Hand on the counter. Chair behind you.	Brush knee
5:56	Chang	Step forward with the left foot, heel first, into a short stance.	Easier: Arms only, feet together
6:05	Chang	Short step, not a lunge.	
6:14	Chang	Weight moves slowly from back foot to front foot.	
6:23	Chang	Breathe out as you push forward.	

Cues: Short step, not a lunge. Weight moves slowly from back foot to front foot. **Easier:** Arms only, feet together, one hand on the counter. **Harder:** Four steps across the room and back, near the counter.

6:40–7:35 • Parting the horse's mane

Time	Who	Spoken	On screen
6:40	Chang	Hand on the counter. Chair behind you.	Parting the horse's mane
6:51	Chang	Imagine holding a ball at your chest, right hand on top.	Easier: Arms only, hold the counter
7:00	Chang	Short step.	
7:09	Chang	Slow like honey.	
7:18	Chang	Breathe out as the arm sweeps up.	

Cues: Short step. Slow like honey. **Easier:** Arms only, feet together, holding the counter with one hand. **Harder:** Step forward across the room, left then right, near the counter.

7:35–8:35 • Cloud hands

Time	Who	Spoken	On screen
7:35	Chang	Hand on the counter. Chair behind you.	Cloud hands
7:47	Chang	Shift your weight to the right foot while your right hand floats across in front of your face and your left hand floats low in front of your belly.	Easier: Seated, or one hand on counter
7:57	Chang	Move from your waist and legs, not just your arms.	
8:06	Chang	In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees.	
8:16	Chang	Breathe slowly; no need to match the breath to the moves.	

Cues: Move from your waist and legs, not just your arms. In tai chi we call it sinking: really, it's lowering your center of mass. Soft knees. **Easier:** Keep one hand on the counter and move the other hand only. **Harder:** Add a small side step with each shift, next to the counter.

8:35–9:35 • 4-6 breathing

Time	Who	Spoken	On screen
8:35	Chang	Sit tall. Chair against the wall.	4-6 breathing
8:47	Chang	Breathe in through your nose for a count of 4.	Easier: In for 3, out for 4
8:57	Chang	Belly rises first.	
9:06	Chang	Soft shoulders.	
9:16	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

9:35–10:00 • Close

Time	Who	Spoken	On screen
9:35	Chang	The whole flow. Four weeks ago you didn't know it.	
9:48	Chang	Tomorrow: walk.	

Session 27 • Saturday: Longer walk

Type	Length	Set	Wardrobe	Voices
Walk-and-talk	9:50	SET-PROM	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Flat, easy pace, shorter. **Sore back:** Easy pace, benches. **Low energy:** Easy pace.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes	2 minutes easy	2 minutes easy	2 minutes easy
2:35–6:35	Steady walk Walk and talk	<i>Seated march:</i> 4 minutes, 1 on 30 seconds off, or hallway lengths	4 minutes steady	4 minutes brisk	4 minutes brisk, hills

Time	Segment	Rebuild	Steady	Strong	Iron
6:35–7:25	Big-step drill Big-step walking drill	<i>Seated march:</i> 30 seconds big knee lifts	10 big steps	20 big steps	20 big steps, faster
7:25–8:45	Cool-down walk Walk and talk	<i>Seated march:</i> 80 seconds slow	80 seconds slow	80 seconds slow	80 seconds slow
8:45–9:25	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, both hands on the rail	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:25–9:50	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Saturday. A longer steady walk today, with Sun.	Day 27 • Walk
0:12	Chang	Good shoes. Flat route. Indoors counts.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Chest pain or unusual breathlessness: stop, sit, call your doctor.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
1:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
1:26	Chang	Tall. Eyes ahead, not at your feet.	
1:42	Chang	Arms swing naturally.	
1:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–6:35 • Steady walk

Time	Who	Spoken	On screen
2:35	Chang	Good shoes. Cane or walker if you use one.	Steady walk
3:16	Chang	Steady pace. Tall. Arms swing.	Easier: Indoors, touching the counter
3:54	Chang	Can talk, can't sing.	
4:33	Chang	Sun, you're ahead of me.	
5:11	Chang	Breathe steady.	

Time	Who	Spoken	On screen
6:27	Sun	Walk faster, old man.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

6:35–7:25 • Big-step drill

Time	Who	Spoken	On screen
6:35	Chang	Hand on the counter. Chair behind you.	Big-step drill
6:46	Chang	Walk 10 steps a little longer than your normal step.	Easier: Normal steps, hand on counter
6:54	Chang	Heel, roll, push.	
7:02	Chang	Tall. Eyes ahead.	
7:10	Chang	Breathe steadily.	

Cues: Heel, roll, push. Tall. Eyes ahead. **Easier:** Normal-length steps, hand on the counter. **Harder:** 20 steps, a little faster.

7:25–8:45 • Cool-down walk

Time	Who	Spoken	On screen
7:25	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:38	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
7:49	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:00	Chang	Tall. Eyes ahead, not at your feet.	
8:10	Chang	Arms swing naturally.	
8:21	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

8:45–9:25 • Calf stretch at the rail

Time	Who	Spoken	On screen
8:45	Chang	Hand on the counter. Chair behind you.	Calf stretch at the rail
8:54	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:00	Chang	Back heel stays down.	
9:07	Chang	Toes point forward.	
9:13	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:25–9:50 • Close

Time	Who	Spoken	On screen
9:25	Chang	Tell me your steps. Adults over 60 in one big study: benefit levelled off around six to eight thousand a day.	Study: adults 60+, 6,000–8,000 steps/day
9:38	Chang	Tomorrow: month-one reflection.	

Session 28 • Sunday: Month one

Type	Length	Set	Wardrobe	Voices
Rest + stretch	8:25	SET-LIVING	C-CASUAL	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the figure-4. **Sore back:** Skip the bridge. **Low energy:** Breathing and reflection.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:35	Cyclic sighing	1 minute	1 minute	1 minute	1 minute
1:35–2:05	Chin tucks Chin tuck	5 tucks	6 tucks	6 tucks	6 tucks, 5-second hold
2:05–2:50	Gentle seated turn	3 each side	5 each side	5 each side	5 each side

Time	Segment	Rebuild	Steady	Strong	Iron
2:50–3:45	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	30 seconds each leg	30 seconds each leg	30 seconds each leg
3:45–4:35	Figure-4 hip stretch Seated hip stretch (figure-4)	20 seconds each side, ankle on shin	30 seconds each side	30 seconds each side	30 seconds each side
4:35–5:20	Pelvic tilt on the bed	6 small tilts	8 tilts	10 tilts, 2-second hold	10 tilts, 5-second hold
5:20–5:50	Ankle pumps before standing Ankle pumps and circles	10 pumps	10 pumps	10 pumps	10 pumps
5:50–6:35	Calf stretch Calf stretch at the wall	20 seconds each leg, both hands on the counter	20 seconds each leg	20 seconds each leg	20 seconds each leg
6:35–7:55	Month-one reflection	All levels together			
7:55–8:25	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Sunday. Four weeks. A month.	Day 28 · Rest + stretch
0:12	Chang	Gentle stretches, then a look back at your month.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Anything sharp? Stop.	

0:35–1:35 • Cyclic sighing

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Cyclic sighing
0:47	Chang	Breathe in through your nose.	Easier: Just slow nose breathing
0:57	Chang	Two sniffs in, one long sigh out.	
1:06	Chang	No holding at any point.	
1:16	Chang	The out-breath is always longer than the in-breath. No breath holds.	

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

1:35–2:05 • Chin tucks

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Chin tucks
1:42	Chang	Slide your chin straight back, making a double chin. Keep your eyes level.	Easier: Smaller, 1-second hold
1:47	Chang	Slide back, don't tip down.	
1:52	Chang	Tall neck.	
1:57	Chang	Breathe normally.	

Cues: Slide back, don't tip down. Tall neck. **Easier:** Smaller movement, one-second hold. **Harder:** Hold five seconds.

Safety callouts: Nods and half-turns only. Never full neck circles.

2:05–2:50 • Gentle seated turn

Time	Who	Spoken	On screen
2:05	Chang	Sit tall. Chair against the wall.	Gentle seated turn
2:15	Chang	Turn your chest to the right, only as far as comfortable. Eyes follow.	Easier: Smaller turns
2:22	Chang	Grow tall first, then turn.	
2:29	Chang	Hips stay still.	
2:36	Chang	Breathe out as you turn.	

Cues: Grow tall first, then turn. Hips stay still. **Easier:** Smaller turns.

Harder: Place one hand on the opposite knee as a light guide. Never pull into the turn.

Safety callouts: Osteoporosis? Turn gently and only as far as comfortable. Never force the twist.

2:50–3:45 • Seated hamstring stretch

Time	Who	Spoken	On screen
2:50	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
3:01	Chang	Sit tall, hands on your bent knee.	Easier: Lean only an inch
3:10	Chang	Chest proud. Bend from the hips, not the back.	
3:19	Chang	A gentle stretch is enough.	
3:28	Chang	Breathe slowly.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

3:45–4:35 • Figure-4 hip stretch

Time	Who	Spoken	On screen
3:45	Chang	Sit tall. Chair against the wall.	Figure-4 hip stretch
3:56	Chang	Rest your right ankle on your left knee, or as close as you can.	Easier: Ankle on shin, or skip crossing
4:04	Chang	Tall back.	
4:12	Chang	Relax the knee, don't push it.	

Time	Who	Spoken	On screen
4:20	Chang	Breathe slowly.	

Cues: Tall back. Relax the knee, don't push it. **Easier:** Rest the ankle on your shin instead of your knee, or skip crossing and just let the knee drop out a little. **Harder:** Hinge forward a little farther with a long back.

Safety callouts: New hip? Follow your surgeon's precautions first.

4:35–5:20 • Pelvic tilt on the bed

Time	Who	Spoken	On screen
4:35	Chang	On your bed. Sit down first, then lie back slowly.	Pelvic tilt on the bed
4:45	Chang	Gently flatten your lower back into the mattress by tightening your belly.	Easier: Smaller, one-second hold
4:52	Chang	Small movement.	
4:59	Chang	Belly tightens, bottom stays down.	
5:06	Chang	Breathe out as you flatten.	

Cues: Small movement. Belly tightens, bottom stays down. **Easier:** An even smaller movement, one-second hold. **Harder:** Hold five seconds.

Safety callouts: Osteoporosis or a past spine fracture: keep it small and gentle. Sit a moment before you stand, then stand slowly while holding something steady.

5:20–5:50 • Ankle pumps before standing

Time	Who	Spoken	On screen
5:20	Chang	Sit up slowly. Ankle pumps.	Ankle pumps before standing
5:31	Chang	Sit a moment before you stand. Then stand slowly, holding something.	Easier: Smaller movements
5:39	Chang	Breathe slowly.	Sit a moment before you stand

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

5:50–6:35 • Calf stretch

Time	Who	Spoken	On screen
5:50	Chang	Hand on the counter. Chair behind you.	Calf stretch
6:00	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
6:07	Chang	Back heel stays down.	
6:14	Chang	Toes point forward.	
6:21	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

6:35–7:55 • Month-one reflection

Time	Who	Spoken	On screen
6:35	Chang	Look at your log. How many sessions this month?	
6:50	Chang	Your mini check from Thursday, next to day one.	
7:03	Chang	One thing that's easier in real life. Stairs. Groceries. Getting off the sofa.	
7:16	Chang	Write it down. That's the one that matters.	
7:29	Chang	Your full Strength Age retest is day 30. Chang walks you through it in the app.	

7:55–8:25 • Close

Time	Who	Spoken	On screen
7:55	Chang	A month. You're not done yet. Neither am I.	
8:10	Chang	Same time tomorrow.	
8:17	Sun	Eight out of ten. Two months in a row and I'll consider a nine.	

Session 29 • Monday: Month two begins

Type	Length	Set	Wardrobe	Voices
Strength	10:10	SET-GARAGE	C-TRAIN-A	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Higher seat, skip the floor. **Sore back:** Seated hinge, towel pull-apart. **Low energy:** One set each.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Warm-up march Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds
1:15–1:45	Easy sit-to-stands Chair sit-to-stand	3 easy reps	5 easy reps	5 easy reps	5 easy reps

Time	Segment	Rebuild	Steady	Strong	Iron
1:45–3:45	Legs Chair sit-to-stand	3 sets of 6, arms crossed if you can	3 sets of 10, 3-second lower	<i>Power stand (fast up, slow down):</i> 3 sets of 6, jug at chest	<i>Counter split squat (Iron track):</i> 3 sets of 12 each leg, jug (advanced)
3:45–5:15	Push Counter push-up	<i>Seated chest press:</i> 3 sets of 12, band	3 sets of 8	3 sets of 12, 3-second lower	3 sets of 12, 3-second lower, 1-second pause
5:15–6:25	Band row Seated band row	3 sets of 8, close to the door	3 sets of 10	3 sets of 12, pause	3 sets of 12, stronger band, pause
6:25–7:45	Floor practice Floor practice with a chair (kneel and rise)	<i>Chair sit-to-stand:</i> 1 set of 6 (no floor)	2 kneel-and-rise, holding the chair	3 kneel-and-rise, holding the chair	2 sit-to-floor and rise, someone home
7:45–8:30	Heel raises Heel raises at the counter	2 sets of 12, seated	2 sets of 12, one hand	2 sets of 8 each leg	3 sets of 10 each leg
8:30–9:15	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:15–9:45	Cool-down breathing Cyclic sighing	30 seconds	30 seconds	30 seconds	30 seconds
9:45–10:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Month two. Monday.	Day 29 • Strength
0:12	Chang	If last month's moves felt easy, the app is offering your next level today. You decide.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Chair against the wall. Chest pain, dizziness, sharp pain: stop.	

0:35–1:15 • Warm-up march

Time	Who	Spoken	On screen
0:35	Chang	Ankle pumps first if you've been sitting. Stand slowly. Hand on the counter.	Warm-up march
0:54	Chang	March. Easy rhythm. Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:15–1:45 • Easy sit-to-stands

Time	Who	Spoken	On screen
1:15	Chang	Chair against the wall. Five easy ones.	Easy sit-to-stands
1:30	Chang	Breathe out as you stand.	Easier: Higher seat, hands on thighs

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

1:45–3:45 • Legs

Time	Who	Spoken	On screen
1:45	Chang	Hand on the counter. Chair behind you.	Legs
2:07	Chang	Cross your arms over your chest, or rest your hands on your thighs.	Easier: Higher seat, hands on thighs
2:26	Chang	Nose over toes.	Advanced (Iron): not your starting point
2:39	Chang	One... two... breathe out... three... slow down... four.	
2:45	Chang	Knees point the same way as your toes. Don't let them cave inward.	
3:04	Chang	Breathe out as you stand. Breathe in as you sit.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed. Advanced. Only if your knees feel good with step-ups.

3:45–5:15 • Push

Time	Who	Spoken	On screen
3:45	Chang	Hand on the counter. Chair behind you.	Push
4:02	Chang	Lower your chest toward the counter edge.	Easier: Wall push-ups
4:16	Chang	Straight line from head to heels.	
4:25	Chang	One... two... breathe out... three... slow down... four.	
4:31	Chang	Squeeze your buttocks so your hips don't sag.	
4:45	Chang	Breathe out as you push up.	

Cues: Straight line from head to heels. Squeeze your buttocks so your hips don't sag. **Easier:** Wall push-ups. **Harder:** Lower slowly for three seconds. Later (Iron track): a sturdy low bench or bottom stair, only if the counter version is easy for 12 reps.

Safety callouts: Wrist pain? Make fists or hold the counter edge instead of flat palms.

5:15–6:25 • Band row

Time	Who	Spoken	On screen
5:15	Chang	Sit or stand with the chair behind you. Check the band first.	Band row

Time	Who	Spoken	On screen
5:29	Chang	Pull your elbows back past your ribs.	Easier: Closer to the door, or towel
5:40	Chang	Elbows close to your body.	
5:46	Chang	One... two... breathe out... three... slow down... four.	
5:51	Chang	Tall chest, shoulders down.	
6:02	Chang	Breathe out as you pull.	

Cues: Elbows close to your body. Tall chest, shoulders down. **Easier:** Sit closer to the door so the band is slacker, or do the towel pull-apart.

Harder: Scoot back for more tension, or pause 2 seconds with elbows back.

Safety callouts: Check the band for nicks before every use. Door must open away from you and be locked.

6:25–7:45 • Floor practice

Time	Who	Spoken	On screen
6:25	Chang	Chair beside you. Towel down. Someone home.	Floor practice
6:44	Chang	Kneel, then rise through the front foot. Hands on the chair.	Easier: Half-kneel only, or chair stands
7:00	Chang	Breathe out as you push up. Stand still a moment.	Only with a sturdy chair and someone home
7:16	Chang	New knee or dizziness: chair stands instead.	

Cues: Hands on the chair the whole time. Slow down. Up is a push, not a jump. **Easier:** Only the first step: lower into a half-kneel on the towel and come back up, holding the chair. Or skip the floor and do sit-to-stands. **Harder:** Iron: from kneeling, sit down onto the floor beside the chair, then roll to your knees and rise with the chair. Only with someone home.

Safety callouts: Only try the floor with a sturdy chair or sofa next to you and someone home. Recent hip or knee replacement, or severe knee arthritis: follow your surgeon's or physical therapist's guidance first. New knee? Kneeling may not be allowed yet. Ask your surgeon. Sit a moment before you stand, then stand slowly while holding something steady.

7:45–8:30 • Heel raises

Time	Who	Spoken	On screen
7:45	Chang	Hand on the counter. Chair behind you.	Heel raises
7:55	Chang	Rise up onto the balls of your feet, as high as is comfortable.	Easier: Seated, or rise halfway
8:02	Chang	Tall like someone is pulling a string on top of your head.	
8:05	Chang	One... two... breathe out... three... slow down... four.	
8:09	Chang	Weight over the big toe and second toe, not rolling out.	
8:16	Chang	Breathe out as you rise.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

8:30–9:15 • Calf stretch

Time	Who	Spoken	On screen
8:30	Chang	Hand on the counter. Chair behind you.	Calf stretch
8:40	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
8:47	Chang	Back heel stays down.	
8:54	Chang	Toes point forward.	
9:01	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:15–9:45 • Cool-down breathing

Time	Who	Spoken	On screen
9:15	Chang	Sit down. Two sniffs in through the nose. One long sigh out.	Cool-down breathing

Time	Who	Spoken	On screen
9:30	Chang	No holding.	Easier: Just slow nose breathing

Cues: Two sniffs in, one long sigh out. No holding at any point. **Easier:** Just breathe slowly through your nose, making the out-breath a little longer. **Harder:** Build up to 5 minutes.

Safety callouts: If you feel light-headed, return to normal breathing.

9:45–10:10 • Close

Time	Who	Spoken	On screen
9:45	Chang	Month two. Strong is a habit.	
9:58	Chang	Tomorrow: mobility, then your full retest in the app.	

Session 30 • Tuesday: Loosen up before the retest

Type	Length	Set	Wardrobe	Voices
Mobility	8:25	SET-LIVING	C-CASUAL	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Seated only. **Sore back:** Chest lift, wall slides, breathing. **Low energy:** Seated moves, then the retest another day.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:05	Ankle pumps Ankle pumps and circles	10 pumps + circles	10 pumps + circles	10 pumps + circles	10 pumps + circles
1:05–1:35	Shoulder rolls	6 rolls	8 rolls	8 rolls + circles	8 rolls + circles
1:35–2:15	Chest lift Seated chest lift	6 lifts	8 lifts	8 lifts, 3-second hold	10 lifts, 3-second hold

Time	Segment	Rebuild	Steady	Strong	Iron
2:15– 3:00	Seated hinge Seated hip hinge	6 small hinges	8 hinges	8 hinges	10 hinges
3:00– 3:55	Standing hip-front stretch	20 seconds each side, both hands down	20 seconds each side	2 × 20 seconds each side	2 × 20 seconds each side, arm up
3:55– 4:40	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
4:40– 5:20	Weight shifts	5 each way, seated	6 each way	6 each way	8 each way
5:20– 6:05	Wall slides	6 finger walks	8 slides	8 slides	10 slides
6:05– 6:55	Seated hamstring stretch Seated hamstring stretch (long back)	20 seconds each leg	20 seconds each leg	30 seconds each leg	30 seconds each leg
6:55– 7:55	4-6 breathing	1 minute	1 minute	1 minute	1 minute
7:55– 8:25	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Day 30. Easy mobility today, because it's retest day.	Day 30 • Mobility
0:12	Chang	Loosen up now. Then open the app and Chang walks you through your six tests.	Stop if chest pain, dizziness or sharp pain
0:21	Chang	Anything sharp? Stop.	Today: Strength Age retest in the app

0:35–1:05 • Ankle pumps

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps
0:42	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:47	Chang	Big, slow movements.	
0:52	Chang	Feel your calves work.	
0:57	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:05–1:35 • Shoulder rolls

Time	Who	Spoken	On screen
1:05	Chang	Sit tall. Chair against the wall.	Shoulder rolls
1:12	Chang	Lift your shoulders up toward your ears.	Easier: Just shrug and let go
1:17	Chang	Big, slow circles, backward.	
1:22	Chang	Let your arms hang heavy.	
1:27	Chang	Breathe in as you lift, out as you roll down.	

Cues: Big, slow circles, backward. Let your arms hang heavy. **Easier:** Just shrug up and let go. **Harder:** Add arm circles: small circles out to the sides, forward and back.

1:35–2:15 • Chest lift

Time	Who	Spoken	On screen
1:35	Chang	Sit tall. Chair against the wall.	Chest lift
1:44	Chang	Lift your chest up toward the ceiling, growing tall.	Easier: Smaller lift
1:50	Chang	Grow tall.	
1:57	Chang	Look straight ahead, not up.	
2:03	Chang	Breathe in as you lift, out as you relax.	

Cues: Grow tall. Look straight ahead, not up. **Easier:** Smaller lift. **Harder:** Hold three seconds at the top.

2:15–3:00 • Seated hinge

Time	Who	Spoken	On screen
2:15	Chang	Sit tall. Chair against the wall.	Seated hinge
2:25	Chang	Keep your back long and tip your chest forward from the hips, sliding your hands toward your knees.	Easier: Smaller tip forward
2:32	Chang	Long back, proud chest.	
2:39	Chang	Bend at the hips, not the belly.	
2:46	Chang	Breathe out as you sit tall.	

Cues: Long back, proud chest. Bend at the hips, not the belly. **Easier:** A smaller tip forward. **Harder:** Hold a water bottle against your chest.

Safety callouts: Osteoporosis: this is the safe bending pattern. Keep the back long, never curl.

3:00–3:55 • Standing hip-front stretch

Time	Who	Spoken	On screen
3:00	Chang	Hand on the counter. Chair behind you.	Standing hip-front stretch
3:11	Chang	Tuck your tailbone under slightly and squeeze the buttock of the back leg.	Easier: Smaller step, both hands down
3:20	Chang	Stay tall. Don't arch your back.	
3:29	Chang	Small movement, big squeeze.	
3:38	Chang	Breathe slowly.	

Cues: Stay tall. Don't arch your back. Small movement, big squeeze.

Easier: Smaller step. **Harder:** Reach the arm on the back-leg side up toward the ceiling, to comfortable height.

3:55–4:40 • Calf stretch

Time	Who	Spoken	On screen
3:55	Chang	Hand on the counter. Chair behind you.	Calf stretch
4:05	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
4:12	Chang	Back heel stays down.	
4:19	Chang	Toes point forward.	
4:26	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

4:40–5:20 • Weight shifts

Time	Who	Spoken	On screen
4:40	Chang	Hand on the counter. Chair behind you.	Weight shifts
4:49	Chang	Slowly shift your weight to your right foot. Pause.	Easier: Do it seated
4:55	Chang	Move from your ankles and hips, like a tree swaying.	
5:02	Chang	Feet stay flat on the floor.	
5:08	Chang	Breathe slowly.	

Cues: Move from your ankles and hips, like a tree swaying. Feet stay flat on the floor. **Easier:** Do it seated: shift your weight side to side on the chair. **Harder:** Make the shifts bigger, or let one hand hover.

5:20–6:05 • Wall slides

Time	Who	Spoken	On screen
5:20	Chang	Wall in front of you or behind you. Chair nearby.	Wall slides
5:30	Chang	Slide your arms up the wall only as far as comfortable.	Easier: Walk fingertips up the wall
5:37	Chang	Ribs down.	
5:44	Chang	Slow and smooth.	
5:51	Chang	Breathe in as you slide up, out as you slide down.	

Cues: Ribs down. Slow and smooth. **Easier:** Face the wall and walk your fingertips up it instead. **Harder:** Hold for two seconds at the top.

Safety callouts: Shoulder pain or a known rotator cuff problem? Only lift to a comfortable height, or skip it.

6:05–6:55 • Seated hamstring stretch

Time	Who	Spoken	On screen
6:05	Chang	Sit tall. Chair against the wall.	Seated hamstring stretch
6:16	Chang	Sit tall, hands on your bent knee.	Easier: Lean only an inch

Time	Who	Spoken	On screen
6:24	Chang	Chest proud. Bend from the hips, not the back.	
6:32	Chang	A gentle stretch is enough.	
6:40	Chang	Breathe slowly.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

6:55–7:55 • 4-6 breathing

Time	Who	Spoken	On screen
6:55	Chang	Sit tall. Chair against the wall.	4-6 breathing
7:07	Chang	Breathe in through your nose for a count of 4.	Easier: In for 3, out for 4
7:17	Chang	Belly rises first.	
7:26	Chang	Soft shoulders.	
7:36	Chang	In for 4, out for 6. That is about 6 breaths a minute. No holds.	

Cues: Belly rises first. Soft shoulders. **Easier:** In for 3, out for 4. **Harder:** Continue for 5 minutes.

Safety callouts: If you feel light-headed, go back to normal breathing.

7:55–8:25 • Close

Time	Who	Spoken	On screen
7:55	Chang	Loose and ready. Water. Rest ten minutes.	
8:06	Chang	Then the retest. Same chair, same shoes, same way as day one.	
8:14	Chang	Tell me your Strength Age.	

Guided retest (day 30, 60, 90...): Your Strength Age retest

Type	Length	Set	Wardrobe	Voices
Guided retest	10:25	SET-KITCHEN	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Skip the step test and the Up and Go today; do them another day. **Sore back:** Skip the sit-and-reach. **Low energy:** Do the chair stand and balance only; finish the rest tomorrow.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:45	Welcome	All levels together			
0:45–2:00	Test 1: 30-second chair stand Chair sit-to-stand	30 seconds, hands allowed (write H)	30 seconds, arms crossed	30 seconds, arms crossed	30 seconds, arms crossed

Time	Segment	Rebuild	Steady	Strong	Iron
2:00–3:45	Test 2: four-stage balance Heel-to-toe stand at the counter	Stages 1–2, both hands hovering over the counter	Stages 1–4, hand hovering	Stages 1–4, hand hovering	Stages 1–4, hand hovering
3:45–4:45	Test 3: arm curl Water-bottle curl	30 seconds, seated, same weight as last time	30 seconds, 5 lb (women) / 8 lb (men) or your usual jug	30 seconds, same weight as last time	30 seconds, same weight as last time
4:45–7:15	Test 4: two-minute step test Standing march at the counter	<i>Seated march:</i> 2 minutes seated march, tracking only	2 minutes, knees to the tape mark, hand on the counter	2 minutes, knees to the tape	2 minutes, knees to the tape
7:15–8:25	Test 5: chair sit-and-reach Seated hamstring stretch (long back)	Skip if seated reach is uncomfortable	2 tries, best one, long back	2 tries, best one, long back	2 tries, best one, long back
8:25–9:40	Test 6: Timed Up and Go Walk and talk	Only with your walker or cane and a helper beside you	Stand, walk 10 feet at normal pace, turn, back, sit	Stand, walk 10 feet at normal pace, turn, back, sit	Stand, walk 10 feet at normal pace, turn, back, sit
9:40–10:25	Your result	All levels together			

Script

0:00–0:45 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Retest day. Same chair, same shoes, same time of day as last time.	Strength Age retest
0:12	Chang	Six tests. About twelve minutes with rests. A helper is welcome.	Not a medical test
0:21	Chang	These are fitness checks from senior fitness research. Not a medical test.	Stop if chest pain or dizziness
0:30	Chang	Chest pain, dizziness, unusual breathlessness: stop, and call your doctor.	

0:45–2:00 • Test 1: 30-second chair stand

Time	Who	Spoken	On screen
0:45	Chang	Chair against the wall. Sit in the middle. Arms crossed.	Test 1: 30-second chair stand
1:03	Chang	Three, two, one, go. All the way up, all the way down.	Easier: Higher seat, hands on thighs
1:18	Chang	Breathe out as you stand. Ten seconds left.	Count full stands
1:33	Chang	Stop. Enter your number.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

2:00–3:45 • Test 2: four-stage balance

Time	Who	Spoken	On screen
2:00	Chang	At the counter. Hand hovering just above it. Helper beside you.	Test 2: four-stage balance
2:24	Chang	Feet together, ten seconds. Then half step. Then heel to toe. Then one foot.	Easier: Half-step, both hands down
2:45	Chang	Touch the counter or move your feet, and that stage is over. Breathe.	Stop at the first stage you can't hold
3:06	Chang	Enter the last stage you held for ten seconds.	

Cues: Eyes on something still at eye level. Soft knees. Tall head. **Easier:** Half-step stance: front foot's heel beside the big toe of the back foot. Both hands on the counter. **Harder:** Lift one hand to hover just above the counter. Later: both hands hovering.

Safety callouts: Balance drills always start with support. Hands hover, they don't wander away from the counter.

3:45–4:45 • Test 3: arm curl

Time	Who	Spoken	On screen
3:45	Chang	Sit tall. Weight in your stronger hand. Same weight as last time.	Test 3: arm curl
4:04	Chang	Go. Full curls. Elbow by your side.	Easier: One arm, or empty bottles
4:20	Chang	Breathe out as you curl. Stop. Enter your number.	

Cues: Elbows stay by your sides. No swinging. **Easier:** One arm at a time, or empty bottles. **Harder:** Heavier: a half-gallon jug (about 4 pounds), then a full gallon jug (about 8 pounds), one at a time.

4:45–7:15 • Test 4: two-minute step test

Time	Who	Spoken	On screen
4:45	Chang	Tape on the counter halfway between your kneecap and hip bone. Hand on the counter.	Test 4: two-minute step test
5:12	Chang	March, lifting each knee to the tape. Count the right knee.	Easier: Sit and march
5:36	Chang	Slow down or rest any time. The clock keeps running.	Count right-knee lifts
6:00	Chang	Breathe. Heart condition or breathless easily? Skip this one until your doctor says okay.	Skip if breathless easily
6:24	Chang	Stop. Keep walking slowly for a minute. Don't sit straight away.	

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

7:15–8:25 • Test 5: chair sit-and-reach

Time	Who	Spoken	On screen
7:15	Chang	Front edge of the chair. One leg straight, heel down.	Test 5: chair sit-and-reach
7:32	Chang	Long back. Hinge forward from the hips. Hold two seconds.	Easier: Lean only an inch

Time	Who	Spoken	On screen
7:46	Chang	Osteoporosis or a past spine fracture: skip this one.	Osteoporosis: skip this test
8:00	Chang	Breathe out as you reach. Measure fingertips to shoe. Enter your best.	

Cues: Chest proud. Bend from the hips, not the back. A gentle stretch is enough. **Easier:** Lean only an inch or two. **Harder:** Pull your toes toward you a little more.

Safety callouts: Osteoporosis or a past spine fracture: keep the back long. Never curl down toward your toes.

8:25–9:40 • Test 6: Timed Up and Go

Time	Who	Spoken	On screen
8:25	Chang	Chair against the wall. Tape on the floor ten feet away. Helper with the timer, walking beside you.	Test 6: Timed Up and Go
8:43	Chang	Normal pace. Not a race. Go.	Easier: Indoors, touching the counter
8:58	Chang	Stand, walk to the tape, turn, walk back, sit. Breathe.	Normal pace, not a race
9:13	Chang	Twelve seconds or more? Mention it to your doctor. Balance training is exactly what helps.	12 s or more: tell your doctor

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:40–10:25 • Your result

Time	Who	Spoken	On screen
9:40	Chang	The app shows your Strength Age and your chart.	Strength Age: a fitness estimate, not a diagnosis
9:55	Chang	Up? Good. Same? Also fine. It's a month.	
10:07	Chang	A number that moves when you do the work. Same time tomorrow.	

Where the numbers come from

Every number Chang says out loud in these scripts traces to one of these entries (EVIDENCE.md). Grade A: Cochrane review, large meta-analysis or guideline. B: single good trial or small meta-analysis. C: observational link, not cause. D: physiology, lab or label data.

E01 (grade A). Progressive resistance training in older adults: 121 RCTs, 6,700 people, 2–3×/week. Large effect on strength (SMD 0.84), moderate-to-large effect on getting out of a chair (SMD –0.94), gait speed +0.08 m/s, less osteoarthritis pain. Most side effects were minor soreness or joint pain.

Source: Liu & Latham, Cochrane 2009 — https://www.cochrane.org/evidence/CD002759_progressive-resistance-strength-training-improving-physical-function-older-adults

E02 (grade A). NSCA position statement: resistance training is safe and effective for older adults, including frail people. Progress gradually. Train 2–3×/week, 1–3 sets of 6–12 reps at 70–85% 1RM once adapted. Include power (fast lifting intent) and balance.

Source: Fragala et al., J Strength Cond Res 2019 — https://journals.lww.com/nsca-jscr/fulltext/2019/08000/resistance_training_for_older_adults__position.1.aspx

E07 (grade C). PURE study: 142,861 adults in 17 countries. Every 5 kg lower grip strength was linked with 16% higher all-cause mortality and 17% higher CV mortality. Grip predicted mortality better than systolic blood pressure.

Source: Leong et al., Lancet 2015 — [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(14\)62000-6/abstract](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(14)62000-6/abstract) ; summary <https://www.consultant360.com/exclusives/could-grip-strength-predict-all-cause-mortality-risk>

E08 (grade C). Sitting-rising test (sit to the floor and stand up without support; score 0–10, lose 1 point per hand/knee support). 2,002 adults aged 51–80. The lowest scorers (0–2) had 5–6× the death risk of the highest (8–10). Each +1 point was linked with 21% lower mortality.

Source: Brito, Araújo et al., Eur J Prev Cardiol 2012/2014 — <https://www.sciencedaily.com/releases/2012/12/121213085202.htm>

E09 (grade C). 10-second one-leg stance (free foot resting on the back of the other calf, arms at sides, 3 tries). 1,702 people aged 51–75. Failing it was linked with 84% higher all-cause mortality over about 7 years. Failure rates: about 18% at 61–65, about 37% at 66–70, over 50% at 71–75.

Source: Araújo et al., BJSM 2022 — <https://www.bristol.ac.uk/news/2022/june/tne-second-one-legged-stance.html>

E10 (grade C). Gait speed and survival: 34,485 adults 65+. 0.8 m/s is around median life expectancy. ≥1.0 m/s was linked with longer-than-expected survival. Under 0.6 m/s means higher risk.

Source: Studenski et al., JAMA 2011 — <https://www.sciencedaily.com/releases/2011/01/110104161621.htm>

E11 (grade A (tool)). CDC STEADI 30-second chair stand (17-inch chair, arms crossed), used in the CDC's older-adult screening. Below-average scores: men 60–64 <14, 65–69 <12, 70–74 <12, 75–79 <11, 80–84 <10, 85–89 <8, 90–94 <7. Women 60–64 <12, 65–69 <11, 70–74 <10, 75–79 <10, 80–84 <9, 85–89 <8, 90–94 <4. If arms are used to stand, the score is 0.

Source: CDC STEADI — <https://www.cdc.gov/steady/media/pdfs/STEADI-Assessment-30Sec-508.pdf>

E13 (grade A–). Otago Exercise Programme: a home programme of leg strengthening, balance exercises and walking designed for older adults, studied in 7 trials with 1,503 people (mean age 81.6). We use its exercise types and progressions; we make no outcome claim from it.

Source: Thomas et al., Age Ageing 2010 — <https://www.ncbi.nlm.nih.gov/books/NBK78898/>

E15 (grade B+). Tai chi vs physical therapy for knee osteoarthritis: 204 adults. Similar improvements in pain and function at 12 weeks, sustained to 52 weeks. Tai chi group had more improvement in depression and quality of life.

Source: Wang et al., Ann Intern Med 2016 — <https://www.nccih.nih.gov/research/research-results/study-shows-tai-chi-and-physical-therapy-were-equally-helpful-for-knee-osteoarthritis>

E17 (grade A–). Baduanjin/qigong in older adults: meta-analyses report better sleep quality and fewer depressive symptoms (moderate certainty, heterogeneous trials).

Source: Frontiers Public Health 2026 meta-analysis — <https://pmc.ncbi.nlm.nih.gov/articles/PMC13501274/> ; qigong & sleep meta — <https://pmc.ncbi.nlm.nih.gov/articles/PMC12757222/>

E18 (grade B). 111 adults, 5 min/day for 1 month. Cyclic sighing (two inhales through the nose, long slow exhale through the mouth) produced the largest daily improvement in positive mood, more than mindfulness meditation. All breathing groups improved.

Source: Balban et al., Cell Reports Medicine 2023 — <https://stanmed.stanford.edu/cyclic-sighing-stress-relief/>

E19 (grade A– (meta)). Voluntary slow breathing (around 6 breaths/min) increases vagally-mediated heart-rate variability during and after practice.

Source: Laborde et al., Neurosci Biobehav Rev 2022 — <https://www.sciencedirect.com/science/article/abs/pii/S0149763422002007>

E20 (grade A). Exercise and resting BP: 270 RCTs, 15,827 people. Isometric training lowered BP the most (−8.24/−4.00 mmHg). Wall squat ranked top for systolic. Aerobic −4.49/−2.53, dynamic resistance −4.55/−3.04. These are average changes over weeks of training, not instant.

Source: Edwards et al., BJSM 2023 — <https://bmjgroup.com/static-isometric-exercise-such-as-wall-sits-best-for-lowering-blood-pressure/>

E22 (grade C). Daily steps: in adults 60+, mortality benefit plateaued at about 6,000–8,000 steps/day. The top quartiles had 40–53% lower risk than the lowest (about 3,500/day).

Source: Paluch et al., Lancet Public Health 2022 — <https://www.sciencedaily.com/releases/2022/03/220303112207.htm>

E23 (grade A– (meta)). Light walking after meals (even 2–5 minutes) lowers the post-meal glucose rise compared with sitting.

Source: Buffey et al., Sports Med 2022 — <https://pubmed.ncbi.nlm.nih.gov/35147898/>

E29 (grade B). LIFTMOR: postmenopausal women with low bone mass did supervised high-intensity resistance plus impact training (2×/week, 8 months). BMD at spine and hip improved and physical function improved. It was supervised and progressed.

Source: Watson et al., JBMR 2018 — <https://pubmed.ncbi.nlm.nih.gov/28975661/>

E30 (grade A). Exercise for chronic low back pain: 249 trials, 24,486 people. Pain about 15 points better (0–100 scale) at 3 months vs no treatment or usual care. Function improved modestly.

Source: Hayden et al., Cochrane 2021 — https://www.cochrane.org/evidence/CD009790_exercise-treatment-chronic-low-back-pain

E39 (grade A–). High-velocity "power" training (lift with fast intent, lower slowly) gives functional gains similar to or slightly better than traditional training in older adults, and it is safe when supervised and progressed.

Source: J Physiotherapy 2023 systematic review — <https://www.sciencedirect.com/science/article/pii/S183695532300053X> ; Eur Rev Aging Phys Act 2022 — <https://link.springer.com/article/10.1186/s11556-022-00297-x>

E40 (grade A (consensus)). Osteoporosis exercise guidance: do resistance and balance training. Avoid rapid, repeated or loaded spinal flexion (sit-ups, toe-touches with weight) and forceful twisting. Flexion-exercise programs were linked with more vertebral fractures.

Source: Giangregorio et al., "Too Fit To Fracture", Osteoporos Int 2014 — <https://link.springer.com/10.1007/s00198-014-2881-4> ; Sinaki & Mikkelsen, Arch Phys Med Rehabil 1984

E41 (grade B (known literature)). Pain-monitoring model: during and after exercise, pain up to about 3/10 (we use a conservative threshold) is acceptable if it settles by the next morning and isn't trending up week to week.

Source: Thomeé, Phys Ther 1997; Silbernagel et al., Am J Sports Med 2007

E42 (grade A (statement)). AHA scientific statement (2023): resistance training is recommended for adults with and without cardiovascular disease. It lowers blood pressure and improves glucose control and function. Avoid breath-holding (Valsalva). People with CVD should get individualized clearance.

Source: Paluch et al., Circulation 2024 — <https://www.ahajournals.org/doi/10.1161/CIR.0000000000001189>

E43 (grade A (guideline)). Pre-exercise screening (ACSM 2015): anyone with symptoms of cardiovascular, metabolic or renal disease (chest pain, unusual breathlessness, fainting) should get medical clearance before starting. Otherwise, light-to-moderate exercise can begin and progress.

Source: Riebe et al., Med Sci Sports Exerc 2015 (known literature)

E45 (grade B (known literature)). Getting-up-from-the-floor strategies can be taught to older adults. Practice it before you ever need it (backward chaining: kneel → half-kneel → stand, using sturdy furniture).

Source: Hofmeyer et al., J Am Geriatr Soc 2002 (floor-rise strategy training)

E46 (grade A– (meta, known literature)). Orthostatic hypotension (a blood-pressure drop on standing) is common in older adults. A meta-analysis found it in about 22% of community-dwelling older people. The risk is higher with some blood-pressure and other medicines. Practical rule: sit, pump your ankles, then stand slowly while holding something.

Source: Saedon et al., J Gerontol A Biol Sci Med Sci 2020 (prevalence of orthostatic hypotension, systematic review & meta-analysis)

E47 (grade D (physiology)). The calf muscle pump: calf contraction compresses the deep veins and, with the venous valves, pushes blood back toward the heart. It's standard physiology. Walking and heel raises activate it. A red flag is one swollen, red, painful calf (possible clot), which needs a doctor, not exercise.

Source: Standard physiology texts; e.g. Recek, Int J Angiol 2013 "Calf pump activity influencing venous hemodynamics in the lower extremity" (known literature)

E50 (grade A (tool)). CDC STEADI 4-Stage Balance Test: feet side by side, semi-tandem (instep beside big toe), tandem (heel to toe), one leg; up to 10 s each, stop at the first stage not held. The CDC uses the tandem stand as a screening checkpoint: under 10 s is worth discussing with a clinician.

Source: CDC STEADI — opened <https://www.cdc.gov/steady/media/pdfs/STEADI-Assessment-4Stage-508.pdf>

E59 (grade A (Cochrane, low certainty)). Exercise for hand osteoarthritis (Cochrane): 7 trials, 534 people, mostly women. After a hand-exercise programme, pain was 0.5 points lower (0–10), function 2.2 points better (0–36) and finger stiffness 0.7 points lower (0–10). Small effects, low or very low certainty, not sustained at medium- and long-term follow-up. The few adverse events were more finger-joint inflammation and hand pain. Say "may help a little with stiffness and hand use", never "fixes arthritis".

Source: Østerås et al., Cochrane 2017 — opened https://www.cochrane.org/CD010388/MUSKEL_exercise-hand-osteoarthritis