

Strong Years program

Walk Stronger



Walk farther, a little faster and more confidently: walking technique, leg strength, stairs and gradual step goals.
12 weeks · four levels · every session scripted.

Chang Yin & Sun Yoon

Chang Yin and Sun Yoon are AI characters created by a team of people. Their life story is fiction. The exercises and recipes are built on published research for older adults (sources in the back). This is education, not medical advice. Check with your doctor before starting new exercise.

Walk Stronger: how it works

Chang Yin

I'm Chang. AI character. Twelve weeks, one program, done properly. Walk farther, a little faster and more confidently: walking technique, leg strength, stairs and gradual step goals.

A little more, slowly. That's the whole method.

Who it's for. Adults 60+ who walk (with or without a cane) and want to walk more. Walker users start at Rebuild with hallway lengths.

Ask your doctor first if: Chest pain, pressure or unusual breathlessness when you walk; calf pain that comes on with walking and eases with rest; dizziness; or a recent fall: see your doctor first.

What you need. Walking shoes, a safe route (hallway, mall, sidewalk), stairs with a rail, a step counter or phone, a tape measure and timer for checkpoints.

Every day: Stop if you feel chest pain or pressure, dizziness, unusual shortness of breath, or sharp pain. Chest pain, face drooping, arm weakness or trouble speaking? Call 911 now. Pain rule (E41): Mild discomfort up to 3 out of 10 is okay if it settles by tomorrow. Sharper, or worse the next day: back off and ask your doctor or physical therapist.

Your week

Mon: strength · Tue: program session A · Wed: balance · Thu: program session B · Fri: breath + qigong · Sat: walk-and-talk · Sun: rest + stretch. Program sessions are marked in **bold** in the plan; the other days use your Strong Years Daily Practice sessions (DP numbers).

Daily steps goal each week (count your baseline in week 1; E22): wk 1: Baseline week: just count · wk 2: Baseline + 500/day · wk 3: Baseline + 500 · wk 4: Baseline + 500 (easy week) · wk 5: Baseline + 1,000 · wk 6: Baseline + 1,000 · wk 7: Baseline + 1,500 · wk 8: Baseline + 1,000 (easy week) · wk 9: Baseline + 2,000, up to 6,000–8,000 · wk 10: Baseline + 2,000 · wk 11: Baseline + 2,500 · wk 12: Keep 6,000–8,000 if you're there

How it progresses

Three 4-week phases: **Foundation** (weeks 1–4, A1/B1), **Build** (weeks 5–8, A2/B2) and **Strengthen** (weeks 9–12, A3/B3).

Week in each phase	Rule
1st	Doses as written in the session. Learn the moves. Stop each set with one or two good reps left in the tank.
2nd	Add 1–2 reps per set (never past 12). Holds up 5 seconds (never past 30).
3rd	Where every rep felt easy two sessions in a row, use the Harder version or a heavier jug. Otherwise repeat week 2.
4th (easy week)	Easy week: same moves, one set fewer. Then do your checkpoint at the weekend.

Levels. Every session has four versions: Rebuild (chair-based), Steady, Strong and Iron. Move up only when every rep felt easy two sessions in a row. Move down any day. **Advanced** doses are never a starting point.

The 12-week plan

Week	Phase	Mon	Tue	Wed	Thu	Fri	Sat	Sun
1	Foundation	DP01	WLK-A1	DP03	WLK-B1	DP05	DP06	DP07
2	Foundation	DP04	WLK-A1	DP10	WLK-B1	DP12	DP13	DP14
3	Foundation	DP08	WLK-A1	DP17	WLK-B1	DP19	DP20	DP21
4 ★	Foundation	DP11	WLK-A1	DP24	WLK-B1	DP26	DP27	DP28
5	Build	DP15	WLK-A2	DP03	WLK-B2	DP05	DP06	DP07
6	Build	DP18	WLK-A2	DP10	WLK-B2	DP12	DP13	DP14
7	Build	DP22	WLK-A2	DP17	WLK-B2	DP19	DP20	DP21
8 ★	Build	DP25	WLK-A2	DP24	WLK-B2	DP26	DP27	DP28
9	Strengthen	DP29	WLK-A3	DP03	WLK-B3	DP05	DP06	DP07
10	Strengthen	DP01	WLK-A3	DP10	WLK-B3	DP12	DP13	DP14
11	Strengthen	DP04	WLK-A3	DP17	WLK-B3	DP19	DP20	DP21
12 ★	Strengthen	DP08	WLK-A3	DP24	WLK-B3	DP26	DP27	DP28

★ = easy week, then checkpoint. **Bold** = program session. DP = Daily Practice session number (sessions.json).

Red flags: Not for exercise. For your doctor, today: chest pain or pressure; fainting; sudden weakness or numbness in the face, arm or leg; trouble speaking; a sudden severe headache; new confusion; one calf that is swollen, red and painful; a hot, swollen joint; night pain that wakes you and doesn't change with position; fever with back pain; loss of bladder or bowel control or numbness in the saddle area; a fall where you hit your head (especially on blood thinners). Chest pain, face drooping, arm weakness or trouble speaking? Call 911 now.

Your checkpoints

Start, then the end of weeks 4, 8 and 12. Same chair, same shoes, same time of day. These are fitness checks from published research, **not medical tests**.

Checkpoint	How	Start	Week 4	Week 8	Week 12
Walking speed (E10)	Time to walk 13 feet (4 m) at your usual pace, with a 3-foot run-up. Speed (m/s) = $4 \div \text{seconds}$. About 5 s = 0.8 m/s; 4 s = 1.0 m/s				
Timed Up and Go (E51)	Seconds, normal pace, helper beside you. 12 s or more = tell your doctor				
Two-minute step test (E49)	Right-knee lifts to the tape mark in 2 minutes, holding the counter				
Average daily steps (E22)	Average of the last 7 days				

The program sessions

Full follow-along scripts for the six program sessions. The same content is in programs.json for the app and video pipeline.

WLK-A1 • Phase 1 (Foundation): Walk tall, legs strong

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	11:05	SET-STOOP	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:15	Ankle pumps and circles	10 pumps + circles	10 pumps + circles	10 pumps + circles, foot lifted	10 pumps + circles, foot lifted

Time	Segment	Rebuild	Steady	Strong	Iron
1:15–2:15	Heel raises Heel raises at the counter	2 sets of 12, seated	2 sets of 10	2 sets of 12, one hand	2 sets of 10 each leg
2:15–3:15	Toe and heel walks Toe walk along the counter	<i>Ankle pumps and circles:</i> 15 toe lifts + 15 heel lifts, seated	10 heel raises + 10 toe lifts at the counter	1 length toes + 1 length heels	2 lengths each
3:15–4:35	Step-ups Step-ups on the bottom stair	<i>Seated march:</i> 2 × 30 seconds, knees high	2 sets of 10 toe taps	2 sets of 8 each leg	3 sets of 8 each leg, bag
4:35–5:45	Sit-to-stand Chair sit-to-stand	2 sets of 6	2 sets of 10	3 sets of 10, 3-second lower	<i>Power stand (fast up, slow down):</i> 3 sets of 6, jug
5:45–6:45	Big-step drill Big-step walking drill	<i>Seated march:</i> 30 seconds, big knee lifts	2 × 10 steps along the counter	2 × 10 big steps	2 × 20 big steps
6:45–9:15	Walk Walk and talk	<i>Seated march:</i> 2 minutes 30, or walker lengths of the hallway	2 minutes 30 easy	2 minutes 30, easy to brisk	2 minutes 30 brisk
9:15–10:00	Standing hip-front stretch	20 seconds each side, both hands down	20 seconds each side	20 seconds each side	30 seconds each side
10:00–10:40	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg

Time	Segment	Rebuild	Steady	Strong	Iron
10:40–11:05	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Walk Stronger. Phase one.	Walk Stronger · A1
0:10	Chang	Good walking is strong calves, strong hips, and a tall body.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	In 34,485 adults over 65, faster usual walking speed was linked with longer survival. A link, not a race.	Study: 34,485 adults 65+
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–1:15 • Ankle pumps and circles

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps and circles
0:44	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:50	Chang	Big, slow movements.	
0:57	Chang	Feel your calves work.	
1:03	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:15–2:15 • Heel raises

Time	Who	Spoken	On screen
1:15	Chang	Hand on the counter. Chair behind you.	Heel raises
1:27	Chang	Rise up onto the balls of your feet, as high as is comfortable.	Easier: Seated, or rise halfway
1:37	Chang	Tall like someone is pulling a string on top of your head.	
1:42	Chang	One... two... breathe out... three... slow down... four.	
1:46	Chang	Weight over the big toe and second toe, not rolling out.	
1:56	Chang	Breathe out as you rise.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

2:15–3:15 • Toe and heel walks

Time	Who	Spoken	On screen
2:15	Chang	Hand on the counter. Chair behind you.	Toe and heel walks
2:27	Chang	Rise onto the balls of your feet.	Easier: Heel raises in place
2:37	Chang	Tall.	
2:46	Chang	Small steps.	
2:56	Chang	Breathe steadily.	

Cues: Tall. Small steps. **Easier:** Heel raises in place instead. **Harder:** Hand hovering, still right next to the counter.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

3:15–4:35 • Step-ups

Time	Who	Spoken	On screen
3:15	Chang	Hand on the rail.	Step-ups
3:30	Chang	Step up with your right foot, placing the whole foot on the step.	Easier: Toe taps, hand on rail
3:43	Chang	Whole foot on the step, not just the toes.	
3:51	Chang	One... two... breathe out... three... slow down... four.	
3:56	Chang	Push through the heel of the top foot.	
4:09	Chang	Breathe out as you step up.	

Cues: Whole foot on the step, not just the toes. Push through the heel of the top foot. Rail hand stays on the rail. **Easier:** Toe taps: tap the step with one foot, then the other, holding the rail. Or use a lower step, like a sturdy doorway threshold. **Harder:** Step up without pushing off the bottom foot. Later: carry a light bag of groceries in the hand that isn't on the rail.

Safety callouts: If stairs make you dizzy or you have fallen on stairs, do toe taps only until you've practiced balance for two weeks.

4:35–5:45 • Sit-to-stand

Time	Who	Spoken	On screen
4:35	Chang	Hand on the counter. Chair behind you.	Sit-to-stand
4:49	Chang	Cross your arms over your chest, or rest your hands on your thighs.	Easier: Higher seat, hands on thighs
5:00	Chang	Nose over toes.	
5:06	Chang	One... two... breathe out... three... slow down... four.	
5:11	Chang	Knees point the same way as your toes. Don't let them cave inward.	
5:22	Chang	Breathe out as you stand. Breathe in as you sit.	

Cues: Nose over toes. Knees point the same way as your toes. Don't let them cave inward. Sit down slow. Two or three seconds. **Easier:** Put a firm cushion or folded blanket on the seat to make it higher, or push up with your hands on your thighs or on chair arms. **Harder:** Arms crossed, lower for a slow count of three, and pause one second just above the seat before touching down. Later: hold a gallon jug of water at your chest.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

5:45–6:45 • Big-step drill

Time	Who	Spoken	On screen
5:45	Chang	Hand on the counter. Chair behind you.	Big-step drill
5:57	Chang	Walk 10 steps a little longer than your normal step.	Easier: Normal steps, hand on counter
6:07	Chang	Heel, roll, push.	
6:16	Chang	Tall. Eyes ahead.	
6:26	Chang	Breathe steadily.	

Cues: Heel, roll, push. Tall. Eyes ahead. **Easier:** Normal-length steps, hand on the counter. **Harder:** 20 steps, a little faster.

6:45–9:15 • Walk

Time	Who	Spoken	On screen
6:45	Chang	Good shoes. Cane or walker if you use one.	Walk
7:08	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
7:28	Chang	Walk at an easy pace for 2 minutes to warm up.	
7:48	Chang	Tall. Eyes ahead, not at your feet.	
8:08	Chang	Arms swing naturally.	
8:28	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:15–10:00 • Standing hip-front stretch

Time	Who	Spoken	On screen
9:15	Chang	Hand on the counter. Chair behind you.	Standing hip-front stretch
9:25	Chang	Tuck your tailbone under slightly and squeeze the buttock of the back leg.	Easier: Smaller step, both hands down
9:32	Chang	Stay tall. Don't arch your back.	
9:39	Chang	Small movement, big squeeze.	
9:46	Chang	Breathe slowly.	

Cues: Stay tall. Don't arch your back. Small movement, big squeeze.

Easier: Smaller step. **Harder:** Reach the arm on the back-leg side up toward the ceiling, to comfortable height.

10:00–10:40 • Calf stretch

Time	Who	Spoken	On screen
10:00	Chang	Hand on the counter. Chair behind you.	Calf stretch
10:09	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
10:15	Chang	Back heel stays down.	

Time	Who	Spoken	On screen
10:22	Chang	Toes point forward.	
10:28	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

10:40–11:05 • Close

Time	Who	Spoken	On screen
10:40	Chang	Walk tall. Heel, roll, push.	
10:53	Chang	Thursday: intervals.	

WLK-B1 • Phase 1 (Foundation): Easy-brisk intervals

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	10:10	SET-PROM	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes	2 minutes easy	2 minutes easy	2 minutes easy
2:35–3:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster	1 minute a little faster	1 minute brisk	1 minute brisk
3:35–4:35	Easy Walk and talk	<i>Seated march:</i> 1 minute easy	1 minute easy	1 minute easy	1 minute easy

Time	Segment	Rebuild	Steady	Strong	Iron
4:35–5:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster	1 minute a little faster	1 minute brisk	1 minute brisk
5:35–6:35	Easy Walk and talk	<i>Seated march:</i> 1 minute easy	1 minute easy	1 minute easy	1 minute easy
6:35–7:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster	1 minute a little faster	1 minute brisk	1 minute brisk
7:35–9:05	Cool-down walk Walk and talk	<i>Seated march:</i> 90 seconds slow	90 seconds slow	90 seconds slow	90 seconds slow
9:05–9:45	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, both hands on the rail	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:45–10:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Intervals. Easy, then a little brisk, then easy.	Walk Stronger · B1
0:10	Chang	Brisk means you can talk but you can't sing.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Indoors counts.	
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
1:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
1:26	Chang	Tall. Eyes ahead, not at your feet.	
1:42	Chang	Arms swing naturally.	
1:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–3:35 • Brisk

Time	Who	Spoken	On screen
2:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
2:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
2:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
3:02	Chang	Tall. Eyes ahead, not at your feet.	

Time	Who	Spoken	On screen
3:10	Chang	Arms swing naturally.	
3:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

3:35–4:35 • Easy

Time	Who	Spoken	On screen
3:35	Chang	Good shoes. Cane or walker if you use one.	Easy
3:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
3:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
4:02	Chang	Tall. Eyes ahead, not at your feet.	
4:10	Chang	Arms swing naturally.	
4:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

4:35–5:35 • Brisk

Time	Who	Spoken	On screen
4:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
4:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
4:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
5:02	Chang	Tall. Eyes ahead, not at your feet.	
5:10	Chang	Arms swing naturally.	
5:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:35–6:35 • Easy

Time	Who	Spoken	On screen
5:35	Chang	Good shoes. Cane or walker if you use one.	Easy
5:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
5:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
6:02	Chang	Tall. Eyes ahead, not at your feet.	
6:10	Chang	Arms swing naturally.	
6:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

6:35–7:35 • Brisk

Time	Who	Spoken	On screen
6:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
6:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
6:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
7:02	Chang	Tall. Eyes ahead, not at your feet.	
7:10	Chang	Arms swing naturally.	
7:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

7:35–9:05 • Cool-down walk

Time	Who	Spoken	On screen
7:35	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:50	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
8:02	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:14	Chang	Tall. Eyes ahead, not at your feet.	
8:26	Chang	Arms swing naturally.	
8:38	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:05–9:45 • Calf stretch at the rail

Time	Who	Spoken	On screen
9:05	Chang	Hand on the counter. Chair behind you.	Calf stretch at the rail
9:14	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:20	Chang	Back heel stays down.	
9:27	Chang	Toes point forward.	
9:33	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:45–10:10 • Close

Time	Who	Spoken	On screen
9:45	Chang	Log your steps. Aim for your number this week.	
9:58	Chang	Walk after your biggest meal too. Even a few minutes helps the blood-sugar rise after eating.	

WLK-A2 • Phase 2 (Build): Stairs and power

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	10:40	SET-STOOP	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:10	Ankle pumps and circles	10 pumps + circles	10 pumps + circles	10 pumps + circles	10 pumps + circles
1:10–1:50	March Standing march at the counter	<i>Seated march:</i> 40 seconds	40 seconds	40 seconds	40 seconds

Time	Segment	Rebuild	Steady	Strong	Iron
1:50–3:40	Stair practice Stair practice with the rail	<i>Seated march:</i> 3 × 30 seconds, knees high	Bottom 3 steps, 4 times	1 flight, 3 times	2 flights, twice
3:40–5:10	Power stands Power stand (fast up, slow down)	<i>Chair sit-to-stand:</i> 3 sets of 5, normal speed	3 sets of 5	3 sets of 6, jug	3 sets of 8, jug (advanced)
5:10–6:05	Heel raises Heel raises at the counter	3 sets of 10, seated	2 sets of 12, one hand	2 sets of 8 each leg	3 sets of 10 each leg
6:05–7:05	Big-step drill Big-step walking drill	<i>Seated march:</i> 30 seconds, big knee lifts	2 × 10 big steps	2 × 20 big steps	3 × 20 big steps, faster
7:05–9:35	Walk Walk and talk	<i>Seated march:</i> 2 minutes 30	2 minutes 30 steady	2 minutes 30 brisk	2 minutes 30 brisk, hill
9:35–10:15	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
10:15–10:40	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Phase two. Stairs and power.	Walk Stronger · A2
0:10	Chang	Rail hand never lets go.	Stop if chest pain, dizziness or sharp pain

Time	Who	Spoken	On screen
0:17	Chang	Shoes on.	
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–1:10 • Ankle pumps and circles

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps and circles
0:43	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:49	Chang	Big, slow movements.	
0:54	Chang	Feel your calves work.	
1:00	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:10–1:50 • March

Time	Who	Spoken	On screen
1:10	Chang	Hand on the counter. March.	March
1:29	Chang	Breathe steady.	Easier: Sit and march

Cues: Stand tall. Knee up, foot down softly. **Easier:** Sit and do the seated march. **Harder:** Lift knees higher, march faster, or let one hand hover above the counter.

1:50–3:40 • Stair practice

Time	Who	Spoken	On screen
1:50	Chang	Hand on the rail.	Stair practice
2:10	Chang	Walk up one step at a time at a steady pace, whole foot on each step.	Easier: Bottom 3 steps only
2:28	Chang	Whole foot on the step.	
2:45	Chang	Rail hand never lets go.	
3:03	Chang	Breathe steadily. Rest at the top as long as you like.	

Cues: Whole foot on the step. Rail hand never lets go. **Easier:** Just the bottom 3 steps, up and down. **Harder:** Two flights, or carry a light bag in the free hand.

Safety callouts: Chest pain or unusual breathlessness on stairs: stop, sit, and call your doctor.

3:40–5:10 • Power stands

Time	Who	Spoken	On screen
3:40	Chang	Hand on the counter. Chair behind you.	Power stands
3:57	Chang	Sit tall, feet flat, arms crossed or hands on thighs.	Easier: Normal speed, hands on thighs
4:11	Chang	Fast up, slow down.	Advanced (Iron): not your starting point

Time	Who	Spoken	On screen
4:20	Chang	One... two... breathe out... three... slow down... four.	
4:26	Chang	Quick is not the same as sloppy. Knees stay over toes.	
4:40	Chang	Breathe out hard as you stand.	

Cues: Fast up, slow down. Quick is not the same as sloppy. Knees stay over toes. **Easier:** Normal-speed sit-to-stand with hands on your thighs. **Harder:** Hold a jug of water at your chest, or pause one second just above the seat on the way down.

Safety callouts: Stop the fast part if you feel dizzy when you stand. Go back to normal speed.

5:10–6:05 • Heel raises

Time	Who	Spoken	On screen
5:10	Chang	Hand on the counter. Chair behind you.	Heel raises
5:21	Chang	Rise up onto the balls of your feet, as high as is comfortable.	Easier: Seated, or rise halfway
5:30	Chang	Tall like someone is pulling a string on top of your head.	
5:34	Chang	One... two... breathe out... three... slow down... four.	
5:39	Chang	Weight over the big toe and second toe, not rolling out.	
5:48	Chang	Breathe out as you rise.	

Cues: Tall like someone is pulling a string on top of your head. Weight over the big toe and second toe, not rolling out. **Easier:** Sit in your chair and raise your heels from there, or hold the counter with both hands and rise only halfway. **Harder:** One hand on the counter. Later: one leg at a time, with both hands on the counter.

Safety callouts: Calf cramps are common at first. Stretch and walk them out. One calf that is swollen, red and painful is not a cramp: that is for your doctor, today.

6:05–7:05 • Big-step drill

Time	Who	Spoken	On screen
6:05	Chang	Hand on the counter. Chair behind you.	Big-step drill
6:17	Chang	Walk 10 steps a little longer than your normal step.	Easier: Normal steps, hand on counter
6:27	Chang	Heel, roll, push.	
6:36	Chang	Tall. Eyes ahead.	
6:46	Chang	Breathe steadily.	

Cues: Heel, roll, push. Tall. Eyes ahead. **Easier:** Normal-length steps, hand on the counter. **Harder:** 20 steps, a little faster.

7:05–9:35 • Walk

Time	Who	Spoken	On screen
7:05	Chang	Good shoes. Cane or walker if you use one.	Walk
7:28	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
7:48	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:08	Chang	Tall. Eyes ahead, not at your feet.	
8:28	Chang	Arms swing naturally.	
8:48	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:35–10:15 • Calf stretch

Time	Who	Spoken	On screen
9:35	Chang	Hand on the counter. Chair behind you.	Calf stretch
9:44	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:50	Chang	Back heel stays down.	
9:57	Chang	Toes point forward.	
10:03	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

10:15–10:40 • Close

Time	Who	Spoken	On screen
10:15	Chang	Stairs are the best free gym you own.	
10:28	Chang	Thursday: longer intervals.	

WLK-B2 · Phase 2 (Build): Longer brisk

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	10:10	SET-PROM	C-TRAIN-B	Chang, Sun

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:35	Easy walk Walk and talk	<i>Seated march:</i> 2 minutes	2 minutes easy	2 minutes easy	2 minutes easy
2:35–4:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 1 easy	2 minutes a little faster	2 minutes brisk	2 minutes brisk

Time	Segment	Rebuild	Steady	Strong	Iron
4:35–5:35	Easy Walk and talk	<i>Seated march:</i> 1 minute easy	1 minute easy	1 minute easy	1 minute easy
5:35–7:35	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 1 easy	2 minutes a little faster	2 minutes brisk	2 minutes brisk, hill
7:35–9:05	Cool-down walk Walk and talk	<i>Seated march:</i> 90 seconds slow	90 seconds slow	90 seconds slow	90 seconds slow
9:05–9:45	Calf stretch at the rail Calf stretch at the wall	20 seconds each leg, both hands on the rail	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:45–10:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Phase two. Longer brisk minutes.	Walk Stronger · B2
0:10	Chang	Can talk, can't sing.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Stop for chest pain, pressure, or calf pain that comes on with walking.	
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–2:35 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
1:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
1:26	Chang	Tall. Eyes ahead, not at your feet.	
1:42	Chang	Arms swing naturally.	
1:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:35–4:35 • Brisk

Time	Who	Spoken	On screen
2:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
2:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
3:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
3:26	Chang	Tall. Eyes ahead, not at your feet.	

Time	Who	Spoken	On screen
3:42	Chang	Arms swing naturally.	
3:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

4:35–5:35 • Easy

Time	Who	Spoken	On screen
4:35	Chang	Good shoes. Cane or walker if you use one.	Easy
4:46	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
4:54	Chang	Walk at an easy pace for 2 minutes to warm up.	
5:02	Chang	Tall. Eyes ahead, not at your feet.	
5:10	Chang	Arms swing naturally.	
5:18	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:35–7:35 • Brisk

Time	Who	Spoken	On screen
5:35	Chang	Good shoes. Cane or walker if you use one.	Brisk
5:54	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
6:10	Chang	Walk at an easy pace for 2 minutes to warm up.	
6:26	Chang	Tall. Eyes ahead, not at your feet.	
6:42	Chang	Arms swing naturally.	
6:58	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

7:35–9:05 • Cool-down walk

Time	Who	Spoken	On screen
7:35	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
7:50	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
8:02	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:14	Chang	Tall. Eyes ahead, not at your feet.	
8:26	Chang	Arms swing naturally.	
8:38	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:05–9:45 • Calf stretch at the rail

Time	Who	Spoken	On screen
9:05	Chang	Hand on the counter. Chair behind you.	Calf stretch at the rail
9:14	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:20	Chang	Back heel stays down.	
9:27	Chang	Toes point forward.	
9:33	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:45–10:10 • Close

Time	Who	Spoken	On screen
9:45	Chang	In adults over 60, the benefit linked with daily steps levelled off around six to eight thousand a day.	
9:58	Chang	Not ten thousand. Six to eight. Log yours.	
10:02	Sun	He counts steps to the fridge. They count, apparently.	

WLK-A3 • Phase 3 (Strengthen):

Walk anywhere

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	10:05	SET-STOOP	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–1:10	Ankle pumps and circles	10 pumps + circles	10 pumps + circles	10 pumps + circles	10 pumps + circles
1:10–2:10	Step over a towel Step over a rolled towel	<i>Seated march:</i> 12 high knee lifts, seated	8 each way	8 forward and back	10 forward and back

Time	Segment	Rebuild	Steady	Strong	Iron
2:10–3:30	Step-ups Step-ups on the bottom stair	<i>Seated march:</i> 3 × 30 seconds, knees high	3 sets of 8 each leg	3 sets of 8 each leg, bag	3 sets of 10 each leg, heavier bag
3:30–5:00	Stair practice Stair practice with the rail	<i>Seated march:</i> 2 × 30 seconds	1 flight, 3 times	2 flights, twice	3 flights, bag in free hand
5:00–9:00	Walk Walk and talk	<i>Seated march:</i> 4 minutes: 1 on, 30 seconds off	4 minutes steady	4 minutes brisk	4 minutes brisk, hills
9:00–9:40	Calf stretch Calf stretch at the wall	20 seconds each leg	20 seconds each leg	20 seconds each leg	20 seconds each leg
9:40–10:05	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Phase three. Walk anywhere: stairs, curbs, uneven ground.	Walk Stronger · A3
0:10	Chang	Step practice, then a longer walk.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Rail and counter for the drills.	
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–1:10 • Ankle pumps and circles

Time	Who	Spoken	On screen
0:35	Chang	Sit tall. Chair against the wall.	Ankle pumps and circles
0:43	Chang	Point your toes away, then pull them toward you. That's one pump.	Easier: Smaller movements
0:49	Chang	Big, slow movements.	
0:54	Chang	Feel your calves work.	
1:00	Chang	Breathe slowly.	

Cues: Big, slow movements. Feel your calves work. **Easier:** Smaller movements. **Harder:** Lift one foot off the floor while you circle.

Safety callouts: Great before you stand up from sitting or lying. Sit a moment before you stand, then stand slowly while holding something steady.

1:10–2:10 • Step over a towel

Time	Who	Spoken	On screen
1:10	Chang	Hand on the counter. Chair behind you.	Step over a towel
1:22	Chang	Step over the towel sideways with the near foot, then the other.	Easier: Flat towel
1:32	Chang	Lift the knee. Clear the towel.	
1:41	Chang	Hand on the counter.	
1:51	Chang	Breathe steadily.	

Cues: Lift the knee. Clear the towel. Hand on the counter. **Easier:** A flat towel instead of rolled. **Harder:** Step over forward and back, still holding the counter.

2:10–3:30 • Step-ups

Time	Who	Spoken	On screen
2:10	Chang	Hand on the rail.	Step-ups
2:25	Chang	Step up with your right foot, placing the whole foot on the step.	Easier: Toe taps, hand on rail
2:38	Chang	Whole foot on the step, not just the toes.	
2:46	Chang	One... two... breathe out... three... slow down... four.	
2:51	Chang	Push through the heel of the top foot.	
3:04	Chang	Breathe out as you step up.	

Cues: Whole foot on the step, not just the toes. Push through the heel of the top foot. Rail hand stays on the rail. **Easier:** Toe taps: tap the step with one foot, then the other, holding the rail. Or use a lower step, like a sturdy doorway threshold. **Harder:** Step up without pushing off the bottom foot. Later: carry a light bag of groceries in the hand that isn't on the rail.

Safety callouts: If stairs make you dizzy or you have fallen on stairs, do toe taps only until you've practiced balance for two weeks.

3:30–5:00 • Stair practice

Time	Who	Spoken	On screen
3:30	Chang	Hand on the rail.	Stair practice
3:47	Chang	Walk up one step at a time at a steady pace, whole foot on each step.	Easier: Bottom 3 steps only

Time	Who	Spoken	On screen
4:01	Chang	Whole foot on the step.	
4:16	Chang	Rail hand never lets go.	
4:30	Chang	Breathe steadily. Rest at the top as long as you like.	

Cues: Whole foot on the step. Rail hand never lets go. **Easier:** Just the bottom 3 steps, up and down. **Harder:** Two flights, or carry a light bag in the free hand.

Safety callouts: Chest pain or unusual breathlessness on stairs: stop, sit, and call your doctor.

5:00–9:00 • Walk

Time	Who	Spoken	On screen
5:00	Chang	Good shoes. Cane or walker if you use one.	Walk
5:35	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
6:07	Chang	Walk at an easy pace for 2 minutes to warm up.	
6:39	Chang	Tall. Eyes ahead, not at your feet.	
7:11	Chang	Arms swing naturally.	
7:43	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:00–9:40 • Calf stretch

Time	Who	Spoken	On screen
9:00	Chang	Hand on the counter. Chair behind you.	Calf stretch
9:09	Chang	Bend the front knee and lean gently toward the wall until you feel a stretch in the back calf.	Easier: Smaller step back
9:15	Chang	Back heel stays down.	
9:22	Chang	Toes point forward.	
9:28	Chang	Breathe slowly through the stretch.	

Cues: Back heel stays down. Toes point forward. **Easier:** Smaller step back. **Harder:** Bigger step back, or bend the back knee slightly to reach the lower calf.

9:40–10:05 • Close

Time	Who	Spoken	On screen
9:40	Chang	Curbs, stairs, grass. You trained for all of them.	
9:53	Chang	Thursday: the long brisk session.	

WLK-B3 • Phase 3 (Strengthen): The long brisk walk

Type	Length	Set	Wardrobe	Voices
Walk Stronger program	11:10	SET-PROM	C-TRAIN-B	Chang

On screen the whole session: the "AI character" corner tag. In the first 30 seconds and before each hard block: "Stop if chest pain, dizziness or sharp pain."

Gentle-day swaps (the sore knee / sore back / low energy button): **Sore knee:** Use the Rebuild version of any standing leg move; skip floor practice and stairs today. **Sore back:** Seated versions of hinges and carries; keep every bend long-backed. **Low energy:** Do the warm-up, the first two blocks and the cool-down.

Run of show

Time	Segment	Rebuild	Steady	Strong	Iron
0:00–0:35	Welcome	All levels together			
0:35–2:15	Easy walk Walk and talk	<i>Seated march:</i> 100 seconds	100 seconds easy	100 seconds easy	100 seconds easy
2:15–4:15	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 1 easy	2 minutes brisk-ish	2 minutes brisk	2 minutes brisk, hill

Time	Segment	Rebuild	Steady	Strong	Iron
4:15–5:00	Easy Walk and talk	<i>Seated march:</i> 45 seconds easy	45 seconds easy	45 seconds easy	45 seconds easy
5:00–7:00	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 1 easy	2 minutes brisk-ish	2 minutes brisk	2 minutes brisk
7:00–7:45	Easy Walk and talk	<i>Seated march:</i> 45 seconds easy	45 seconds easy	45 seconds easy	45 seconds easy
7:45–9:45	Brisk Walk and talk	<i>Seated march:</i> 1 minute faster, 1 easy	2 minutes brisk-ish	2 minutes brisk	2 minutes brisk, hill
9:45–10:45	Cool-down walk Walk and talk	<i>Seated march:</i> 1 minute slow	1 minute slow	1 minute slow	1 minute slow
10:45–11:10	Close	All levels together			

Script

0:00–0:35 • Welcome

Time	Who	Spoken	On screen
0:00	Chang	Phase three. The long brisk walk.	Walk Stronger · B3
0:10	Chang	Three brisk blocks. Easy between.	Stop if chest pain, dizziness or sharp pain
0:17	Chang	Stop for chest pain, pressure, or calf pain that comes on with walking.	

Time	Who	Spoken	On screen
0:24	Chang	Chest pain, dizziness or sharp pain: stop, sit, and call your doctor.	

0:35–2:15 • Easy walk

Time	Who	Spoken	On screen
0:35	Chang	Good shoes. Cane or walker if you use one.	Easy walk
0:51	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
1:04	Chang	Walk at an easy pace for 2 minutes to warm up.	
1:18	Chang	Tall. Eyes ahead, not at your feet.	
1:31	Chang	Arms swing naturally.	
1:44	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

2:15–4:15 • Brisk

Time	Who	Spoken	On screen
2:15	Chang	Good shoes. Cane or walker if you use one.	Brisk

Time	Who	Spoken	On screen
2:34	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
2:50	Chang	Walk at an easy pace for 2 minutes to warm up.	
3:06	Chang	Tall. Eyes ahead, not at your feet.	
3:22	Chang	Arms swing naturally.	
3:38	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

4:15–5:00 • Easy

Time	Who	Spoken	On screen
4:15	Chang	Good shoes. Cane or walker if you use one.	Easy
4:24	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
4:30	Chang	Walk at an easy pace for 2 minutes to warm up.	
4:36	Chang	Tall. Eyes ahead, not at your feet.	
4:42	Chang	Arms swing naturally.	

Time	Who	Spoken	On screen
4:48	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

5:00–7:00 • Brisk

Time	Who	Spoken	On screen
5:00	Chang	Good shoes. Cane or walker if you use one.	Brisk
5:19	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
5:35	Chang	Walk at an easy pace for 2 minutes to warm up.	
5:51	Chang	Tall. Eyes ahead, not at your feet.	
6:07	Chang	Arms swing naturally.	
6:23	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

7:00–7:45 • Easy

Time	Who	Spoken	On screen
7:00	Chang	Good shoes. Cane or walker if you use one.	Easy
7:09	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
7:15	Chang	Walk at an easy pace for 2 minutes to warm up.	
7:21	Chang	Tall. Eyes ahead, not at your feet.	
7:27	Chang	Arms swing naturally.	
7:33	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

7:45–9:45 • Brisk

Time	Who	Spoken	On screen
7:45	Chang	Good shoes. Cane or walker if you use one.	Brisk
8:04	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter

Time	Who	Spoken	On screen
8:20	Chang	Walk at an easy pace for 2 minutes to warm up.	
8:36	Chang	Tall. Eyes ahead, not at your feet.	
8:52	Chang	Arms swing naturally.	
9:08	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

9:45–10:45 • Cool-down walk

Time	Who	Spoken	On screen
9:45	Chang	Good shoes. Cane or walker if you use one.	Cool-down walk
9:56	Chang	Good shoes. Cane or walker if you use one.	Easier: Indoors, touching the counter
10:04	Chang	Walk at an easy pace for 2 minutes to warm up.	
10:12	Chang	Tall. Eyes ahead, not at your feet.	
10:20	Chang	Arms swing naturally.	
10:28	Chang	Breathe easy and steady. The talk test: you should be able to speak in short sentences.	

Cues: Tall. Eyes ahead, not at your feet. Arms swing naturally. Heel, then toe. **Easier:** Walk indoors: kitchen to front door and back, touching the counter as you pass. Or march seated. **Harder:** Add 1-minute faster stretches, or a gentle hill.

Safety callouts: Chest pain, pressure, or unusual breathlessness: stop, sit, and call your doctor. If it doesn't settle in a few minutes, call 911.

10:45–11:10 • Close

Time	Who	Spoken	On screen
10:45	Chang	Twelve weeks. Walk stronger. Keep walking.	
10:58	Chang	Final checkpoint this weekend: your walking speed.	

Where the numbers come from

Every number and health statement in this book traces to one of the entries below. They are the same evidence IDs our whole team uses (EVIDENCE.md). Grade A means a Cochrane review, a large meta-analysis or a guideline body. B means a single good trial or a small meta-analysis. C means an observational study: it shows a link, not cause and effect. D means lab, physiology or label data.

E10 (grade C). Gait speed and survival: 34,485 adults 65+. 0.8 m/s is around median life expectancy. ≥ 1.0 m/s was linked with longer-than-expected survival. Under 0.6 m/s means higher risk.

Source: Studenski et al., JAMA 2011 — <https://www.sciencedaily.com/releases/2011/01/110104161621.htm>

E13 (grade A–). Otago Exercise Programme: a home programme of leg strengthening, balance exercises and walking designed for older adults, studied in 7 trials with 1,503 people (mean age 81.6). We use its exercise types and progressions; we make no outcome claim from it.

Source: Thomas et al., Age Ageing 2010 — <https://www.ncbi.nlm.nih.gov/books/NBK78898/>

E22 (grade C). Daily steps: in adults 60+, mortality benefit plateaued at about 6,000–8,000 steps/day. The top quartiles had 40–53% lower risk than the lowest (about 3,500/day).

Source: Paluch et al., Lancet Public Health 2022 — <https://www.sciencedaily.com/releases/2022/03/220303112207.htm>

E23 (grade A– (meta)). Light walking after meals (even 2–5 minutes) lowers the post-meal glucose rise compared with sitting.

Source: Buffey et al., Sports Med 2022 — <https://pubmed.ncbi.nlm.nih.gov/35147898/>

E41 (grade B (known literature)). Pain-monitoring model: during and after exercise, pain up to about 3/10 (we use a conservative threshold) is acceptable if it settles by the next morning and isn't trending up week to week.

Source: Thomeé, Phys Ther 1997; Silbernagel et al., Am J Sports Med 2007

E42 (grade A (statement)). AHA scientific statement (2023): resistance training is recommended for adults with and without cardiovascular disease. It lowers blood pressure and improves glucose control and function. Avoid breath-holding (Valsalva). People with CVD should get individualized clearance.

Source: Paluch et al., Circulation 2024 — <https://www.ahajournals.org/doi/10.1161/CIR.0000000000001189>

E43 (grade A (guideline)). Pre-exercise screening (ACSM 2015): anyone with symptoms of cardiovascular, metabolic or renal disease (chest pain, unusual breathlessness, fainting) should get medical clearance before starting. Otherwise, light-to-moderate exercise can begin and progress.

Source: Riebe et al., Med Sci Sports Exerc 2015 (known literature)

E49 (grade A (tool/norms)). Senior Fitness Test (Rikli & Jones): 7,183 US community-dwelling adults aged 60–94 from 267 sites in 21 states.

"Normal range" = the middle 50% (25th–75th percentile) for each 5-year age band and sex. 30-s chair stand, 30-s arm curl (5 lb women / 8 lb men), 2-minute step test (right-knee lifts to midway between kneecap and hip bone), chair sit-and-reach (inches, + past the toes / – short of them). Example normal ranges, women 70–74: chair stand 10–15, arm curl 12–17, step test 68–101, sit-and-reach –1.0 to +4.0 in; men 70–74: 12–17, 14–21, 80–110, –3.5 to +2.5 in. Full tables in products/strength_reset.md. It's a fitness comparison, not a diagnosis.

Source: Rikli & Jones, Senior Fitness Test Manual, 2nd ed. 2013 (primary not opened).

Opened: normative tables — <https://integrativephysicaltherapyservices.com/wp-content/uploads/2023/08/Fitness-Testing-for-Seniors-PDF.pdf> ; protocol + sample size — <https://fitnessnorms.com/functional/chair-sit-and-reach/> , <https://fitnessnorms.com/functional/step-test/> , <https://fitnessnorms.com/functional/arm-curl/> . Note: the PDF's women 60–64 sit-and-reach cell reads "–0.5 to +0.5" (typo); we use the fitnessnorms 25th–75th percentiles (–0.6 to +4.8 in).

E51 (grade A (tool)). CDC STEADI Timed Up and Go: stand from a chair, walk 10 feet (3 m) at normal pace, turn, walk back, sit. The CDC uses 12 seconds or more as a screening threshold worth discussing with a clinician. Always have someone stand by.

Source: CDC STEADI — opened <https://www.cdc.gov/steady/media/pdfs/STEADI-Assessment-TUG-508.pdf>