

```

// _____
// pom.xml dependency
// _____
/*
<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-webflux</artifactId>
</dependency>
<dependency>
    <groupId>com.fasterxml.jackson.core</groupId>
    <artifactId>jackson-databind</artifactId>
</dependency>
*/

// _____
// application.yml
// _____
/*
servicenow:
    instance-url: https://yourcompany.service-now.com
    username: your-username
    password: your-password
*/

// _____
// ServiceNowProperties.java
// _____

import org.springframework.boot.context.properties.ConfigurationProperties;
import org.springframework.stereotype.Component;

@Component
@ConfigurationProperties(prefix = "servicenow")
public class ServiceNowProperties {

    private String instanceUrl;
    private String username;
    private String password;

    // Getters and Setters
    public String getInstanceUrl() { return instanceUrl; }
    public void setInstanceUrl(String instanceUrl) { this.instanceUrl =

```

```

instanceUrl; }

    public String getUsername() { return username; }
    public void setUsername(String username) { this.username = username; }

    public String getPassword() { return password; }
    public void setPassword(String password) { this.password = password; }
}

// _____
// ServiceNowConfig.java
// _____

import org.springframework.context.annotation.Bean;
import org.springframework.context.annotation.Configuration;
import org.springframework.web.reactive.function.client.WebClient;

import java.util.Base64;

@Configuration
public class ServiceNowConfig {

    @Bean
    public WebClient serviceNowWebClient(ServiceNowProperties props) {
        String credentials = props.getUsername() + ":" + props.getPassword();
        String basicAuth = "Basic " +
Base64.getEncoder().encodeToString(credentials.getBytes());

        return WebClient.builder()
            .baseUrl(props.getInstanceUrl() + "/api/now/table")
            .defaultHeader("Authorization", basicAuth)
            .defaultHeader("Accept", "application/json")
            .build();
    }
}

// _____
// ChangeRequestResponse.java (DTO)
// _____

import com.fasterxml.jackson.annotation.JsonIgnoreProperties;
import com.fasterxml.jackson.annotation.JsonProperty;
import java.util.List;

@JsonIgnoreProperties(ignoreUnknown = true)

```

```

public class ChangeRequestResponse {

    private List<ChangeRequest> result;

    public List<ChangeRequest> getResult() { return result; }
    public void setResult(List<ChangeRequest> result) { this.result = result; }

    @JsonIgnoreProperties(ignoreUnknown = true)
    public static class ChangeRequest {

        @JsonProperty("sys_id")
        private String sysId;

        @JsonProperty("number")
        private String number;

        @JsonProperty("short_description")
        private String shortDescription;

        @JsonProperty("state")
        private String state;

        @JsonProperty("priority")
        private String priority;

        @JsonProperty("assigned_to")
        private String assignedTo;

        @JsonProperty("start_date")
        private String startDate;

        @JsonProperty("end_date")
        private String endDate;

        // Getters
        public String getSysId() { return sysId; }
        public String getNumber() { return number; }
        public String getShortDescription() { return shortDescription; }
        public String getState() { return state; }
        public String getPriority() { return priority; }
        public String getAssignedTo() { return assignedTo; }
        public String getStartDate() { return startDate; }
        public String getEndDate() { return endDate; }
    }
}

```

```

// _____
// ServiceNowService.java
// _____

import org.springframework.stereotype.Service;
import org.springframework.web.reactive.function.client.WebClient;
import reactor.core.publisher.Mono;

import java.util.List;

@Service
public class ServiceNowService {

    private final WebClient webClient;

    public ServiceNowService(WebClient serviceNowWebClient) {
        this.webClient = serviceNowWebClient;
    }

    /**
     * Fetch Change Requests by CHG number
     * e.g., number = "CHG0001234"
     */
    public List<ChangeRequestResponse.ChangeRequest>
    getChangeRequestByNumber(String number) {
        String query = "number=" + number;
        return fetchChangeRequests(query, 1);
    }

    /**
     * Fetch Change Requests with a custom sysparm_query and limit
     */
    public List<ChangeRequestResponse.ChangeRequest> getChangeRequests(String
    sysparmQuery, int limit) {
        return fetchChangeRequests(sysparmQuery, limit);
    }

    private List<ChangeRequestResponse.ChangeRequest> fetchChangeRequests(String
    sysparmQuery, int limit) {
        ChangeRequestResponse response = webClient.get()
            .uri(uriBuilder -> uriBuilder
                .path("/change_request")
                .queryParam("sysparm_query", sysparmQuery)
                .queryParam("sysparm_limit", limit)
                .queryParam("sysparm_display_value", true)
                .build())
            .retrieve()

```

```

        .onStatus(
            status -> status.is4xxClientError() ||
status.is5xxServerError(),
            clientResponse -> clientResponse.bodyToMono(String.class)
                .flatMap(errorBody -> Mono.error(
                    new RuntimeException("ServiceNow API
error: " + clientResponse.statusCode() + " - " + errorBody)
                ))
        )
        .bodyToMono(ChangeRequestResponse.class)
        .block();

    return response != null ? response.getResult() : List.of();
}
}

```

```

// _____
// ServiceNowController.java (optional - for testing via REST)
// _____

```

```

import org.springframework.web.bind.annotation.*;
import java.util.List;

```

```

@RestController
@RequestMapping("/change-requests")
public class ServiceNowController {

    private final ServiceNowService serviceNowService;

    public ServiceNowController(ServiceNowService serviceNowService) {
        this.serviceNowService = serviceNowService;
    }

    @GetMapping("/{number}")
    public List<ChangeRequestResponse.ChangeRequest>
getChangeRequest(@PathVariable String number) {
        return serviceNowService.getChangeRequestByNumber(number);
    }
}

```

```

// _____
// Quick test - call from main or a unit test
// _____
/*
GET http://localhost:8080/change-requests/CHG0001234

```

Or directly via ServiceNowService:

```
List<ChangeRequestResponse.ChangeRequest> results =
serviceNowService.getChangeRequestByNumber("CHG0001234");
results.forEach(cr -> {
    System.out.println("Number          : " + cr.getNumber());
    System.out.println("Description    : " + cr.getShortDescription());
    System.out.println("State          : " + cr.getState());
    System.out.println("Priority       : " + cr.getPriority());
    System.out.println("Assigned To   : " + cr.getAssignedTo());
});
*/
```