Employee.java

Java

```java
package com.example.employee_salary_calculator;

public class Employee {
    private String name;
    private double basicSalary;

    public Employee() {
    }

    public Employee(String name, double basicSalary) {
        this.name = name;
        this.basicSalary = basicSalary;
    }

    public String getName() {
        return name;
    }

    public void setName(String name) {
        this.name = name;
    }

    public double getBasicSalary() {
        return basicSalary;
    }

    public void setBasicSalary(double basicSalary) {
        this.basicSalary = basicSalary;
    }

}

```

SalaryService.java

Java

```java
package com.example.employee_salary_calculator;

import org.springframework.stereotype.Service;

@Service
public class SalaryService {
    public double calculateAllowances(double basicSalary) {
        return basicSalary * 0.20;
    }

    public double calculateDeductions(double basicSalary) {
        return basicSalary * 0.10;
    }

    public double calculateNetSalary(double basicSalary) {
        double allowances = calculateAllowances(basicSalary);
        double deductions = calculateDeductions(basicSalary);

        return basicSalary + allowances - deductions;
    }

}

```

SalaryController.java

Java

```java
package com.example.employee_salary_calculator;

import java.util.LinkedHashMap;
import java.util.Map;

import org.springframework.web.bind.annotation.*;

@RestController
@RequestMapping("/salary")
public class SalaryController {
    private final SalaryService salaryService;

    public SalaryController(SalaryService salaryService) {
        this.salaryService = salaryService;
    }

    @PostMapping
    public Map<String, Object> calculateSalary(@RequestBody Employee employee) {

        double basicSalary = employee.getBasicSalary();
        double allowances = salaryService.calculateAllowances(basicSalary);
        double deductions = salaryService.calculateDeductions(basicSalary);
        double netSalary = salaryService.calculateNetSalary(basicSalary);

        Map<String, Object> result = new LinkedHashMap<>();
        result.put("employeeName", employee.getName());
        result.put("basicSalary", basicSalary);
        result.put("allowances", allowances);
        result.put("deductions", deductions);
        result.put("netSalary", netSalary);

        return result;
    }

}

```

EmployeeSalaryCalculatorApplication.java

Java

```java
package com.example.employee_salary_calculator;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class EmployeeSalaryCalculatorApplication {

    public static void main(String[] args) {
        SpringApplication.run(EmployeeSalaryCalculatorApplication.class, args);
    }

}

```