

Project: Paloma 12" Discharge

Tract(s): NM-ED-0006.00000

NM-ED-0008.00000

NM-ED-0009.00100

NM-ED-0021.00000

NM-ED-0022.00000

NM-ED-0022.00060

NM-ED-0022.00061

NM-ED-0022.00070

NM-ED-0022.00080

NM-ED-0022.00081

Eddy County, New Mexico

MEMORANDUM OF PERMANENT EASEMENT AGREEMENT

THE STATE OF NEW MEXICO §
 § KNOW ALL PERSONS BY THESE PRESENTS:
 COUNTY OF EDDY §

That the undersigned, **Walterscheid Trucking and Farms, LLC**, whose address is 3226 Tidwell Road Carlsbad, New Mexico 88220, hereinafter referred to as "Grantor" (whether one or more), their successors and assigns, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, has entered into a Permanent Easement Agreement, herein referred to as the "Easement," with **Enterprise Field Services, LLC**, a Texas limited liability company, whose mailing address is P. O. Box 4324, Houston, Texas, 77210-4324 (hereinafter called "Grantee"), its successors and assigns, granting and conveying to Grantee those certain permanent and temporary easements, which are more particularly described and depicted on the attached Exhibits "A" and "B" attached hereto and incorporated herein for all intents and purposes.

This Memorandum of Permanent Easement Agreement (the "Memorandum") may be executed in several counterparts, each of which shall be an original of this Memorandum but all of which, taken together, shall constitute one and the same Memorandum and be binding upon the parties who executed any counterpart, regardless of whether it is executed by all parties named herein.

All prospective assignees, mortgagees or other parties claiming some interest or acquiring some interest by, through, or under any of the above-mentioned parties are put on notice of the priority of the Easement and the terms and provisions thereof and can contact the parties to determine the terms and provisions thereof.

The Easement contains other provisions that limit and restrict the rights of the parties in relation to their specific interests in and to the property covered by the Easement.

[remainder of page intentionally blank]

Reception: 2505159 Book: 1194 Page: 0995 Pages: 27

Recorded: 04/21/2025 03:14 PM Fee: \$25.00 *Swonder*

Eddy County, New Mexico ~ Cara Cooke, County Clerk



80

EXECUTED this _____ day of _____, 2025.

GRANTOR(S):

Walterscheid Trucking and Farms, LLC

By: *Philip Walterscheid*

Name: PHILIP WALTERSCHEID


Its: OWNER

ACKNOWLEDGEMENT

STATE OF NEW MEXICO)

COUNTY OF Eddy)

This record was acknowledged before me on April 17, 2025,
by Philip Walterscheid, as owner for
Walterscheid Trucking and Farms, LLC, on behalf of said limited liability company.

Stamp: 

By: *CHAM*
Notary Public

My Commission Expires: 05/31/2028.

Please return recorded original to:
Enterprise Field Services LLC
Attn: Land Dept.
6010 E Hwy 191, Suite 245B
Odessa, Texas 79762

EXHIBIT "A"

NM-ED-0006.00000
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 3

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT PIPELINE EASEMENT

The centerline of a proposed thirty-foot (30') wide permanent pipeline easement, being 0.46 acre of land located within Section 22 Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms, LLC, a New Mexico limited liability company, (NKA Walterscheid Trucking and Farms, LLC) in Book 1182, Page 706 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 15 feet on each side of the following described centerline (as shown in Detail "A" on sheet 2 of 3):

BEGINNING (POINT OF BEGINNING) at a point having the grid coordinates of N: 502,020.19, E: 588,881.05, from which a 1/2-inch iron rod found for the North quarter corner of said Section 22 bears N 16°26'09" E a distance of 2,094.48 feet.

THENCE across said Section 22 the following course and distance:

S 03°41'27" E a distance of 667.10 feet to the **POINT OF TERMINATION** of the herein described centerline having the grid coordinates of N: 501,354.48, E: 588,923.99, from which a 1/2-inch iron rod found for the West quarter corner of said Section 22 bears S 89°10'57" W a distance of 2,117.10 feet.

The total length of the above described proposed permanent pipeline easement being 667.10 feet (40.43 rods), containing 0.46 acre of land, containing 0.61 acre of temporary workspace and containing 0.10 acre of additional temporary workspace.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR





EXHIBIT "B"
SECTION 22, T-22-S, R-27-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO
CERTIFICATION OF SURVEY TO ACCOMPANY
LEGAL DESCRIPTION FOR EASEMENT

NEW MEXICO STATE PLANE
COORDINATE SYSTEM (NMORS)



DETAIL "B"
NOT TO SCALE

NOTES:

- 1) ALL BEARINGS AND COORDINATES REFER TO NAD 83, NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, U.S. SURVEY FEET. ALL DISTANCES AND AREAS SHOWN HEREON ARE BASED ON GRID MEASUREMENTS UTILIZING A COMBINED SCALE FACTOR OF 0.9997803484 AND A CONVERGENCE ANGLE OF 0.054807548°.
- 2) THIS EASEMENT PLAT (EXHIBIT "B") AND THE EASEMENT DESCRIPTION (EXHIBIT "A") WERE PREPARED FOR THE PURPOSES OF CREATING AN EASEMENT AND MUST NOT BE USED AS A PROPERTY BOUNDARY SURVEY.
- 3) TITLE AND CURRENT OWNERSHIP INFORMATION FURNISHED BY SUMMIT RESOURCES, LLC.

DATE OF SURVEY: OCTOBER 2024

CERTIFICATION

I, DAVID W. MYERS NEW MEXICO PROFESSIONAL SURVEYOR NO. 11403, DO HEREBY CERTIFY THAT THIS EASEMENT SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO; AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I FURTHER CERTIFY THAT THIS SURVEY IS NOT A LAND DIVISION OR SUBDIVISION AS DEFINED IN THE NEW MEXICO SUBDIVISION ACT AND THAT THIS INSTRUMENT IS AN EASEMENT SURVEY PLAT CROSSING AN EXISTING TRACT OR TRACTS.

FEBRUARY 11, 2025



LEGEND		TOWNSHIP LINE	
PROPOSED PERMANENT EASEMENT	MONUMENT	PROPERTY LINE	
TEMPORARY WORKSPACE	POINT OF INTERSECTION	SECTION LINE	
ADDITIONAL TEMPORARY WORKSPACE	CALCULATED POINT	PROP. PIPELINE	
	POINT OF BEGINNING	PROPERTY ADJUNCTION	
	POINT OF TERMINATION	ROAD	
	REF. LINE		
	EASEMENT		
	PROPOSED EASEMENT		



H.Q. WEST MONROE, LA

Enterprise Field
Services, LLC

PALOMA 12" DISCHARGE

REV.	DATE	DESCRIPTION	BY	CHKD.	JOB NO.
0	12/08/24	ISSUE CERTIFIED	JRD	DFS	EPD_0056_PR
1	12/17/24	LAND OWNER UPDATE	KDL	DFS	
2	2/05/2025	UPDATED ROUTE	AO	DFS	

NM-ED-0006.00000
PLAT FOR A PROPOSED 30' WIDE PERMANENT PIPELINE EASEMENT
CROSSING THE PROPERTY OF
WALTERSCHEID TRUCKING AND FARMS, LLC
EDDY COUNTY, NEW MEXICO
DFS ADDRESS: 510 TRENTON ST., WEST MONROE, LA 71291, OFFICE: 318.322.6900

EXHIBIT "A"

NM-ED-0008.00000
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 3

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT PIPELINE EASEMENT

The centerline of a proposed thirty-foot (30') wide permanent pipeline easement, being 0.36 acre of land located within Section 22, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms (NKA-Walterscheid Trucking and Farms, LLC) in Book 850 Page 343 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 15 feet on each side of the following described centerline (as shown in Detail "A" on sheet 2 of 3):

BEGINNING (POINT OF BEGINNING) at a point on the North line of said tract, having the grid coordinates of N: 500,672.43, E: 588,967.99, from which a 1/2-inch iron rod found for the West quarter corner of said Section 22 bears N 73°12'49" W a distance of 2,257.05 feet.

THENCE across said Section 22 the following courses and distances:

S 03°41'27" E a distance of 19.92 feet and N 89°09'41" E a distance of 495.88 feet to the *POINT OF TERMINATION* of the herein described centerline having the grid coordinates of N: 500,659.81, E: 589,465.10, from which a 3/8-inch iron rod found for the Southeast corner of said Section 22 bears S 53°46'53" E a distance of 3,271.69 feet.

The total length of the above described proposed permanent pipeline easement being 515.80 feet (31.26 rods), containing 0.36 acre of land, containing 0.47 acre of temporary workspace and containing 0.07 acre of additional temporary workspace.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.




DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR




DFS ADDRESS: 510 TRENTON ST., WEST MONROE, LA. 71291 OFFICE: 318.323.6500



NEW MEXICO STATE PLANE



DETAIL "B"
NOT TO SCALE

FEBRUARY 11, 2025



PROPOSED PERMANENT EASEMENT		<div>LEGEND</div> <div>MONUMENT</div> <div>POINT OF INTERSECTION</div> <div>CALCULATED POINT</div> <div>POINT OF BEGINNING</div> <div>POINT OF TERMINATION</div> <div>REF. LINE</div> <div>EASEMENT</div> <div>PROPOSED EASEMENT</div>	<div>⊙</div> <div>○</div> <div>P.O.B.</div> <div>P.O.T.</div>	TOWNSHIP LINE		PROPERTY LINE	
TEMPORARY WORKSPACE				SECTION LINE		PIPE, PIPELINE	
ADDITIONAL TEMPORARY WORKSPACE				PROPERTY ADJOWER		ROAD	
						 Enterprise Field Services, LLC	
				H.Q. WEST MONROE, LA		PALOMA 12" DISCHARGE	

REV.	DATE	DESCRIPTION	BY	CHKD.	JOB NO.	NM-ED-0008.00000	
0	12/08/24	ISSUE CERTIFIED	JRD	DFS	DRAWN BY: JRD	DATE: 11/28/24	PLAT FOR A PROPOSED 30' WIDE PERMANENT PIPELINE EASEMENT CROSSING THE PROPERTY OF WALTERSCHEID TRUCKING AND FARMS, LLC EDDY COUNTY, NEW MEXICO
1	12/17/24	UPDATED OWNER NAME	EG	DFS	CHK. BY: DFS	DATE: 11/27/24	
2	02/06/25	UPDATED ROUTE	AO	DFS	PAGE: 3	OF 3	

EXHIBIT "A"

NM-ED-0009.00100
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT PIPELINE EASEMENT

The centerline of a proposed thirty-foot (30') wide permanent pipeline easement, being 0.84 acre of land located within Section 22, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms (NKA-Walterscheid Trucking and Farms, LLC) in Book 850, Page 343 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 15 feet on each side of the following described centerline (as shown in Detail "A" on sheet 2 of 2):

BEGINNING (POINT OF BEGINNING) at a point on the West line of said Tract, having the grid coordinates of N: 500,659.81, E: 589,465.10 from which a 1/2-inch iron rod found for the West quarter corner of said Section 22 bears N 75°57'52" W a distance of 2,739.78 feet.

THENCE across said tract the following courses and distances:

N 89°09'41" E a distance of 1,168.79 feet and S 55°03'08" E a distance of 53.71 feet to the *POINT OF TERMINATION* of the herein described centerline having the grid coordinates of N: 500,646.15, 590,677.78, from which a 3/8-inch iron rod found for the Southeast corner of said Section 22 bears S 36°37'29" E a distance of 2,391.70 feet.

The total length of the above described proposed permanent pipeline easement being 1,222.50 feet (74.09 rods), containing 0.84 acre of land, containing 1.10 acres of temporary workspace and containing 0.04 acre of additional temporary workspace.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR




EXHIBIT "A"

NM-ED-0021.00000
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT EASEMENT

Being a centerline description of a proposed thirty-foot (30') wide permanent pipeline easement located within Section 23, Township 22 South, Range 27 East, New Mexico Principal Meridian Eddy County, New Mexico, and being a portion of a tract described to Walterscheid Trucking and Farms, Inc. , a New Mexico Corporation (NKA Walterscheid Trucking And Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico (O.P.R.E.C.NM.).

Being more particularly described as lying 15 feet on each side of the following described centerline:

BEGINNING (POINT OF BEGINNING) at a point on the South line of said Section 23, having the grid coordinates of N: 498,792.25, E: 595,957.71, from which a 1/2-inch iron rod found for the South quarter corner of said Section 23 bears S 89°23'12" W a distance of 1,186.52 feet;

THENCE continuing across said Section 23 the following courses and distances:

N 00°08'02" E a distance of 77.40 feet and S 89°57'02" E a distance of 1,551.95 feet to a point on the East line of said Section 23 for the *POINT OF TERMINATION* of the herein described centerline, having the grid coordinates of N: 498,868.31, E: 597,509.84, from which a cotton spindle found for the Southeast corner of said Section 23 bears S 01°50'44" E a distance of 59.46 feet.

The length of the above described proposed permanent pipeline easement being 1,629.35 feet (98.75 rods), containing 1.12 acres of land, together with 1.56 acres of temporary workspace and 0.17 acre of additional temporary workspace.


All bearings and coordinates refer to NAD83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor 0.9997603484 and a convergence angle of 0.054807548°.

Title and current ownership information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR

150' 0' 150' 300'
SCALE: 1" = 300'

EXHIBIT "B"
SECTION 23,
T-22-S, R-27-E
EDDY COUNTY, NEW MEXICO

NM-ED-0021.00000
12" DISCHARGE
WALTERSCHEID TRUCKING AND FARMS, INC.,
A NEW MEXICO CORPORATION
(NKA-WALTERSCHEID TRUCKING AND FARMS, LLC)
BOOK 993, PAGE 810
O.P.R.E.C.NM.

SECTION 23
T-22-S, R-27-E

LINE	BEARING	DISTANCE
L1	N 00°08'02" E	77.40'
L2	S 89°57'02" E	1,551.95'

NM-ED-0022.00000
WALTERSCHEID TRUCKING
AND FARMS, INC., A NEW
MEXICO CORPORATION
(NKA-WALTERSCHEID
TRUCKING AND FARMS,
LLC)
BOOK 993, PAGE 810
O.P.R.E.C.NM.

DETAIL "A"
NOT TO SCALE

DETAIL "B"
NOT TO SCALE

1/2" IRON ROD
FND. FOR S/4 COR.
OF SEC. 23.

82' X 90'
A.T.W.S.

SEE DETAIL "A"

SEE DETAIL "B"

P.O.T.
N: 498,868.31
E: 597,509.84

S 01°30'44" E
58.46'

FERGUSON ROAD

S 89°23'12" W
1,186.52'

P.O.B.
N: 498,792.25
E: 595,957.71

NM-ED-0018.00000
THE ESTATE OF
HENRY H.
GRANDI
BOOK 888, PAGE 434
O.P.R.E.C.NM.

NM-ED-0017.00000
THE ESTATE OF
HENRY H.
GRANDI
BOOK 888, PAGE 434
O.P.R.E.C.NM.

NM-ED-0021.00000 12" DISCHARGE
& PROPOSED 30' WIDE PIPELINE
EASEMENT

COTTON SPINDLE
FND. FOR SE
COR. OF SEC. 23

SECTION 24
T-22-S, R-27-E

SECTION 25
T-22-S, R-27-E

SECTION 26
T-22-S, R-27-E

NOTES:

- ALL BEARINGS AND COORDINATES REFER TO NAD83, NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, U.S. SURVEY FEET. ALL BEARINGS, DISTANCES, COORDINATES AND AREAS ARE GRID MEASUREMENTS UTILIZING A COMBINED SCALE FACTOR 0.9997803484 AND A CONVERGENCE ANGLE OF 0.054807548°.
- THIS EASEMENT PLAT (EXHIBIT "B") AND THE EASEMENT DESCRIPTION (EXHIBIT "A") WERE PREPARED FOR THE PURPOSE OF CREATING AN EASEMENT AND MUST NOT BE USED AS A PROPERTY BOUNDARY SURVEY.
- TITLE AND CURRENT OWNERSHIP INFORMATION FURNISHED BY SUMMIT RESOURCES, LLC.

CERTIFICATION

I, DAVID W. MYERS NEW MEXICO PROFESSIONAL SURVEYOR NO. 11403, DO HEREBY CERTIFY THAT THIS EASEMENT SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO; AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I FURTHER CERTIFY THAT THIS SURVEY IS NOT A LAND DIVISION OR SUBDIVISION AS DEFINED IN THE NEW MEXICO SUBDIVISION ACT AND THAT THIS INSTRUMENT IS AN EASEMENT SURVEY PLAT CROSSING AN EXISTING TRACT OR TRACTS.

FEBRUARY 12, 2025

DAVID W. MYERS
NEW MEXICO
11403
PROFESSIONAL SURVEYOR

PROPOSED PERMANENT
EASEMENT = 1.12 ACRES

TEMPORARY
WORKSPACE = 1.58 ACRES

ADDITIONAL TEMPORARY
WORKSPACE = 0.17 ACRE

CENTERLINE FOOTAGE = 1,629.35 FEET
RODS = 98.75 RODS

LEGEND

MONUMENT
POINT OF INTERSECTION
CALCULATED POINT
POINT OF BEGINNING
POINT OF TERMINATION
REF. LINE
EASEMENT
PROPOSED EASEMENT

PROPERTY LINE
SECTION LINE
PROP. PIPELINE
PROPERTY
ADJOINER
ROAD

DELTA
FIELD
SERVICES
H.Q. WEST MONROE, LA

Enterprise Field
Services, LLC

PALOMA 12" DISCHARGE

NM-ED-0021.00000

PLAT FOR A PROPOSED 30' WIDE PERMANENT PIPELINE EASEMENT
CROSSING THE PROPERTY OF
WALTERSCHEID TRUCKING AND FARMS, LLC
EDDY COUNTY, NEW MEXICO

REV.	DATE	DESCRIPTION	BY	CHKD.	JOB NO.
0	12/09/24	ISSUE CERTIFIED	BES	DFS	EPD_0055_PR
1	12/17/24	UPDATED ADJ. OWNER NAMES	JAM	DFS	
2	02/05/25	UPDATED ROUTE	JAM	DFS	

DATE: 11/26/24
DRAWN BY: BES
CHECKED BY: DFS
PAGE: 2 OF 2

DPS ADDRESS: 7017 OAK HILLS COURT, NORTH RICHLAND HILLS, TX 76182, OFFICE: 318.323.6900

EXHIBIT "A"

NM-ED-0022.00000
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 4

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT PIPELINE EASEMENT

The centerline of a proposed thirty-foot (30') wide permanent pipeline easement, being 3.21 acres of land located within Section 24, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms, Inc., a New Mexico Corporation (NKA - Walterscheid Trucking and Farms, LLC), in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 15 feet on each side of the following described centerline (as shown in Detail "A" on sheet 3 of 4):

BEGINNING (POINT OF BEGINNING 1) on the West line of said Section 24, having the grid coordinates of N: 498,868.31, E: 597,509.84, from which a cotton spindle found for the Southwest corner of said Section 24 bears S 01°50'44" E a distance of 59.46 feet.

THENCE across said Section 24 the following courses and distances:

S 89°57'02" E a distance of 1,396.79 feet,
N 87°35'39" E a distance of 415.01 feet,
S 89°46'05" E a distance of 915.43 feet,
N 55°28'33" E a distance of 60.72 feet,
N 89°54'17" E a distance of 112.32 feet,
S 53°38'41" E a distance of 59.79 feet,
S 89°47'07" E a distance of 587.66 feet,
S 79°12'27" E a distance of 431.29 feet, and
N 77°42'33" E a distance of 588.62 feet to the West line of a proposed surface site easement for the *POINT OF TERMINATION 1* of the herein described centerline having the grid coordinates of N: 498,922.32, E: 602,033.64, from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 69°10'44" E a distance of 707.28 feet.

The length of the above described proposed permanent pipeline easement being 4,567.63 feet (276.83 rods), containing 3.14 acres of land, containing 4.17 acres of temporary workspace and containing 0.43 acre of additional temporary workspace.

AND

BEGINNING (POINT OF BEGINNING 2) on the East line of said proposed surface site in Section 24, having the grid coordinates of N: 498,943.60, E: 602,131.34, from which a cotton spindle found for the South quarter corner of said Section 24 bears S 85°56'23" W a distance of 2,032.34 feet.

THENCE across said Section 24 the following course and distance:

N 77°42'33" E a distance of 96.58 feet to the West line of a proposed surface site easement for the *POINT OF TERMINATION 2* of the herein described centerline having the grid coordinates of N: 498,964.16, E: 602,225.71, from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 57°59'04" E a distance of 553.15 feet.

The length of the above described proposed permanent pipeline easement being 96.58 feet (5.85 rods), containing 0.07 acre of land, containing 0.08 acre of temporary workspace.

(CONTINUED)

DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR

EXHIBIT "A"

NM-ED-0022.00000
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 2 OF 4

FIELD NOTES DESCRIBING
A PROPOSED 30-FOOT WIDE PERMANENT PIPELINE EASEMENT

The total length of the above described proposed permanent pipeline easement being 4,664.21 feet (282.68 rods), containing 3.21 acres of land, containing 4.25 acres of temporary workspace and containing 0.43 acre of additional temporary workspace.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY


I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 • Office
PROJECT NO. EPD_0055_PR



NEW MEXICO STATE PLANE
COORDINATE SYSTEM (NAQ83)

 Enterprise Field
Services, LLC

NM-ED-0022.00000
 PLAT FOR A PROPOSED 30' WIDE PERMANENT PIPELINE EASEMENT
 CROSSING THE PROPERTY OF
WALTERSCHEID TRUCKING AND FARMS, LLC
 Eddy County, New Mexico

DEF. ADDRESS: 510 TRENTON ST., WEST MONROE, LA. 71291. OFFICE: 318.323.6900

EXHIBIT "A"

NM-ED-0022.00060
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED 20-FOOT WIDE PERMANENT ACCESS ROAD EASEMENT

The centerline of a proposed twenty-foot (20') wide permanent access road easement, being 0.29 acre of land located within Section 24, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms, Inc., a New Mexico Corporation (NKA Walterscheid Trucking and Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico (O.P.R.E.C.NM.).

Being more particularly described as lying 10 feet on each side of the following described centerline (as shown in Detail "A" on sheet 2 of 2):

BEGINNING (POINT OF BEGINNING) at a point having the grid coordinates of
N: 498,853.31, E: 601,403.53, from which a cotton spindle found for the South quarter corner of said Section 24 bears S 87°38'16" W a distance of 1,300.53 feet.

THENCE across said Section 24 the following courses and distances:

S 79°12'27" E a distance of 54.91 feet and N 77°41'55" E a distance of 579.72 feet to the
POINT OF TERMINATION of the herein described centerline having the grid coordinates of
N: 498,966.54, E: 602,023.88, from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 66°13'05" E a distance of 733.10 feet.

The total length of the above described proposed permanent access road easement being 634.63 feet (38.46 rods), containing 0.29 acre of land.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR




EXHIBIT "A"

NM-ED-0022.00061
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 3

FIELD NOTES DESCRIBING
A PROPOSED 20-FOOT WIDE PERMANENT ACCESS ROAD EASEMENT

The centerline of a proposed twenty-foot (20') wide permanent access road easement, being 0.74 acre of land located within Section 24, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract described to Walterscheid Trucking and Farms, Inc., a New Mexico Corporation (NKA Walterscheid Trucking and Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 10 feet on each side of the following described centerline (as shown in Detail "A" on sheet 3 of 3):

BEGINNING (POINT OF BEGINNING) at a point having the grid coordinates of
N: 498,804.21, E: 601,040.91, from which a cotton spindle found for the South quarter corner of said Section 24 bears S 89°43'27" W a distance of 936.81 feet.

THENCE across said Section 24 the following courses and distances:

N 89°31'26" E a distance of 12.78 feet,
S 89°56'09" E a distance of 51.48 feet,
S 88°35'21" E a distance of 33.54 feet,
S 89°45'24" E a distance of 119.44 feet,
N 82°57'04" E a distance of 39.82 feet,
N 72°52'16" E a distance of 47.80 feet,
N 53°58'50" E a distance of 150.14 feet,
N 41°20'17" E a distance of 39.87 feet,
N 36°09'22" E a distance of 50.10 feet,
N 32°57'34" E a distance of 51.23 feet,
N 29°42'50" E a distance of 51.07 feet,
N 24°58'34" E a distance of 51.78 feet,
N 17°29'12" E a distance of 51.48 feet,
N 13°20'53" E a distance of 51.20 feet,
N 07°31'54" E a distance of 31.86 feet,
N 82°04'23" E a distance of 31.56 feet,
N 66°17'34" E a distance of 50.66 feet,
N 74°25'50" E a distance of 51.43 feet,
S 89°35'15" E a distance of 51.55 feet,
S 76°14'30" E a distance of 50.70 feet,
S 71°12'06" E a distance of 50.30 feet,
S 69°20'57" E a distance of 50.78 feet,
S 66°09'13" E a distance of 51.43 feet,
S 61°48'39" E a distance of 51.44 feet,
S 58°19'13" E a distance of 51.42 feet,
S 54°55'41" E a distance of 50.11 feet,
S 52°32'50" E a distance of 50.81 feet,
S 47°28'38" E a distance of 46.57 feet,
S 33°41'57" E a distance of 26.58 feet,
S 32°43'27" E a distance of 22.28 feet, and
S 32°44'34" E a distance of 84.79 feet to the **POINT OF TERMINATION** of the herein described centerline having the grid coordinates of N: 498,961.89, E: 602,274.73, from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 55°17'09" E a distance of 510.95 feet.

The total length of the above described proposed permanent access road easement being 1,606.00 feet (97.33 rods), containing 0.74 acre of land.

(CONTINUED)

DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR

EXHIBIT "A"

NM-ED-0022.00061
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 2 OF 3

FIELD NOTES DESCRIBING
A PROPOSED 20-FOOT WIDE PERMANENT ACCESS ROAD EASEMENT

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.

All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR




EXHIBIT "A"

NM-ED-0022.00070
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED 20-FOOT WIDE TEMPORARY ACCESS ROAD EASEMENT

Being a centerline description of a proposed twenty-foot (20') wide temporary access road easement, being 0.03 acre of land located within Section 24, Township 22 South, Range 27 East, Eddy County, New Mexico, and being a portion of a tract described to Walterscheid Trucking and Farms, Inc. (NKA Walterscheid Trucking and Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as lying 10 feet on each side of the following described centerline (as shown in Detail "A" on sheet 2 of 2):

BEGINNING (POINT OF BEGINNING) at a point on the South line of said Section 24, having grid coordinates of N: 498,803.35, E: 599,073.35, from which a cotton spindle found for the Southwest corner of said Section 24 bears N 89°47'49" W a distance of 1,561.61 feet.

THENCE across said Section 24 the following course and distance:

N 14°26'57" E a distance of 58.19 feet to the *POINT OF TERMINATION* of the centerline described herein, having grid coordinates of N: 498,859.71, E: 599,087.87, from which a cotton spindle found for the South quarter corner of said Section 24 bears S 86°37'15" E a distance of 1,018.01 feet.

The total length of the above described proposed temporary access road easement is 58.19 feet (3.53 rods), containing 0.03 acre of land, more or less.

The edges of the easement are parallel with the centerline of the easement until reaching the boundaries of the subject tract of land.

All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.

DECEMBER 18, 2024



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR




EXHIBIT "A"

NM-ED-00022.00080
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED PERMANENT SURFACE SITE EASEMENT

A proposed permanent surface site easement, being 0.23 acre of land located within Section 24, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract as described to Walterscheid Trucking and Farms, Inc., a New Mexico Corporation (NKA-Walterscheid Trucking and Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as follows:

BEGINNING (POINT OF BEGINNING) at a point having the grid coordinates of N: 498,982.54, E: 602,020.36, from which a cotton spindle found for the South quarter corner of said Section 24 bears S 84°32'59" W a distance of 1,924.95 feet.

THENCE across said Section 24 the following courses and distances:

N 77°33'52" E a distance of 100.00 feet, S 12°26'08" E a distance of 100.00 feet from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 67°00'48" E a distance of 603.07 feet, S 77°33'52" W a distance of 100.00 feet, and N 12°26'08" W a distance of 100.00 feet to the *PLACE OF BEGINNING* of the herein described proposed permanent surface site easement.

The above described proposed permanent surface site easement containing 0.23 acre of land, together with 0.19 acre of temporary workspace.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title and current ownership information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR

EXHIBIT "B"
SECTION 24, T-22-S-R-27-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO
CERTIFICATION OF SURVEY TO ACCOMPANY
LEGAL DESCRIPTION FOR EASEMENT

25' 0' 25' 50'
SCALE: 1" = 50'

NM-ED-0022.00080
WALTERSCHEID TRUCKING AND FARMS, INC., A NEW MEXICO CORPORATION (NKA-WALTERSCHEID TRUCKING AND FARMS, LLC)
BOOK 993, PAGE 810
O.P.R.E.C.N.M.

SECTION 24
T-22-S, R-27-E

LINE	BEARING	DISTANCE
L1	N 77°33'52" E	100.00'
L2	S 12°26'06" E	100.00'
L3	S 77°33'52" W	100.00'
L4	N 12°26'06" W	100.00'

NM-ED-0022.00061
PROPOSED 20' WIDE PERMANENT ACCESS ROAD EASEMENT

NM-ED-0022.00060
PROPOSED 20' WIDE PERMANENT ACCESS ROAD EASEMENT

NM-ED-0022.00000
PROPOSED 30' WIDE PERMANENT EASEMENT (12" DISCHARGE)
S 84°32'59" W
1,924.95'

PROPOSED PERMANENT SURFACE SITE EASEMENT

TEMPORARY WORKSPACE

COTTON SPINDLE FND.
FOR S/4 COR. SEC. 24

SECTION 25
T-22-S, R-27-E

SECTION 19
T-22-S, R-28-E

SECTION 30
T-22-S, R-28-E

2" IRON PIPE W/GLO CAP
FND. FOR SE COR. SEC. 24

P.O.B.
N(Y)498,982.54
E(X)602,020.36
LAT:32.37161950
LON:-104.13677791

NEW MEXICO COORDINATE SYSTEM (NAD83 EAST ZONE)

NOTES:

- 1) ALL BEARINGS AND COORDINATES REFER TO NAD 83, NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, U.S. SURVEY FEET. ALL DISTANCES AND AREAS SHOWN HEREON ARE BASED ON GRID MEASUREMENTS UTILIZING A COMBINED SCALE FACTOR OF 0.9997603484 AND A CONVERGENCE ANGLE OF 0.054807548".
- 2) THIS EASEMENT PLAT (EXHIBIT "B") AND THE EASEMENT DESCRIPTION (EXHIBIT "A") WERE PREPARED FOR THE PURPOSES OF CREATING AN EASEMENT AND MUST NOT BE USED AS A PROPERTY BOUNDARY SURVEY.
- 3) TITLE AND CURRENT OWNERSHIP INFORMATION FURNISHED BY SUMMIT RESOURCES, LLC.

DATE OF SURVEY: OCTOBER 2024

CERTIFICATION

I, DAVID W. MYERS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 11403, DO HEREBY CERTIFY THAT THIS EASEMENT SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO; AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I FURTHER CERTIFY THAT THIS SURVEY IS NOT A LAND DIVISION OR SUBDIVISION AS DEFINED IN THE NEW MEXICO SUBDIVISION ACT AND THAT THIS INSTRUMENT IS AN EASEMENT SURVEY PLAT CROSSING AN EXISTING TRACT OR TRACTS.

FEBRUARY 17, 2025

DAVID W. MYERS
NEW MEXICO
11403
PROFESSIONAL SURVEYOR

LEGEND

MONUMENT	PROPERTY LINE	TOWNSHIP LINE
POINT OF INTERSECTION	PROPERTY LINE	PROPERTY LINE
CALCULATED POINT	PROPERTY LINE	PROPERTY LINE
POINT OF BEGINNING	PROPERTY LINE	PROPERTY LINE
POINT OF TERMINATION	PROPERTY LINE	PROPERTY LINE
REF. LINE	PROPERTY LINE	PROPERTY LINE
EASEMENT	PROPERTY LINE	PROPERTY LINE
PROPOSED EASEMENT	PROPERTY LINE	PROPERTY LINE

PROPOSED PERMANENT SURFACE SITE EASEMENT ACRES = 0.23 AC.

TEMPORARY WORKSPACE = 0.19 AC.

DELTA FIELD SERVICES
H.O. WEST MONROE, LA

Enterprise Field Services, LLC
PALOMA 12" DISCHARGE

NM-ED-0022.00080

PLAT FOR A PROPOSED PERMANENT SURFACE SITE EASEMENT ON THE PROPERTY OF
WALTERSCHEID TRUCKING AND FARMS, LLC
EDDY COUNTY, NEW MEXICO

REV.	DATE	DESCRIPTION	BY	CHKD.	JOB NO.
0	12/19/24	CERTIFIED	JJK	DFS	EPD_0055_PR
1	02/06/25	UPDATED ROUTE	AO	DFS	

DATE: 12/19/24

DATE: 12/19/24

PAGE: 2 OF 2

EXHIBIT "A"

NM-ED-00022.00081
EDDY COUNTY, NEW MEXICO
PALOMA 12" DISCHARGE
ENTERPRISE FIELD SERVICES, LLC

SHEET 1 OF 2

FIELD NOTES DESCRIBING
A PROPOSED PERMANENT SURFACE SITE EASEMENT

A proposed permanent surface site easement, being 0.04 acre of land located within Section 24, Township 22 South, Range 27 East, New Mexico Principal Meridian, Eddy County, New Mexico and being a portion of a tract as described to Walterscheid Trucking and Farms, Inc., a New Mexico Corporation (NKA-Walterscheid Trucking and Farms, LLC) in Book 993, Page 810 of the Official Public Records of Eddy County, New Mexico.

Being more particularly described as follows:

BEGINNING (POINT OF BEGINNING) at a point having the grid coordinates of N: 498,957.49, E: 602,265.66, from which a 2-inch iron pipe with GLO cap found for the Southeast corner of said Section 24 bears S 56°15'36" E a distance of 515.97 feet.

THENCE across said Section 24 the following courses and distances:

S 77°47'00" W a distance of 32.03 feet, N 32°44'35" W a distance of 53.39 feet from which a cotton spindle found for the South quarter corner of said Section 24 bears S 84°40'24" W a distance of 2,110.48 feet, N 77°47'00" E a distance of 32.03 feet, and S 32°44'35" E a distance of 53.39 feet to the *PLACE OF BEGINNING* of the herein described proposed permanent surface site easement.

The above described proposed permanent surface site easement containing 0.04 acre of land.


All bearings and coordinates refer to NAD 83, New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet. All bearings, distances, coordinates and areas are grid measurements utilizing a combined scale factor of 0.9997603484 and a convergence angle of 0.054807548°.

Title and current ownership information furnished by Summit Resources, LLC.

Reference accompanying Certificate of Survey prepared in conjunction with this legal description for easement.

STATE OF NEW MEXICO
COUNTY OF EDDY

I, David W. Myers, New Mexico Professional Surveyor No. 11403 do hereby certify that this easement survey plat and the actual survey on the ground upon which it is based were performed by me or under my direct supervision; that I am responsible for this survey; that this survey meets the minimum standards for surveying in New Mexico; and that it is true and correct to the best of my knowledge and belief. I further certify that this survey is not a land division or subdivision as defined in the New Mexico Subdivision Act and that this instrument is an easement survey plat crossing an existing tract or tracts.



DELTA FIELD SERVICES, LLC
510 Trenton St., West Monroe, LA. 71291
318.323.6900 - Office
PROJECT NO. EPD_0055_PR

