Android Development

Due Jan 25 at 11:59pm   **Points** 10   **Questions** 10
Time Limit 30 Minutes

Instructions

There are 10 questions in this quiz and you have 30 minutes to complete it.

Make sure you do the following before taking this quiz:

1. Listen to the lecture recordings
2. View the slides for the lecture
3. Read through Chapter 1 of BNR

Attempt History

	Attempt	**Time**	**Score**
LATEST	**Attempt 1**	13 minutes	10 out of 10

Score for this quiz: **10** out of 10
Submitted Jan 19 at 5:35pm
This attempt took 13 minutes.

Question 1	**1 / 1 pts**

Which of the following is not a Kotlin type?

○ Fragment

Correct!   ● AndroidManifest

○ View

○ Intent

Question 2   1 / 1 pts

An Activity object is in what component of the MVC architecture in an Android application.

Correct!

- ◉ Controller

- ○ View

- ○ Model

- ○ Database

Question 3   1 / 1 pts

This object is used to send messages asynchronously between activities or applications.

Correct!

- ◉ Intent

- ○ Service

- ○ Fragment

- ○ Action

Question 4   1 / 1 pts

Which of the following is NOT true about a Layout file in an Android application.

○ A layout file is associated with an Activity

○ A layout file is an XML file

Correct!   ◉ A layout file is a model object

○ A layout is a kind of resource

Question 5   1 / 1 pts

What directory holds the AndroidManifest.xml file?

○ res

○ java

○ build

Correct!   ◉ main

Question 6   1 / 1 pts

Most Android apps use a mix of

○ Java/Kotlin and SQL

○ JavaScript/Kotlin and JSON

○ JavaScript/Kotlin and XML

Correct!   ◉ Java/Kotlin and XML

Question 7

1 / 1 pts

The android:layout_width and android:layout_height attributes are typically set to either match_parent or wrap_content. What does the match_parent value indicate?

Correct!

- ◉ The view will be as big as its parent

- ○ The value will be inherited from the parent

- ○ The view will only be as big as its parent requires

- ○ The view will only be as big as its contents require

Question 8

1 / 1 pts

Where do string resources reside?

- ○ Strings.java/Strings.kt

- ○ Resources.java/Resources.kt

- ○ StringResources.java/StringResources.kt

Correct!

- ◉ strings.xml

Question 9

1 / 1 pts

Suppose we want to give a button that is defined in the layout a listener.
Which of the following is NOT one of the things we should do.

○ Declare a Button object in the activity

○ Define a resource id for the button in the layout

○ Set a listener for a Button object in the activity

Correct!

◉ Define a listener for the button in the layout

Question 10   1 / 1 pts

Which of the following is NOT a true statement about Android files?

○ The DEX file contains the compiled application code

○ The manifest file is always named AndroidManifest.xml

Correct!

◉ The DEX file contains the APK file

○ The APK file includes the application resources

Quiz Score: **10** out of 10