

NEXATECH.

TECHNICAL DOCUMENTATION

Corporate website project developed with WordPress and PHP



Vantix Retail



Stratum Solutions



Axionis Pharma

Portfolio project · Gaston Rizzo

Contents

No.	Section	Page
1	Overview	3
2	Overall Project Flow	3
3	Technologies and Dependencies	4
4	Database and Information Model	5
5	Project Structure	8
6	WordPress and the Custom Theme	8
7	Home Page	10
8	Services Page	11
9	Process Page	11
10	Case Studies and Articles	12
11	Contact Form	15
12	JavaScript and Dynamic Interactions	16
13	CSS and Interface Adaptation	16
14	Multimedia Assets and External Services	17
15	Caching and Performance	18
16	Data Handling and Security	18
17	Project Installation and Setup	19
18	Possible Areas for Future Development	20
19	Technical Scope and Conclusion	20

1. Overview

NexaTech is a corporate website built on WordPress that simulates a B2B technology consulting firm. The project presents digital services, explains a working methodology, showcases case studies, and provides a contact form for prospective clients.

The frontend is built with a custom theme named nexatech-theme, using dedicated PHP templates, a central stylesheet, and JavaScript executed in the browser. WordPress provides the rendering lifecycle, administration dashboard, pages, Media Library, and database.


Area	Role within NexaTech
Home	General presentation, metrics, services, process, and case studies.
Services	Detailed presentation of the technical services offered by the consulting firm.
Process	Timeline with four phases and animated metrics.
Case Studies	Brand carousel, featured case studies, and detail pages managed with WordPress.
Contact	Form with HTML validation, PHP sanitization, and success/error states.

Core Idea

WordPress manages the environment and part of the content; the custom theme controls the HTML structure and most of the visible presentation.

2. Overall Project Flow

When a visitor requests a URL, WordPress determines which template should handle it. PHP runs on the server, builds the HTML, and sends it to the browser. The browser then applies nexatech.css and executes the project's JavaScript and external libraries.



2.1 Routing Examples

URL / Area	Template Used	Result
/	front-page.php	Home
/servicios/	page-servicios.php	Services Page
/proceso/	page-proceso.php	Process Page
/casos-de-estudio/	page-casos-de-estudio.php	Case Study List
/contacto/	page-contacto.php	Contact Form
Individual Case Study	page-articulo.php	Featured image + content managed through WordPress

The header and footer are not copied manually into every file. Pages call get_header() and get_footer(), keeping site-wide navigation and the shared closing markup centralized.


3. Technologies and Dependencies

NexaTech uses server-side resources, components that run in the browser, and external libraries. The technical names are kept because they are part of the project's code, and each one serves a specific purpose within the site.

Technology / Dependency	Actual Use in NexaTech
WordPress	CMS, page system, template resolution, Media Library, and theme APIs.
PHP	Template construction, theme hooks, form processing, and redirects.
HTML5	Structure for pages, forms, cards, lists, and navigation.
CSS3	Design, color variables, grids, timeline, states, animations, and responsive behavior.
JavaScript	Counters, filters, sliders, and dynamic behavior.
MariaDB / MySQL	Persistence used by WordPress for pages, options, users, and metadata.
AOS.js 2.3.4	Entrance animations triggered while scrolling.
Typed.js 2.0.12	Automatically typed and erased text in the Home hero.
Isotope.js 3	Dynamic case-study filtering on Home.
Splide.js 4.1.4 + Auto Scroll 0.5.3	Continuous logo carousel on the Case Studies page.
Google Fonts	Loads the Inter typeface from an external service.

3.1 Server and Browser

WordPress and PHP run before the page reaches the visitor. CSS, JavaScript, and frontend libraries, by contrast, run in the browser. This separation explains why the form is validated again in PHP even though the HTML already uses required and type="email".



4. Database and Information Model

NexaTech uses the standard WordPress data model. The theme does not create custom tables or a dedicated Custom Post Type for case studies. Pages, attachments, metadata, and options are stored in the CMS's standard tables.

4.1 General Installation Data

Data	Value
Database Engine	MariaDB 11.8.6
Table Prefix	wp_
Existing Tables	21
Active Theme	nexatech-theme / NexaTech Custom
Published Pages	7
Registered Attachments	3
Custom Post Types	None
Registered Plugins	5: Hostinger AI Assistant, Easy Onboarding, Hostinger Reach, Hostinger, and Media Sync

4.2 Relevant Tables

Table	Role in the Project
wp_posts	Pages, individual case studies, attachments, and other WordPress content.
wp_postmeta	Metadata associated with pages and files; includes the assigned template and featured image.
wp_options	Site URL, active theme, active plugins, and general configuration.
wp_users / wp_usermeta	Administrative account and its capabilities.
wp_terms / wp_term_taxonomy / wp_term_relationships	Standard WordPress taxonomies when required.
Plugin Tables	Action Scheduler, Hostinger Reach, and LiteSpeed are part of the environment, not NexaTech's own data model.

4.3 Published Pages


ID	Title	Slug	Content
6	Servicios	servicios	Layout defined in page-servicios.php
10	Proceso	proceso	Layout defined in page-proceso.php
12	Casos de Estudio	casos-de-estudio	Layout defined in page-casos-de-estudio.php
14	Vantix Retail	vantix-retail	Content managed through WordPress
27	Stratum Solutions	stratum-solutions	Content managed through WordPress
37	Axionis Pharma	axionis-pharma	Content managed through WordPress
43	Contacto	contacto	Form defined in page-contacto.php

Home

The Home page does not need its own database record containing all of its content: front-page.php builds the Home layout directly.

4.4 Case Studies as WordPress Pages


The three detailed case studies are stored as published pages. Their main content lives in `post_content` and contains WordPress blocks such as headings, paragraphs, lists, and separators. `page-articulo.php` retrieves that content through the Loop and the `the_content()`.



4.5 How page-articulo.php Is Assigned

WordPress stores the `_wp_page_template` key in `wp_postmeta` to remember which custom template a page should use. All three case studies have the value `page-articulo.php`, so the relationship between stored content and the template does not depend on the page title or on a hard-coded condition inside the file.

Case Study	Page ID	_wp_page_template
Vantix Retail	14	page-articulo.php
Stratum Solutions	27	page-articulo.php
Axionis Pharma	37	page-articulo.php



4.6 Featured Image and Its Relationship to Attachments

Each case study uses `_thumbnail_id` in `wp_postmeta` to point to a WordPress attachment. That attachment, in turn, represents the WebP file stored in `wp-content/uploads`.

Case Study	Page ID	_thumbnail_id	Attachment	File
Vantix Retail	14	24	24	006_vantix_retail.webp
Stratum Solutions	27	22	22	003_stratum.webp
Axionis Pharma	37	23	23	004_axionis_pharma.webp

Image Relationship

Case study page → `wp_postmeta: _thumbnail_id` → `wp_posts: attachment` → `_wp_attached_file` → WebP file in uploads.

Complete Example · Vantix Retail

Page ID 14 stores the case-study content. In wp_postmeta, _wp_page_template = page-articulo.php assigns the template, and _thumbnail_id = 24 links the page to attachment 24. That attachment references 006_vantix_retail.webp. When the case study is opened, WordPress loads page-articulo.php, displays the featured image, and processes post_content through the_content().

4.7 Attachment Metadata

For all three original files, WordPress stores a size of 1024 × 1024 pixels and references to automatically generated variants such as 150 × 150, 300 × 300, and 768 × 768. The physical file itself is not stored in the database; the database stores the reference and metadata.

4.8 Important WordPress Options

Option	Value / Function
siteurl / home	https://demo-nexatech.mcartworksstudio.com
template / stylesheet	nexatech-theme
current_theme	NexaTech Custom
permalink_structure	/%postname%/
active_plugins	5 plugins registered in the installation


The five registered plugins are Hostinger AI Assistant, Hostinger Easy Onboarding, Hostinger Reach, Hostinger, and Media Sync. They are part of the imported installation, but the NexaTech theme does not use their APIs to build Home, Services, Process, Case Studies, or Contact; therefore, they are not considered functional dependencies of the theme.

4.9 There Is No Contact Inquiry Table

The current form does not store its data in MariaDB. Submitted values are sanitized, validated, and used only to determine the interface state. Email integration, a custom table, or a CRM remain possible future extensions.

5. Project Structure

Project-specific code is concentrated in wp-content/themes/nexatech-theme. WordPress and the plugins belong to the runtime environment, while the templates and nexatech.css form the core developed specifically for NexaTech.



File	Responsibility
style.css	Registers the “NexaTech Custom” theme, its version, and basic metadata with WordPress.
functions.php	Global configuration, CSS, featured images, and WordPress optimizations.
header.php	HTML document, Google Fonts, AOS CSS, and global navigation.
footer.php	Site footer, credit, and wp_footer().
front-page.php	Home, Typed.js, metrics, and Isotope.
page-servicios.php	Services, metrics, and alternating blocks.
page-proceso.php	Timeline and simple/range metrics.
page-casos-de-estudio.php	Metrics, Splide logo carousel, cards, and CTA.
page-articulo.php	WordPress Loop, featured image, and case-study content.
page-contacto.php	POST processing, validation, messages, and form.
index.php	Minimal fallback in the template hierarchy; it does not build its own screen.
nexatech.css	Main stylesheet; 1,546 lines in the supplied version.

6. WordPress and the Custom Theme

NexaTech uses a standalone custom theme rather than a child theme. Both template and stylesheet are configured as nexatech-theme. This means the main structure does not depend on Blocksy or any other parent theme to build the project pages.

6.1 Theme Registration Through style.css

```
/*
Theme Name: NexaTech Custom
Author: Gaston Rizzo
Version: 1.0
*/
```

WordPress recognizes a theme through the header in style.css. In NexaTech, that file registers the visible name “NexaTech Custom,” the author, and version 1.0. The site’s main visual stylesheet is not style.css but nexatech.css, which is enqueued from functions.php.

6.2 Template Hierarchy and index.php

WordPress uses its template hierarchy to determine which file should render each URL. NexaTech defines dedicated files for the main pages. index.php remains a minimal fallback and contains only the comment “Silence is golden.”; therefore, it does not generate its own screen when a more specific template is available.

6.3 Global Loading Through Header and Footer

```
<?php get_header(); ?>

<!-- contenido del template -->

<?php get_footer(); ?>
```

header.php opens the HTML document, loads the Inter font, includes the AOS stylesheet, and runs wp_head(). footer.php closes the interface, displays the credit, and runs wp_footer() before closing body and html.

6.4 Active Navigation State

```
<a href="<?php echo home_url('/servicios/'); ?>"
  class="<?php echo is_page('servicios') ? 'active' : ''; ?>">
  Servicios
</a>
```

is_front_page() and is_page() allow the menu to visually mark the current section without maintaining manual state in JavaScript.


6.5 Featured Images

```
add_theme_support(
  'post-thumbnails',
  array('page', 'post')
);
```

This configuration enables featured images for pages and posts. It is required because the Vantix, Stratum, and Axionis case studies display a featured image before their content.

6.6 What WordPress Manages and What Remains in the Templates

Home, Services, Process, the Case Studies overview page, and the Contact form define much of their structure and text directly in their PHP templates. The three individual case studies, by contrast, store their content in WordPress and use page-articulo.php as a shared template.



6.7 Blocksy Filters Still Present in page-articulo.php

```
add_filter('blocksy:page:title:enabled', '__return_false');
add_filter('blocksy:single:has-hero', '__return_false');
```

page-articulo.php retains two filters whose names belong to Blocksy. However, the active installation uses nexatech-theme as both template and stylesheet, and the rest of the project does not use Blocksy to build its pages. These filters remain as residual compatibility from an earlier implementation: registering the callback does not make Blocksy a functional dependency of the current theme.

7. Home Page

front-page.php builds the complete Home page. It combines a hero section, metrics, summarized services, the four process stages, and a filterable case-study grid. The page loads AOS, Isotope, and Typed.js from CDNs and uses custom JavaScript to synchronize the metrics with the entrance animations.

7.1 Main Hero and Dynamic Text

```
<h1>
  Construimos<br>
  <span id="typed"></span><br>
  que escalan.
</h1>
```

Typed.js cycles through the literal strings “empresas B2B,” “plataformas web,” and “productos digitales” (“B2B companies,” “web platforms,” and “digital products”). The text is erased and typed again in a loop.

```
new Typed('#typed', {
  strings: [
    'empresas B2B',
    'plataformas web',
    'productos digitales'
  ],
  typeSpeed: 50,
  backSpeed: 25,
  backDelay: 1200,
  loop: true,
  smartBackspace: true
});
```

7.2 Hero Metrics

Metric	Target Value
Average Performance	98/100
Projects Delivered	120+
B2B Clients	40+

The numbers start at zero and increase through requestAnimationFrame(). The script waits for the visual block's AOS entrance animation to finish before starting the counters.

7.3 Services and Process Overview


Home presents four service cards—Web Development, Frontend Architecture, Automation, and Technical Consulting—and four process steps—Analysis, Strategy, Development, and Optimization. Each block includes data-aos attributes and progressive delays.

7.4 Filterable Case Studies with Isotope

The Home grid contains sample case studies classified with classes such as web, frontend, and automation. The filter buttons pass a selector to Isotope, and the library hides or rearranges the items without reloading the page.

```
var iso = new Isotope(grid, {
  itemSelector: '.case-item',
  layoutMode: 'fitRows'
});

iso.arrange({ filter: filterValue });
```



8. Services Page

page-servicios.php presents the consulting firm's areas of work through a hero section with metrics and four alternating blocks. The blocks change their entrance direction to create a left/right visual rhythm while scrolling.

8.1 Header Metrics

Metric	Value
Years of Technical Experience	10+
Systems in Production	40+
Measurable Deliverables	100%

8.2 Service Sections

No.	Service	Key Highlights
01	Web Development	Scalable architecture, performance, accessibility, technical SEO, and integrations.
02	Frontend Architecture	Separation of concerns, scalability, and deliberate technical decisions.
03	Automation	Internal workflows, reduction of manual tasks, and process optimization.
04	Integrations & Optimization	Platform integration, technical audits, and continuous improvement.

8.3 Alternating Layout and AOS

```

<div class="service-block reverse">
  <div class="service-content"
    data-aos="fade-left"
    data-aos-delay="120">
    ...
  </div>
</div>

```

Standard blocks enter from the right side of the screen using fade-right, while reverse blocks use fade-left. Delays of 0, 120, 240, and 360 ms stagger the sequence.

9. Process Page

page-proceso.php represents the working methodology as a vertical timeline. The header includes metrics, and each stage alternates its entrance animation through AOS.

9.1 The Four Phases

Phase	Description
01 · Analysis	Understand the business, context, and technical constraints.
02 · Strategy	Define the architecture with an emphasis on impact and sustainability.
03 · Development	Build with a focus on performance, quality, and best practices.
04 · Optimization	Measure, iterate, and improve continuously.

9.2 Simple Metrics and Range Metrics

The template combines simple counters with a range metric. Iterations are defined with data-min="6" and data-max="12", so JavaScript animates two numbers in parallel until the interface displays 6–12.

```
<div class="metric-value metric-range"
  data-min="6"
  data-max="12">
  <span class="min">0</span>--<span class="max">0</span>
</div>
```

The remaining metrics use data-target="4" for the phases and data-target="100" for measurable deliverables.

10. Case Studies and Articles

NexaTech uses two levels to present case studies. page-casos-de-estudio.php builds the overview page with metrics, logos, and cards. Detailed case studies are managed as WordPress pages and displayed through page-articulo.php.

10.1 Case Studies Overview Page

Section	Content
Hero	Metrics on maintainability, load times, and results.
Trust / Logos	Continuous carousel with six brands.
Featured Case Studies	Vantix Retail, Stratum Solutions, and Axionis Pharma.
CTA	Link to Contact.

10.2 Logo Carousel with Splide

The six logos are referenced through content_url() from wp-content/uploads and placed in a list of slides. Splide is configured as a loop with automatic width, no arrows or pagination, and continuous Auto Scroll.

```
new Splide('.cases-logos', {
  type: 'loop',
  drag: false,
  arrows: false,
  pagination: false,
  autoWidth: true,
  gap: '72px',
  autoScroll: {
    speed: 0.7,
    pauseOnHover: true,
    pauseOnFocus: false
  }
}).mount(window.splide.Extensions);
```


10.3 Companies Shown in the Carousel

Order	Brand / File
1	Nordexia · 001_nordexia.webp
2	Helion Group · 002_helion_group.webp
3	Stratum Solutions · 003_stratum.webp
4	Axionis Pharma · 004_axionis_pharma.webp
5	Corevia Motors · 005_corevia_motors.webp
6	Vantix Retail · 006_vantix_retail.webp


10.4 Three Detailed Case Studies



Vantix Retail



Stratum Solutions



Axionis Pharma

Case Study	Main Focus	Reported Result
Vantix Retail	E-commerce Platform Optimization	42% reduction in load times and an improved shopping experience.
Stratum Solutions	Frontend Scalability for a Financial Platform	Faster development and a foundation designed to scale.
Axionis Pharma	Automation of Critical Internal Processes	Operational savings, traceability, and greater regulatory control.

10.5 Case Study Routes and WordPress Slugs

The cards in `page-casos-de-estudio.php` define their destination routes directly. The WordPress database separately stores the slugs for the three pages. For a card to resolve to the correct case study without additional rules, both values must match the site's permalink structure.

Case Study	Route Defined in the Card	Registered Slug
Vantix Retail	<code>/casos/vantix-retail</code>	<code>vantix-retail</code>
Stratum Solutions	<code>/casos/stratum-solution</code>	<code>stratum-solutions</code>
Axionis Pharma	<code>/casos/axionis-pharma</code>	<code>axionis-pharma</code>

Important Note

The card routes include the `/casos/` segment, while the pages are registered as root-level pages. In addition, Stratum uses "stratum-solution" in the href and "stratum-solutions" as its slug. If no external routing rule rewrites those URLs, the template links should be aligned with the actual WordPress permalinks.

10.6 page-articulo.php and the WordPress Loop

```
<?php if ( have_posts() ) : while ( have_posts() ) : the_post(); ?>

    <?php if ( has_post_thumbnail() ) : ?>
        <?php the_post_thumbnail('large'); ?>
    <?php endif; ?>

    <?php the_content(); ?>

<?php endwhile; endif; ?>
```

The template does not need to know the Vantix, Stratum, or Axionis text in advance. WordPress provides the requested page; `the_post_thumbnail()` displays the featured image, and `the_content()` processes the content stored in the database.


Case Study Flow

Editor updates the case study in WordPress → `wp_posts` stores the content → `wp_postmeta` links the image → `page-articulo.php` runs the Loop → the visitor receives the complete case study.

10.7 AOS in Case Study Articles

The featured image enters with fade-up, and the content uses the same effect with a 150 ms delay. In this template, AOS is configured with duration 700, once true, and offset 200, so the animation does not repeat when the visitor scrolls through the page again.

10.8 Complete Example: Vantix Retail



This flow illustrates the separation between content and presentation. Vantix keeps its text in the database, the shared template defines how it is displayed, and the attachment provides the featured image. Stratum Solutions and Axionis Pharma use the same structure with their own IDs and files.

11. Contact Form

page-contacto.php combines the form interface with server-side processing. The PHP block runs before the header is loaded and processes data only when REQUEST_METHOD is POST.

11.1 Fields


Field	HTML	PHP Handling
First Name	text + required	sanitize_text_field()
Last Name	text + required	sanitize_text_field()
Corporate Email	email + required	sanitize_email() + is_email()
Company	text + required	sanitize_text_field()
Message	textarea + required	sanitize_textarea_field()

11.2 Two-Level Validation

required and type="email" assist the user in the browser, but they do not replace server-side validation. PHP checks again that all fields are present and that the email address has a valid format.

```
if (
    empty($first_name) ||
    empty($last_name) ||
    empty($email) ||
    empty($company) ||
    empty($message) ||
    ! is_email($email)
) {
    wp_redirect(
        add_query_arg('error', '1', get_permalink())
    );
    exit;
}
```

11.3 Redirect After POST



The redirect separates the original POST request from the final screen. After a successful response, reloading occurs on a GET URL with sent=1, so the browser does not automatically resubmit the form data.

11.4 Visual State

With sent=1, the form is hidden, the message "Thank you, we received your inquiry. We'll get back to you shortly." is displayed, and a button appears to return to Home. With error=1, the form remains visible and the user is informed that the fields must be completed correctly.

11.5 Current Scope

Important

The current version validates input and displays success/error states, but it does not send an email or store the inquiry. The code explicitly leaves an integration point ready for wp_mail(), database storage, or a CRM.

12. JavaScript and Dynamic Interactions

NexaTech uses vanilla JavaScript for custom behavior and delegates specific tasks to four external libraries. The code is included within the templates where each interaction is required.

12.1 AOS.js

AOS interprets data-aos and data-aos-delay attributes placed in the HTML. Home, Services, Process, Case Studies, Contact, and the individual articles initialize the library with similar configurations, although duration, offset, and repetition vary by page.

Page	Duration	Repetition / Behavior
Home	800 ms	once false; offset 80
Services	900 ms	repeatable animations while scrolling
Process	900 ms	once true; offset 200
Case Studies	900 ms	repeatable animations
Contact	900 ms	repeatable animations
Article	700 ms	once true; offset 200

12.2 Typed.js

It is used only in the Home hero. The effect is limited to a span with the id typed, so the rest of the h1 remains stable while the central term changes.

12.3 Isotope.js

Isotope operates on .cases-grid and treats .case-item as the individual unit. The filter buttons update the active class and call arrange() with the value stored in data-filter.

12.4 Splide.js and Auto Scroll

Splide is used on the Case Studies page. Its CSS is enqueued from functions.php only when is_page("casos-de-estudio") is true, while the Splide JavaScript and Auto Scroll extension are loaded from the template itself.

12.5 requestAnimationFrame() for Metrics

The counters on Home, Services, Process, and Case Studies do not jump instantly from 0 to the final value. The code increments the value on each frame and schedules the next frame with requestAnimationFrame().

```
function animate() {
    current += speed;

    if (current < target) {
        numberEl.textContent = Math.ceil(current);
        requestAnimationFrame(animate);
    } else {
        numberEl.textContent = target;
    }
}
```

This mechanism synchronizes updates with the browser's repaint cycle and avoids relying on a fixed setInterval for each number.

13. CSS and Interface Adaptation

nexatech.css contains the project's presentation layer. The supplied version has 1,546 lines and defines global variables, the header, footer, hero, services, timeline, case studies, forms, and responsive rules.

13.1 Global Variables

```
:root {
  --bg-dark: #0b0d10;
  --bg-light: #12151b;
  --text-main: #ffffff;
  --text-muted: #9aa3b2;
  --accent: #4f8cff;
}
```

The blue color #4f8cff serves as the primary accent. Dark backgrounds and light text are reused through variables to maintain consistency across pages.

13.2 Main Container

The main pages use a wrapper with a maximum width of 1400 px, a radial gradient, rounded corners, and margins calculated with clamp(). Internal containers use approximately 90% of the available width, with a maximum of 1300 px.

13.3 Sticky Header

The header remains visible using position: sticky, a semi-transparent background, backdrop-filter blur, and a subtle bottom border. Navigation uses a muted color for inactive links and white text for the active link.

13.4 Responsive

The stylesheet includes media queries at 1600, 1100, 900, 768, and 600 px. Most major changes occur at 900 px, where grids, navigation, the footer, and alternating blocks switch to simpler layouts.

Breakpoint	Primary Use
1600 px	Fine-tuning of the footer on large and medium screens.
1100 px	Adjustments to case-study blocks and intermediate layouts.
900 px	Main transition to tablet/mobile layouts: grids, navigation, services, and footer.
768 px	Additional content and form adjustments.
600 px	Specific settings for narrow mobile screens.

14. Multimedia Assets and External Services

14.1 Project-Owned Files

Company logos and featured images are stored in wp-content/uploads. The three case studies managed through WordPress also have attachments registered in the database and variants generated by the CMS.

Resource	Source
Company Logos	wp-content/uploads/*.webp
Case Study Featured Images	WordPress attachments + WebP files
Main CSS	Local nexatech.css file
PHP Templates	Local nexatech-theme theme

14.2 External Services

Service	What It Provides
Google Fonts	Inter typeface.
unpkg	AOS 2.3.4 and AOS.css; Isotope Layout 3 on Home.
jsDelivr	Typed.js 2.0.12 and Splide 4.1.4.
Splide Auto Scroll	Extension version 0.5.3 for continuous carousel scrolling.

If these external services are unavailable, the theme's HTML and local CSS remain available, but functionality provided by the library that could not be downloaded is lost: AOS animations, the Typed effect, Isotope filters, or the Splide carousel.

15. Caching and Performance

15.1 Dynamic Versioning of nexatech.css

```
wp_enqueue_style(
    'nexatech-main',
    $css_uri,
    [],
    filemtime($css_path),
    'all'
);
```

filemtime() uses the file modification time as its version value. When nexatech.css changes, the URL generated by WordPress changes as well, allowing the browser to request the new version.

15.2 Conditional Loading of Splide CSS

functions.php enqueues the official Splide stylesheet only when is_page("casos-de-estudio") is true. Other pages do not need to download that CSS.

15.3 WordPress Resources Removed from the Frontend

- Emoji scripts and styles.
- WordPress Block Library and classic block styles.
- WordPress Global Styles.
- Dashicons for unauthenticated visitors.
- Frontend Admin Bar.
- Automatic sizes attribute for images through wp_img_tag_add_auto_sizes.

15.4 Gutenberg Blocks Without the Standard WordPress Styles

Case studies stored in post_content contain Gutenberg blocks such as wp-block-heading, wp-block-list, and wp-block-separator. functions.php removes wp-block-library, classic-theme-styles, and Global Styles from the frontend. The HTML for those blocks is still generated by the_content(), but their presentation depends on NexaTech's custom CSS rather than the standard WordPress stylesheets.

15.5 No-Cache During Development

```
header('Cache-Control: no-cache, no-store, must-revalidate');
header('Pragma: no-cache');
header('Expires: 0');
```

The force_nocache_for_dev() function runs on frontend pages and forces a fresh version of the HTML to be served during development. This is useful while templates are being modified, although the caching policy can be separated by environment if the project is deployed with a different production strategy.

16. Data Handling and Security

The contact form is the area where NexaTech receives data directly from the visitor. The implementation combines browser-level constraints with server-side sanitization and validation.

Measure	Use
required	Prevents incomplete submissions through the standard interface.
type="email"	Asks the browser to validate the basic email format.
sanitize_text_field()	Sanitizes first name, last name, and company.
sanitize_email()	Normalizes the submitted email address.
sanitize_textarea_field()	Sanitizes the message while preserving multiline text.
is_email()	Validates the email format again in PHP.
wp_redirect()	Redirects through WordPress functions instead of constructing headers manually.
esc_url()	Used when outputting the URL for the button that returns to Home.

16.1 Why the Server Validates Again

HTML rules can be modified through browser developer tools, or a request can be sent without using the visible form. PHP therefore does not rely on required and repeats the checks before continuing.

16.2 Form Nonce

The current form does not include a WordPress nonce. Existing validation and sanitization control the format of the data, but a nonce adds an additional origin/intent check for POST actions. If the form is connected in the future to wp_mail(), a CRM, or persistent storage, wp_nonce_field() should be added and verified during processing.

16.3 Sensitive Configuration

Database credentials, keys, and passwords belong to the environment configuration and are not part of the theme's public code. When moving the project to another server, they must be defined in the new environment's wp-config.php.

17. Project Installation and Setup

To reproduce NexaTech, the WordPress installation, database, theme files, and uploads are required. The theme does not depend on Blocksy or WooCommerce.

Step	Action
1	Install WordPress on the server or in a local environment.
2	Create a MariaDB/MySQL database and import u679645666_QLcZe.sql.
3	Configure wp-config.php with the database name, user, password, and host for the new environment.
4	Copy nexatech-theme into wp-content/themes/.
5	Copy the project's media files into wp-content/uploads/.
6	Activate "NexaTech Custom" from Appearance → Themes.
7	Update siteurl and home if the domain or installation path changes.
8	Review /%postname%/ and regenerate permalinks if necessary.
9	Verify Home, Services, Process, Case Studies, Contact, and the three individual case-study pages.
10	Verify that the environment has Internet access for Google Fonts, AOS, Typed, Isotope, and Splide.

17.1 Registered Plugins and Actual Dependencies

The imported database registers five plugins: Hostinger AI Assistant, Hostinger Easy Onboarding, Hostinger Reach, Hostinger, and Media Sync. The nexatech-theme code does not call their APIs to build the main pages. They can therefore be part of the original environment without being functional theme dependencies. The actual frontend dependencies are the libraries loaded by the project code itself: AOS, Typed.js, Isotope, and Splide.

17.2 What Is Restored from the Database

- The site's seven published pages.
- The complete content of Vantix Retail, Stratum Solutions, and Axionis Pharma.
- The three attachments used as featured images and their metadata.
- WordPress options, the active theme, and registered plugins.
- The administrative account and the CMS's general configuration.

17.3 What Is Restored from the Files

- The PHP templates that build the pages.
- nexatech.css with the complete visual system.
- The six WebP logos and the image variants registered in WordPress.

The Database and Uploads Serve Different Purposes

MariaDB stores records, relationships, and configuration. wp-content/uploads contains the image files referenced by those records.

18. Possible Areas for Future Development

The current architecture covers the company presentation, case studies, and contact flow defined for NexaTech. From this foundation, the project can be expanded without changing its overall approach.

Area	Potential Enhancement
Contact	Connect the prepared integration point to <code>wp_mail()</code> , a CRM, or custom storage.
Content	Move more structural text from templates into fields that can be managed through WordPress.
Case Studies	Create a dedicated content type if the number of case studies grows and requires its own taxonomies.
External Assets	Bundle or host libraries locally if greater control over versions and availability is required.
Environments	Explicitly separate caching policies for development and production.
Accessibility and SEO	Expand semantic attributes, metadata, and accessibility reviews as the site grows.

19. Technical Scope and Conclusion

NexaTech combines WordPress with a custom theme to build a corporate website in which the code retains extensive control over presentation, while the CMS stores pages, case studies, featured images, and general configuration.

What the Project Demonstrates

- Creation and activation of a custom WordPress theme.
- Understanding of the template hierarchy, theme registration through `style.css`, and the use of `get_header()`, `get_footer()`, `wp_head()`, and `wp_footer()`.
- Use of standard WordPress pages and metadata without creating custom tables.
- Rendering of managed content through `_wp_page_template`, the Loop, `the_content()`, and featured images.
- Construction of custom layouts with PHP, HTML, and a central CSS stylesheet.
- Integration of AOS, Typed.js, Isotope, and Splide with vanilla JavaScript.
- Efficient metric animation through `requestAnimationFrame()`.
- Form with frontend validation, backend sanitization, and the POST → redirect → GET pattern.
- Conditional loading and removal of WordPress resources to reduce unnecessary assets.
- Responsive design using CSS variables, grids, and media queries.

Conclusion

The result is a corporate web application in which WordPress serves as both the infrastructure and CMS, while `nexatech-theme` defines the visual identity. The database stores manageable content; PHP resolves the templates; CSS builds the interface; and JavaScript adds the dynamic interactions that complete the site experience.