

## Permisos en la Base de Datos

SELECT user FROM mysql.user;

CREATE USER 'root' identified by 'root1234';

CREATE USER 'admin\_bd' identified by 'admin123';

CREATE USER 'chofer' identified by '1234';

CREATE USER 'almacenero' identified by '4321';

**#PERMISOS ROOT** 

GRANT ALL PRIVILEGES ON quickcarryDB.all TO 'root'@'localhost';

#PERMISOS ADMIN BD

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.trabajador TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.almacen TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.camion TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.producto TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.destino TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.lote TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.camionero TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.operario TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.conduce TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.gestiona TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.almacena TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.integra TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.llevan TO 'admin bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.transporta TO 'admin\_bd'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.recorrido TO 'admin\_bd'@'localhost';

**#PERMISOS CAMIONERO** 

GRANT SELECT, UPDATE ON quickcarryDB.transporta TO 'camionero'@'localhost';

GRANT SELECT, UPDATE ON quickcarryDB.recorrido TO 'camionero'@'localhost';

GRANT SELECT ON quickcarryDB.destino TO 'camionero'@'localhost';

GRANT SELECT ON quickcarryDB.conduce TO 'camionero'@'localhost';

GRANT SELECT ON quickcarryDB.llevan TO 'camionero'@'localhost';

**#PERMISOS OPERARIO** 

GRANT SELECT, UPDATE ON quickcarryDB.almacena TO 'operario'@'localhost';

GRANT SELECT, UPDATE ON quickcarryDB.integra TO 'operario'@'localhost';

GRANT SELECT, UPDATE ON quickcarryDB.llevan TO 'operario'@'localhost';

GRANT SELECT, INSERT, DELETE, UPDATE ON quickcarryDB.lote TO 'operario'@'localhost';

GRANT SELECT ON quickcarryDB.almacen TO 'operario'@'localhost';

GRANT SELECT, INSERT, UPDATE, DELETE ON quickcarryDB.producto TO 'operario'@'localhost';

GRANT SELECT ON quickcarryDB.gestiona TO 'operario'@'localhost';

GRANT SELECT ON quickcarryDB.camion TO 'operario'@'localhost';

GRANT SELECT ON quickcarryDB.destino TO 'operario'@'localhost';

GRANT SELECT, INSERT, UPDATE, DELETE ON quickcarryDB.llevan TO 'operario'@'localhost';

GRANT SELECT, INSERT, UPDATE, DELETE ON quickcarryDB.transporta TO 'operario'@'localhost';