



External Service

Provision of Test and Technical Services for External Customers

Technical discussion prior to acceptance of samples will be conducted to assess if the samples are appropriate for the selected test method/s. Test Reports are then released to customers through pick-up, courier services or through email messaging.

Office or Division:	ADMATEL/Materials Science Division - ITDI-DOST	
Classification:	Complex	
Type of Transaction:	G2C - Government to Citizen, G2B - Government to Business, G2G - Government to Government	
Who may avail:	All	
CHECKLIST OF REQUIREMENTS		WHERE TO SECURE
1) Technical Service Request (TSR) Form (1 original, 2 photocopies)		ADMATEL Building ADMATEL Technical Staff (through email)
2) Payment for test fees a) cash or check (if over the counter) b) online fund transfer (if e-payment)		Customer availing the test service or their authorized representative
3a) For students: 1) Student I.D. (1 photocopy) 2) Proof of enrollment (1 photocopy) 3b) For senior citizens:		Customer availing the test service or their authorized representative



1) Senior Citizen I.D. (1 photocopy) 3c) For PWD: 1) PWD I.D. (1 photocopy)	
4) Invoice (1 original)	ITDI/Metrology Building/Cashier - 2nd floor ITDI Cashier (through email)
5) Sample/s for analysis Sample Special Requirements: ● 2D X-ray ○ sample/s for analysis: non-motile ○ sample size: 1 mm x 1 mm to 120 cm (H) x 80 cm (W) ● 3D Computed Tomography X-ray ○ sample/s for analysis: non-motile ○ sample size: 1 mm x 1 mm to 120 cm (H) x 80 cm (W) ● AES Chemical State Analysis, Depth Profile, Line Analysis, Mapping, Point Analysis ○ sample/s for analysis: preferably electrically conducting ○ sample size: 20 mm maximum (L and W) ● Chemical Decapsulation ○ sample size: 1 mm ● Differential Scanning Calorimetry ○ sample/s for analysis: organic, inorganic (0 to 450°C) ○ sample size: 15 mg (minimum) ● FESEM Imaging, FESEM Imaging with EDX Line Analysis, Mapping, Point Analysis ○ sample/s for analysis: semiconductors, metals, polymers, nanoparticles, powders, fibers ○ sample size: 1 to 5 inches (length/width), 1 inch maximum (height) ● FIB Sectioning with FESEM Imaging	From customer availing the test service or their authorized representative



○ sample/s for analysis: semiconductors, metals, ○ sample size: 1 to 5 inches (length/width), 1 inch maximum (height) ● FTIR Microspectroscopy (with or no ID) ○ sample/s for analysis: organic ○ sample size: 50 um (minimum) ● FTIR Spectroscopy (with or no ID) ○ sample/s for analysis: organic ○ sample size: 2 mm (minimum) ● Handheld XRF ○ sample/s for analysis: metals and alloys ○ sample size: at least 5x5 cm flat surface ● Ion Milling ○ sample/s for analysis: molded cross-sectioned samples, IC's, PCB's, powders ○ sample size: 2 mm x 10 mm x 11 mm ● Lamella Preparation ○ sample/s for analysis: semiconductors, metals, ○ sample size: 1 to 5 inches (length/width), 1 inch maximum (height) ● Laser Decapsulation ○ sample/s for analysis: glass, ICs ○ sample size: 1 mm ● Mechanical Preparation ○ sample/s for analysis: metals, alloys, electronics devices, polymers (plastics) ○ sample size: 5 x 5 cm (molded), 12.5 cm (non-molded) ● Optical Microscopy ○ sample/s for analysis: metals, alloys, electronic devices, polymers (plastics), coarse powders	
---	--



○ sample size: 10 um (minimum) ● Simultaneous Thermal Analysis ○ sample/s for analysis: organic, inorganic (0 to 450°C) ○ sample size: 15 mg (minimum) ● STEM Imaging ○ sample/s for analysis: lamellae ○ sample size: 100 nm maximum (thickness) ● TG-IR ○ sample/s for analysis: organic ○ sample size: 50 um (minimum) ● TOFSIMS 3D Mapping, Depth Profiling, Mapping, Surface Spectroscopy ○ sample/s for analysis: semiconductors, metals, polymers, powders, fibers ○ sample size: 1 to 5 inches (length/width), 1 cm maximum (height)				
CUSTOMER STEPS	AGENCY ACTIONS	FEES TO BE PAID	PROCESSING TIME	PERSONS RESPONSIBLE
1. Customer enters the test request in the ADMATEL Technical Services Portal (admatel-request.itdi.ph) and generates a Request Reference Number (RRN). All details pertaining to the sample/s, specific instructions for analysis and customer contact information must be provided.	1.1 Assigned laboratory head/analyst assists the customer while entering the request and notes the RRN.	None	5 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building



2. Customer submits the sample/s for analysis. For students, senior citizens and PWD's, supporting documents such as valid ID and proof of enrollment must also be submitted.	2.1 Assigned laboratory head/analyst validates the request, generates the Technical Service Request (TSR) form, receives the sample/s and attaches a sticker label accordingly. 2.2 Customer service officer photocopies the supporting documents and attaches it to the TSR.	None	10 minutes 2 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building <i>Customer Service Officer</i> Lobby Desk ADMATEL Building
3. Customer signs the Technical Service Request (TSR) form and routes it for approval of the Division Chief.	3.1 Assigned Laboratory Head/Analyst signs the approval box in the TSR and forwards it to the Laboratory Manager for second level approval. 3.2 Division Chief signs the TSR.	None	5 minutes 10 minutes	<i>Division Chief</i> Office of the Chief Materials Science Division <i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building



4. Customer proceeds to the ITDI Cashier for full payment of fees and receives an Invoice. For online payment, customers use the payment link sent through email by the ITDI Cashier and receives an Invoice through email as well.	4.1 Customer Service Officer provides the customer with 3 copies of the approved TSR (original and 2 photocopies) to present to the ITDI Cashier.	Please refer to "ADMATEL Schedule of Fees and Charges," after the service specification table.	2 minutes	<i>Customer Service Officer</i> Lobby Desk ADMATEL Building <i>Administrative Officer III</i> Cashier's Office Metrology Building
	4.2 For online payments, the Cashier sends the payment link to the customer's email provided in the TSR.		1 minute	
	4.3 Cashier issues an Invoice for over the counter payments.		5 minutes	
5. Customer observes the actual conduct of the analysis (upon request and under the discretion of ADMATEL).	5.1 Assigned Laboratory Head/Analyst assists the customer inside the laboratory and performs the analysis as per customer instructions.	None	5 days	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
6. Customer claims the test results (hardcopy) and/or receives it through email	6.1 Customer Service Officer asks for the customer's valid ID, authorization	None	3 minutes	<i>Customer Service Officer</i> Lobby Desk ADMATEL Building



(softcopy) and fills out the Customer Satisfaction Survey Form (CSSF).	letter (if a representative is claiming the results) and Invoice.			
	6.2 Assigned Lab Head/Analyst releases the printed approved Report of Analysis (ROA)/raw test data saved in media.		7 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building
	6.3 Assigned Lab Head/Analyst or Customer Service Officer requests the customer to fill out the CSSF.		5 minutes	<i>Senior SRS</i> Visiting Expert's Room ADMATEL Building
	6.4 Assigned Lab Head/Analyst returns sample/s to customer (if requested).		5 minutes	<i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
TOTAL:			5 days, 1 hour	



Internal Service

Provision of Test and Technical Services for Internal Customers

Technical discussion prior to acceptance of samples will be conducted to assess if the samples are appropriate for the selected test method/s. Test Reports are then released to customers through pick-up, courier services or through email messaging.

Office or Division:	ADMATEL/Materials Science Division - ITDI-DOST	
Classification:	Complex	
Type of Transaction:	G2C - Government to Citizen, G2B - Government to Business, G2G - Government to Government	
Who may avail:	All	
CHECKLIST OF REQUIREMENTS		WHERE TO SECURE
1) Technical Service Request (TSR) Form (1 original)		ADMATEL Building ADMATEL Technical Staff (through email)
2) Sample/s for analysis Sample Special Requirements: ● 2D X-ray ○ sample/s for analysis: non-motile ○ sample size: 1 mm x 1 mm to 120 cm (H) x 80 cm (W) ● 3D Computed Tomography X-ray		From customer availing the test service or their authorized representative



- sample/s for analysis: non-motile
- sample size: 1 mm x 1 mm to 120 cm (H) x 80 cm (W)
- **AES Chemical State Analysis, Depth Profile, Line Analysis, Mapping, Point Analysis**
 - sample/s for analysis: preferably electrically conducting
 - sample size: 20 mm maximum (L and W)
- **Chemical Decapsulation**
 - sample size: 1 mm
- **Differential Scanning Calorimetry**
 - sample/s for analysis: organic, inorganic (0 to 450°C)
 - sample size: 15 mg (minimum)
- **FESEM Imaging, FESEM Imaging with EDX Line Analysis, Mapping, Point Analysis**
 - sample/s for analysis: semiconductors, metals, polymers, nanoparticles, powders, fibers
 - sample size: 1 to 5 inches (length/width), 1 inch maximum (height)
- **FIB Sectioning with FESEM Imaging**
 - sample/s for analysis: semiconductors, metals,
 - sample size: 1 to 5 inches (length/width), 1 inch maximum (height)
- **FTIR Microspectroscopy (with or no ID)**
 - sample/s for analysis: organic
 - sample size: 50 μ m (minimum)
- **FTIR Spectroscopy (with or no ID)**
 - sample/s for analysis: organic
 - sample size: 2 mm (minimum)
- **Handheld XRF**
 - sample/s for analysis: metals and alloys
 - sample size: at least 5x5 cm flat surface



- **Ion Milling**
 - sample/s for analysis: molded cross-sectioned samples, IC's, PCB's, powders
 - sample size: 2 mm x 10 mm x 11 mm
- **Lamella Preparation**
 - sample/s for analysis: semiconductors, metals,
 - sample size: 1 to 5 inches (length/width), 1 inch maximum (height)
- **Laser Decapsulation**
 - sample/s for analysis: glass, ICs
 - sample size: 1 mm
- **Mechanical Preparation**
 - sample/s for analysis: metals, alloys, electronics devices, polymers (plastics)
 - sample size: 5 x 5 cm (molded), 12.5 cm (non-molded)
- **Optical Microscopy**
 - sample/s for analysis: metals, alloys, electronic devices, polymers (plastics), coarse powders
 - sample size: 10 μm (minimum)
- **Simultaneous Thermal Analysis**
 - sample/s for analysis: organic, inorganic (0 to 450°C)
 - sample size: 15 mg (minimum)
- **STEM Imaging**
 - sample/s for analysis: lamellae
 - sample size: 100 nm maximum (thickness)
- **TG-IR**
 - sample/s for analysis: organic
 - sample size: 50 μm (minimum)
- **TOFSIMS 3D Mapping, Depth Profiling, Mapping, Surface Spectroscopy**

○ sample/s for analysis: semiconductors, metals, polymers, powders, fibers ○ sample size: 1 to 5 inches (length/width), 1 cm maximum (height)				
CUSTOMER STEPS	AGENCY ACTIONS	FEES TO BE PAID	PROCESSING TIME	PERSONS RESPONSIBLE
1. Customer enters the test request in the ADMATEL Technical Services Portal (admatel-request.itdi.ph) and generates a Request Reference Number (RRN). All details pertaining to the sample/s, specific instructions for analysis and customer contact information must be provided.	1.1 Assigned laboratory head/analyst assists the customer while entering the request and notes the RRN.	None	5 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
2. Customer submits the sample/s for analysis. For students, senior citizens and PWD's, supporting documents such as valid ID and proof of enrollment must also be submitted.	2.1 Assigned laboratory head/analyst validates the request, generates the Technical Service Request (TSR) form, receives the sample/s and attaches a sticker label accordingly. 2.2 Customer service officer photocopies the supporting documents and attaches it to the TSR.	None	10 minutes 2 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building <i>Customer Service Officer</i> Lobby Desk



				ADMATEL Building
3. Customer signs the Technical Service Request (TSR) form and routes it for approval of the Division Chief.	3.1 Assigned Laboratory Head/Analyst signs the approval box in the TSR and forwards it to the Laboratory Manager for second level approval.	None	5 minutes	<i>Division Chief</i> Office of the Chief Materials Science Division <i>Supervising SRS</i> Supervisor's Room ADMATEL Building
	3.2 Division Chief signs the TSR.		10 minutes	<i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
4. Customer observes the actual conduct of the analysis (upon request and under the discretion of ADMATEL).	4.1 Assigned Laboratory Head/Analyst assists the customer inside the laboratory and performs the analysis as per customer instructions.	None	5 days	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
5. Customer claims the test results (hardcopy) and/or receives it through email (softcopy) and fills out the	5.1 Customer Service Officer asks for the customer's valid ID and authorization letter (if a	None	3 minutes	<i>Customer Service Officer</i> Lobby Desk ADMATEL Building



Customer Satisfaction Survey Form (CSSF).	representative is claiming the results)			
	5.2 Assigned Lab Head/Analyst releases the printed approved Report of Analysis (ROA)/raw test data saved in media.		7 minutes	<i>Supervising SRS</i> Supervisor's Room ADMATEL Building <i>Senior SRS</i> Visiting Expert's Room ADMATEL Building <i>SRS II, SRS I, SRA</i> Processing Room ADMATEL Building
	5.3 Assigned Lab Head/Analyst or Customer Service Officer requests the customer to fill out the CSSF.		5 minutes	
	5.4 Assigned Lab Head/Analyst returns sample/s to customer (if requested).		5 minutes	
TOTAL:			5 days, 52 minutes	



SCHEDULE OF FEES AND CHARGES

Surface Analysis Laboratory

SEM, EDX, and FIB Sectioning

Analysis	Regular Rate (Php)	Student Rate (Php)
FESEM Imaging	7,500.00	6,000.00
FESEM Imaging with EDX Point Analysis	9,500.00	7,600.00
FESEM Imaging with EDX Line Analysis	11,500.00	9,200.00
FESEM Imaging with EDX Mapping	13,500.00	10,800.00
FIB Sectioning (30 um W x 30 um H cut)	14,000.00	11,200.00
TEM Lamella Preparation	19,000.00	15,200.00
STEM Imaging	12,000.00	9,600.00
FIB Pattern Deposition with FESEM Imaging	14,500.00	11,600.00

AES

Analysis	Regular Rate (Php)	Student Rate (Php)
AES Point Analysis	9,700.00	7,760.00
AES Line Analysis	11,900.00	9,520.00



AES Mapping	16,000.00	12,800.00
AES Depth Profiling	23,500.00	18,800.00
AES Chemical State Analysis (add-on)	1,500.00	1,200.00

TOFSIMS

Analysis	Regular Rate (PhP)	Student Rate (PhP)
TOFSIMS Spectroscopy	13,300.00	10,640.00
TOFSIMS Mapping	16,400.00	13,120.00
TOFSIMS Depth Profiling	24,000.00	19,200.00
TOFSIMS 3D Mapping	26,600.00	21,280.00

Thermal Analysis Laboratory

FTIR

Analysis	Regular Rate (PhP)	Student Rate (PhP)
FTIR Spectroscopy	5,000.00	4,000.00
FTIR Spectroscopy (no ID)	3,500.00	2,800.00
FTIR Microspectroscopy	6,500.00	5,200.00
FTIR Microspectroscopy (no ID)	5,000.00	4,000.00



Thermal Analysis

Analysis	Regular Rate (PhP)	Student Rate (PhP)
Differential Scanning Calorimetry	3,000.00	2,400.00
Simultaneous Thermal Analysis	3,000.00	2,400.00
Thermomechanical Analysis	3,200.00	2,560.00
TG-IR	8,300.00	6,640.00

Chemical and Metallurgical Laboratory

Sample Preparation

Analysis	Regular Rate (PhP)	Student Rate (PhP)
Optical Microscopy	2,000.00	1,600.00
Mechanical Preparation	3,800.00	3,040.00
Ion Milling	4,500.00	3,600.00
Chemical Decapsulation	3,000.00	2,400.00
Particle Size Analysis (add-on)	1,500.00	1,200.00
Sputter Coating	2,000.00	1,600.00



Biological Fixing	2,500.00	2,000.00
Laser Decapsulation	4,200.00	3,300.00
Laser Decapsulation with 2D X-ray	6,800.00	5,400.00

Non-destructive Testing

Analysis	Regular Rate (PhP)	Student Rate (PhP)
3D CT X-ray Single Scan	17,400.00	13,900.00
3D CT X-ray Bulk Price add-on	8,800.00	7,000.00
3D CT X-ray Additional Scan add-on	9,550.00	7,600.00
3D CT X-ray Analysis add-on	2,600.00	2,000.00
3D CT X-ray Reference Comparison add-on	2,750.00	2,200.00
Hand-Held XRF Analysis	2,200.00	1,800.00
2D X-ray Single Scan/Qualification Scan	5,800.00	4,600.00
2D X-ray Bulk Scan with Analysis (subsequent)	4,800.00	3,800.00
2D X-ray Scan Only (consequent)	3,200.00	2,600.00