



External/Internal Services

1. Chemical Testing

This service involves the quantification and evaluation of chemical composition and other properties of various materials such as food, water, plant, construction materials, fuel, and paint samples.

Office or Division:	Standards and Testing Division	
Classification:	Highly Technical	
Type of Transaction:	G2C, G2B, G2G	
Who may avail:	All	
CHECKLIST OF REQUIREMENTS		WHERE TO SECURE
1. Valid sample(s) for testing (refer to the Schedule of Fees and Charges for Testing and Analytical Services)		Provided by the customer
2. Accomplished Customer Information Sheet (CIS), GP 4.4-01-F01 (1 original)		ITDI-STD/Receiving and Releasing Unit (RRU) or through email correspondence
3. Valid identification cards - Student ID/Senior Citizen ID/ PWD ID (1 original)		Provided by the customer
4. Validated Technical Service Request (TSR), GP 4.4-01-F03 (1 original)		ITDI-STD/ Validation Room
5. Invoice receipt (1 original)		ITDI/Administrative Division/Cashier Section/2 nd Floor Metrology Building
6. Authorization letter if representative (1 original)		Provided by the customer
7. Alternative to authorization letter: accomplished "Authority to Claim" at the back portion of TSR (1 original)		ITDI-STD/ Validation Room



8. Valid government-issued identification cards of the person authorized and the person who gave the authorization (1 photocopy)		Provided by the customer		
9. Client Satisfaction Measurement (CSM) Form, QMS-F2 (1 original/softcopy)		ITDI-STD/Receiving and Releasing Unit (RRU) or through email correspondence		
CLIENT STEPS	AGENCY ACTION	FEES TO BE PAID	PROCESSING TIME	PERSON RESPONSIBLE
1. Customer logs in on the logbook of the guard-on-duty.	1.1 Guard-on-duty endorses customer to the Receiving and Releasing Unit (RRU).	None	1 minute	<i>Guard-on-duty</i> STD Building
2. Customer informs RRU staff of the testing needs and brings sample for submission.	2.1 RRU checks if customer requirement is within the capability of ITDI-STD. If capability is not within ITDI-STD capability, RRU staff endorses customer to OneLab Referral System through the Customer Receiving Officer (CRO)	None	1 minute	<i>Science Research Analyst</i> STD-RRU
3. Customer accomplishes Customer Information Sheet (CIS, GP 4.4-01-F01) or presents the accomplished CIS given through email: ocs.std.itdi@gmail.com or inorganicstd@yahoo.com	3.1 If within capability, RRU instructs customer to accomplish Customer Information Sheet (CIS, GP 4.4-01-F01). RRU staff calls validator from concerned laboratory through paging system or local phone call. RRU staff instructs customer to	None	2 minutes	<i>Science Research Analyst</i> STD-RRU



	proceed to the Validation Room/designated area.			
4. Customer proceeds to validation room/designated area and wait for the laboratory/section validator.	4.1 Concerned laboratory/ section validator proceeds to Validation Room.	None	3 minutes	<i>Supervising SRS</i> Chemistry Laboratory Validation Room
	4.2 Validator checks validity of sample and completeness of details provided by the customer.	None	3 minutes	<i>Supervising SRS</i> Chemistry Laboratory Validation Room
	4.3 Validator inputs information provided by the customer to the Unified Laboratory Information Management System (ULIMS).	None	10 minutes*	<i>Supervising SRS</i> Chemistry Laboratory Validation Room
5. Customer checks correctness of information in the printed TSR.	5.1 Validator prints 1 copy of the Technical Service Request Form (TSR, GP 4.4-01-F03).	None	1 minute	<i>Supervising SRS</i> Chemistry Laboratory Validation Room
	5.2 Validator discusses to customer due date of testing service, terms and conditions, modes of release of test reports and the requirements for release of test reports to authorized representative.	None	3 minutes	<i>Supervising SRS</i> Chemistry Laboratory Validation Room
6. Customer and validator agree to the content of the TSR and both sign the form.	6.1 Once agreed by the customer, validator prints three (3) more copies of the TSR.	None	2 minutes	<i>Supervising SRS</i> Chemistry Laboratory Validation Room



	6.2 Customer and validator agree to the content of the TSR and both sign the form, all four (4) copies.	None	3 minutes	<i>Supervising SRS Chemistry Laboratory Validation Room</i>
	6.3 Validator gives three (3) copies of the signed four (4) copies to the customer for payment at the Cashier.	None	1 minute	<i>Supervising SRS Chemistry Laboratory Validation Room</i>
7. Customer proceeds to ITDI cashier for payment (option 1); E-payment (option 2) Customer presents three (3) copies of the signed TSRs together with payment of total fee.	7.1 Cashier checks submitted TSRs and issues Invoice of the payment received.	Please refer to ITDI-STD published Schedule of Fees and Charges 20% discount for students, senior citizens, and persons with disabilities (PWDs)	5 minutes	<i>Administrative Officer III Cashier Section, Administrative Division, 2nd floor Metrology Building</i>
	7.2 Cashier provides the customer his/her copy of the TSR and the invoice. Cashier gives one (1) copy of TSR to Commission on Audit (CoA) and one (1) copy is sent back to ITDI-STD for commencement of technical service. Laboratory/ section concerned checks payment	None		<i>Administrative Officer III Cashier Section, Administrative Division, 2nd floor Metrology Building</i>



	of customer through online using ULIMS or through received TSR and technical service is started.			
8. No activity.	8.1 Laboratory conducts analytical testing.	None	19 days* (paused clock)	<i>Supervising SRS Chemistry Laboratory</i>
9. Customer goes back to ITDI-STD to claim Test Report after the agreed turn-around time for the technical service availed. Customer logs in on the logbook of the guard-on-duty.	9.1 Guard-on-duty endorses customer to the Receiving and Releasing Unit (RRU).	None	1 minute	<i>Guard-on-duty STD Building</i>
10. Customer presents his/her copy of the Technical Service Request (TSR, GP 4.4-01-F03). If a representative is sent, authority to claim and valid identification cards are presented.	10.1 RRU staff checks the presented TSR. If person claiming test report is not the same person who submitted the sample, RRU staff checks the authorization to claim (separate authorization letter or accomplished back page of TSR, GP 4.4-01-F03) the Test Report and valid identification. For customers who availed of email correspondence as the mode of release of	None	2 minutes	<i>Science Research Analyst STD-RRU</i>



	Test Reports, RRU staff immediately sends the Test Report to the provided email address by the customer.			
11. Customer signs the receiving copy of the Test Report.	11.1 RRU staff asks customer to sign the receiving copy of the Test Report.	None	1 minute	Science Research Analyst STD-RRU
	11.2 RRU staff places Test Report inside an envelope and forwards to the customer. Electronic copies of test reports can also be issued through email (if requested during sample validation): rru_std@itdi.dost.gov.ph	None	1 minute	Science Research Analyst STD-RRU
12. Customer accomplishes harmonized Client Satisfaction Measurement (CSM) Form (QMS-F2) and drops accomplished form inside the drop box at the RRU.	12.1 RRU staff asks customer to accomplish Client Satisfaction Measurement (CSM) Form (QMS-F2) or through online (along with the electronic copies of test reports)	None	3 minutes	Science Research Analyst STD-RRU
TOTAL:		Please refer to ITDI-STD published Schedule of Fees and Charges	19 days and 43 minutes	



*Timelines indicated are for 1 sample submitted only. Longer time is expected if many samples are submitted.

**SCHEDULE OF FEES AND CHARGES FOR TESTING
AND ANALYTICAL SERVICES**
(As of October 1, 2014)

Organic Chemistry Section

Sample Name	Test Name	Test Method	Test Fee (PhP)	Sample Requirement
FUELS AND PETROLEUM PRODUCTS				
Liquid Fuels/ Lubricants	API Gravity/Specific Gravity/ Density	ASTM D4052/ ASTM D1298	700.00	500mL
	Ash, straight	ASTM D482	670.00	100mL
	Ash, Sulfated	ASTM D874	840.00	100mL
	Color	ASTM D1500	360.00	100mL
	Copper Corrosion test	ASTM D130	700.00	100mL
	Flashpoint Cleveland Open Cup (COC)	ASTM D92	700.00	500mL
	Flashpoint Tag Closed Tester (TCT)	ASTM D56	700.00	500mL
	Kinematic viscosity	ASTM D445	800.00	200mL
	Total Acid Number	ASTM D974	520.00	200mL
	Viscosity Index	ASTM D2270	1,320.00	200mL
	Sulfur	Combustion	2,000.00 1st spl, 900.00 next	100mL
	CHN	Combustion	3,100.00 1st spl, 1,500.00 next	100mL
	Heating Value	ASTM D240	1,500.00	100mL
	Pour Point	ASTM D97	1,500.00	200 mL
Solid Fuels (charcoal, wood, biomass)	Proximate Analysis	ASTM D1762 (Modified)	1,990.00	100g finely ground
	Ash	ASTM D1762 (Modified)	840.00	



	Moisture	ASTM D1762 (Modified)	450.00	
	Volatile Combustible Matter	ASTM D1762 (Modified)	700.00	
	Fixed Carbon (by difference)	ASTM D1762 (Modified)	1,990.00	
	Heating value	ASTM D5865	1,500.00	
	Sulfur	ASTM D4239	2,000.00 1st spl, 900.00 next	
	Ultimate Analysis	ASTM D5373	3,100.00 1st spl, 1,500.00 next	
Grease	Dropping Point	ASTM D 566	600.00	100g
PLANTS AND PHARMACEUTICAL PRODUCTS				
Proximate Composition of Plant & Plant Products and Herbal Food Supplements	Acid insoluble ash	USP 23, [561]	1,080.00	20g
	Crude fat	AOAC 920.39	960.00	20g
	Crude Fiber	USP 23, [561]	1,380.00	20g
	Crude Protein	AOAC 955.04	1,120.00	20g
	Essential Oil content	USP 23, [561]	1,080.00	500g per set up
	Fixed Oil Content	USP 23, [401]	840.00	500g
	Moisture	USP 23, [921]	600.00	20g
	Total Ash	USP 23, [561]	720.00	20g
Plant Components	Phytochemical (alkloids, flavonoids, glycosides saponins, sterols, tannins, triterpenes)	BTD Manual Qualitative	650.00	300g
Plant Oils (Essential & Fixed Oil) Plant Extracts	Iodine value	USP [401]	600.00	10g
	Refractive Index	USP [831]	400.00	5mL
	Saponification Value	USP [401]	800.00	20g
	Acid Value	Titration	600.00	100mL
	Specific Gravity	USP [841]	500.00	100mL
	Total Essential Oil Content	AOAC 932.11	1,080.00	300mL
	Total Fixed Oil Content	USP [401]	840.00	250g
	Viscosity (Brookfield)	ASTM D 2556	840.00	500mL
	Scavenging activity of plant extracts	Spectrophotometer	3,960.00	200g



	Antioxidant activity of plant extracts	Spectrophotometer	1,160.00	200g
	Carvacrol	GC	1,800.00 any 1st analyte, add'l analyte 600.00 each	5mL
	Citral	GC		5mL
	Citronellal	GC		5mL
	Citronellol	GC		5mL
	Eucalyptol/Cineole	GC		5mL
	Eugenol	GC		5mL
	Geraniol	GC		5mL
	Limonene	GC		5mL
	Linalool	GC		5mL
	Myrcene	GC		5mL
	α -Pinene	GC		5mL
	β -Pinene	GC		5mL
	Terpineol	GC		5mL
Alkaloids	Caffeine	HPLC	2,800.00	100g
Liquid Nutritional Supplement	Calcium	AOAC 929.07	1,920.00	1L
	Phosphorous	AOAC 930.35	1,440.00	500mL
	Sodium	AOAC 966.16	1,920.00	1L
Plant Products & Herbal Supplements	β -Carotene	HPLC	4,000.00	100g
	Vitamin A	HPLC	3,750.00	100g
	Vitamin B1	HPLC	3,500.00	100g
	Vitamin B2	HPLC	3,500.00	100g
	Vitamin B6	HPLC	3,500.00	100g
	Vitamin E	HPLC	3,600.00	100g
Topical Preparations, Liniments, Ointments	Camphor	GC	1,800.00 any 1st analyte, 600.00 per add'l analyte	60-100mL
	Menthol	GC		
	Eucalyptol/Cineole	GC		
	Methyl Salicylate	GC		
Medicated Cosmetic Soaps	Camphor	GC	1,800.00	60-100mL



Medicated Cosmetic Liquid Preparations	Menthol	GC	1,800.00	4 bots in orig. pack
	Retinoic Acid (Tretinoin)	HPLC	3,750.00	
	Ethanol / 2-Propanol	GC	1,800.00 any 1st analyte, 600.00 per add'l analyte	
Drug, Pharmaceuticals and Cosmetic Preparations	pH	USP 23	325.00	100mL
	Viscosity (Brookfield)	ASTM D 2556	840.00	500mL
	Moisture	USP 23	600.00	100g
PAINTS AND ALLIED PRODUCTS				
Water-based Paints, Latex, White; Elastomeric; Acrylic Polymer, Copolymer	Chemical resistance	ASTM D 1308		At least 4L sample Test Panels
	Spot Test		400.00	
	Immersion Test		650.00	
	Density	ASTM D 1475	515.00	
	Dry/Cure time	ASTM D 1640	400.00	
	Fineness of Grind	ASTM D 1210	380.00	
	Gloss Measurement	ASTM D 523	500.00	
	Pigment and Vehicle content	ASTM D 2371	1,000.00	
	Titanium Dioxide	ASTM D 1394	1,300.00	
	If requested alone		1,920.00	
	Total Solids, % weight	ASTM D 2369	500.00	
	Viscosity (KU) (Stormer)	ASTM D562	500.00	
	Volume non-volatile matter	ASTM D2697	500.00	
	Volume non-volatile matter, If requested alone	ASTM D2697	1,200.00	
	Water resistance	ASTM D870	390.00	
Organic solvent-based Paints, Enamel, White; Polyurethane	Adhesion	ASTM D 3359	375.00	At least 4L sample Test panels
	Density	ASTM D 1475	515.00	
	Dry/Cure time	ASTM D 1640	400.00	
	Fineness of Grind	ASTM D 1210	380.00	
	Flexibility	ASTM D 522	400.00	
	Gloss Measurement	ASTM D 523	500.00	
	Hardness	ASTM D 3363	375.00	



	Pigment and Vehicle content	ASTM D 2371	1,000.00	
	Titanium Dioxide	ASTM D 1394	1,300.00	
	Titanium Dioxide If requested alone		1,920.00	
	Total Solids, % weight	ASTM D 2369	500.00	
	Viscosity (KU)	ASTM D 562	500.00	
	Volume non-volatile matter or Total Solids, % volume	ASTM D 2697	500.00	
	If requested alone		1,200.00	
Primer Paints: Zn Yellow, Red Lead, Ferrous Oxide	Adhesion	ASTM D 3359	375.00	At least 4L sample Test Panels
	Density	ASTM D 1475	515.00	
	Dry/Cure time	ASTM D 1640	400.00	
	Fineness of Grind	ASTM D 1210	380.00	
	Flexibility	ASTM D 522	400.00	
	Gloss Measurement	ASTM D 523	500.00	
	Hardness	ASTM D 3363	375.00	
	Iron Oxide (Iron Oxide Primer) If requested alone	AAS	1,920.00	
	Pigment and Vehicle content	ASTM D 2371	1,000.00	
	Red Lead (Red Lead Primer) If requested alone	AAS	1,920.00	
	Total Solids, % weight	ASTM D 2369	500.00	
	Viscosity (KU)	ASTM D 562	500.00	
	Volume non-volatile matter or Total Solids, % volume	ASTM D 2697	500.00	
	If requested alone		1,515.00	
	Chromium (Zn Yellow Primer)	ASTM D 444	1,200.00	
	If requested alone		1,920.00	
	Zinc (Zn Yellow Primer) If requested alone	AAS	1,920.00	



Reflectorized Traffic Marking Paints: White and Yellow	Density	ASTM D 1475	515.00	At least 4L sample Test panels
	Dry/Cure time/No-Pick-Up time	ASTM D 1640/D711	400.00	
	Glassbeads			
	Content	JIS K5665	700.00	
	Density	JIS R3301	700.00	
	Gradation	ASTM D1214	1,250.00	
	Lead, Total (for yellow paint) If requested alone	AAS	1,920.00	
	Pigment & Vehicle Content	ASTM D237/D4451	1,000.00	
	Titanium Dioxide (for white paint)	ASTM D1394	1,300.00	
	Total Solids, % weight	ASTM D2369	500.00	
	Water resistance	ASTM D870	390.00	
Thermoplastic Powder Paints White and Yellow	Calcium Carbonate	ASTM C25	1,100.00	At least 1kg sample
	If requested alone		1,560.00	
	Dry/Cure time	ASTM D1640	400.00	
	Glassbeads			
	Content	JIS K5665	700.00	
	Density	JIS R3301	515.00	
	Gradation	ASTM D1214	1,250.00	
	Lead, Total (for yellow paint) If requested alone	AAS	1,920.00	
	Pigment	ASTM D4451	1,000.00	
	Softening Point	ASTM E28	870.00	
	Titanium Dioxide (for white paint) If requested alone	ASTM D1394	1,300.00	
	Chrome Yellow (for yellow paint) If requested alone	ASTM D1394	1,300.00	
Aluminum Paints	Density	ASTM D1475	450.00	At least 4L sample Test panels
	Dry/Cure time	ASTM D1640	400.00	
	Pigment and Vehicle content	ASTM D2371	1,000.00	



	Viscosity (Ford Cup #4)	ASTM D1200	500.00	
	Volatile and nonvolatile Matter	ASTM D2369	600.00	
	Water content	ASTM D95	950.00	
	Adhesion	ASTM D3359	375.00	
	Chemical resistance	ASTM D1308		
	Spot test		400.00	
	Immersion test		650.00	
	Additional Substrate		120.00	
	Heat resistance	ASTM D2485	3,000.00	
	Total Solids, % weight	ASTM D2369	500.00	
	Total Solids, % volume	ASTM D2697	500.00	
	If requested alone		1,200.00	
Avion Blue Enamel Paint	Adhesion	ASTM D3359	375.00	At least 4L sample Test panels
	Chemical resistance	ASTM D1308		
	Spot Test		400.00	
	Immersion Test		600.00	
	Additional substrate		120.00	
	Density	ASTM D1475	450.00	
	Dry/Cure time	ASTM D1640	400.00	
	Fineness of Grind	ASTM D1210	380.00	
	Flexibility	ASTM D522	400.00	
	Hardness	ASTM D3363	375.00	
	Total Solids, % weight	ASTM D2369	500.00	
	Viscosity (Ford Cup #4)	ASTM D1200	500.00	
	Water resistance	ASTM D870	390.00	
	Adhesion	ASTM D3359	375.00	
Epoxy Paints	Chemical resistance	ASTM D1308		At least 4L sample Test panels
	Spot Test		400.00	
	Immersion Test		650.00	
	Additional Substrate		120.00	
	Density	ASTM D1475	450.00	
	Dry/Cure time	ASTM D1640	380.00	



	Flexibility	ASTM D522	400.00	
	Hardness	ASTM D3363	375.00	
	Total Solids, % weight	ASTM D2369	500.00	
	Total Solids, % volume	ASTM D2697	500.00	
	Total Solids, % volume, If requested alone	ASTM D2697	1,200.00	
	Viscosity (KU)	ASTM D562	500.00	
	Water resistance	ASTM D870	390.00	
Adhesives	Viscosity, Krebs Unit	ASTM D1084	500.00	At least 1L/analyte
	Total Solids (non volatile content)	ASTM D4426	500.00	
	Viscosity (Brookfield)	ASTM D1084	840.00	
Glue	pH	PNS 1800:2000	400.00	At least 1L/analyte
	Free formaldehyde		700.00	
	Solid Content		500.00	
Physical analysis of Fingerprint Taker	Thumbprint Impressions, plain	Sirchie Fingerprint Method	960.00	at least 10 pcs
Indelible Ink	Silver Nitrate, % w/w	ISTD (Gravimetry/ Titrimetry)	1,920.00	at least 150 mL
FOOD AND FEEDS				
Foods/Feeds	Protein	Block Digestion Method	1,120.00	200 mL or 200 g
	Ash	AOAC	550.00	200 g
	Ash-Acid insoluble	Gravimetric	900.00	200 g
	Ash-Water soluble & insoluble	Gravimetric	1,020.00	200 g
	Ash-Alkalinity	Gravimetric	1,000.00	200 g
	Ash-Alkalinity of Water, Insoluble	Gravimetric	1,440.00	200 g
	Ash-Alkalinity of Water Soluble	Gravimetric	1,320.00	200 g
	Ash-Sulphated	Gravimetric	1,000.00	200 g
	Crude Fiber	Gravimetric	1,380.00	200 g
	Moisture	Gravimetric	400.00	200 g



	Crude Fat	Acid hydrolysis	1,200.00	200 g
	Starch	Direct acid hydrolysis	1,200.00	200 g
	Food Energy (Calories)	By computation	90.00	500 g
	Total carbohydrate	By difference	90.00	500 g
	Total Dietary Fiber	AOAC	7,200.00	300 g
	pH	AOAC	325.00	200 g
	Cholesterol	HPLC	3,960.00	300 g
	Caffeine	HPLC	2,800.00	300 g
	Sorbic Acid	HPLC	4,400.00	300 g
	Benzoic Acid	HPLC	4,400.00	300 g
	Nitrite in meat	AOAC	1,500.00	400 g
	Calcium	AOAC	1,920.00	1L
	Iron	AOAC	1,920.00	500 mL
	Magnesium	AOAC	1,920.00	1L
	Manganese	AOAC	1,920.00	1L
	Potassium	AOAC	1,920.00	1L
	Sodium	AOAC	1,920.00	1L
	Zinc	AOAC	1,920.00	500 mL
	Lead	AOAC	1,920.00	500 mL
	Cadmium	AOAC	1,920.00	500 mL
	Mercury	Cold Vapor AAS	1,920.00	500 mL
	Copper	AOAC	1,920.00	500 mL
	Phosphorous	AOAC	1,920.00	500 mL
	Arsenic	AOAC	2,300.00	500 mL
	Acidity (Titratable) in fruit/ veg. product	AOAC	540.00	300 mL
	Acidity (Volatile) in fruit/ veg. product	AOAC	480.00	300 mL
	Solids (Soluble) in fruit/ veg. Product	AOAC	480.00	200 mL
	Solids (Water-insoluble) in fruit/ veg. Product	AOAC	360.00	200 mL
	Sodium Chloride	AOAC	700.00	200 g



	Solids (Total)	AOAC	400.00	200 g
Vinegar	Acid (as Acetic Acid), Total	AOAC 930.35	560.00	200 mL/ analyte
	Alcohol	AOAC 930.35	600.00	
	Alkalinity of soluble ash	AOAC 900.02	800.00	
	Ash	AOAC 930.35	550.00	
	Nonvolatile acids	AOAC 930.35	650.00	
	Nonvolatile reducing substances	AOAC 930.35	1,200.00	
	Permanganate Oxidation Number	AOAC 944.10	1,200.00	
	Total Solids	AOAC 930.35	400.00	
	Total soluble solids	AOAC 930.35	480.00	
	Volatile Acids	AOAC 930.35	480.00	
	If requested alone		1,140.00	
Fats and Oils	Specific Gravity	AOAC 985.19	500.00	200 mL/analyte
	Fatty Acid Profile	GC	2,400.00	
	(For solid food, additional fee for extraction)		1,080.00	
	Free Fatty Acid/Acid No.	AOAC 940.28	500.00	
	Index of Refraction	AOAC 921.08	400.00	
	Iodine Absorption Number	AOAC 920.158/159	600.00	
	Melting Point of Fat/Fatty Acid	AOAC 920.157	500.00	
	Moisture/Volatile Matter	AOAC 962.12	450.00	
	Peroxide Value	AOAC 965.33	600.00	
	Saponification Value	AOAC 920.160	800.00	
	Specific Gravity	AOAC 920.212	500.00	
	Unsaponifiable Matter	AOAC 033.08	1,320.00	
	Viscosity (Brookfield)	ASTM D 2564/1084	840.00	
	Viscosity (Cannon-Fenske)	ASTM D445	600.00	
Vitamins in Food/Feeds	Total Vitamin A (Retinol + β -carotene)	HPLC	7,000.00	1L 200 mL/ analyte 300 g/analyte



	β-carotene	HPLC	4,000.00	
	Vitamin E	HPLC	4,200.00	
	Vitamin B1	HPLC	3,500.00	
	Vitamin B2	HPLC	3,500.00	
	Vitamin B6	HPLC	3,500.00	
	Vitamin C	HPLC	3,000.00	
Distilled Liquors/Wines/Beer	Acids	AOAC		1L
	Total Acids		560.00	
	Fixed Acids		600.00	
	Volatile Acids (If requested alone)		1,140.00	
	Alcohol	GC	1,800.00	1L
	Ash	AOAC	550.00	500 mL
	Ethanol/Methanol	GC	1,800.00 1st analyte	1L
		GC	+600.00 add'l analyte	
	Fuse Oil	GC	1,800.00	1L
	Higher Alcohol & Ethyl Acetate	AOAC	1,800.00 1st analyte	1L
			+600.00 add'l analyte	
Ethyl Alcohol	Acetone	GC	1,800.00	200 mL
	Benzene	GC	1,800.00	200 mL
	Purity	GC	1,800.00	200 mL
	Fusel Oil & Amyl Alcohol	GC	1,800.00	200 mL
Organic Solvent and Chemicals	Density	ASTM	480.00	200 mL
	Acidity	ASTM D1613	840.00	200 mL
	Water Miscibility	ASTM D1722	480.00	200 mL
	pH	ASTM E 70	360.00	200 mL
	Purity	GC	1,800.00	200 mL
	Residue on Evaporation	ASTM D 1353	720.00	200 mL
	Refractive Index	Refractometric Method	400.00	200 mL



	Viscosity (Brookfield)	ASTM	840.00	500 mL
	Flash Point, TCT	ASTM	700.00	300 mL
Disinfectant	Benzalkonium Chloride content	USP	1,200.00	200 mL
	Viscosity (Brookfield)	ASTM	840.00	1L
	pH	ASTM E 70	400.00	200 mL
Toilet Soap/Laundry Soap	Moisture & Volatile Matter	PNS	720.00	200 g
	Total Matter Insoluble (alcohol+NaCl)	PNS	1,320.00	200 g
	Free Alkali (as NaOH or Na ₂ O)	PNS	720.00	200 g
	Matter insoluble in Water	PNS	720.00	200 g
	If requested alone	PNS	1,080.00	200 g
	Anhydrous soap	PNS	1,440.00	200 g
Other Test	FTRI Scan	FTIR	620.00	
	Viscosity (Brookfield)	ASTM	840.00	1L
	pH	ASTM E 70	360.00	200 mL
Toilet Soap/Laundry Soap	Moisture & Volatile Matter	PNS	720.00	200 g
	Total Matter Insoluble (alcohol+NaCl)	PNS	1,320.00	200 g
	Free Alkali (as NaOH or Na ₂ O)	PNS	720.00	200 g
	Matter insoluble in Water	PNS	360.00	200 g
	If requested alone		1,080.00	200 g
	Anhydrous soap	PNS	1,440.00	200 g
Other Test	FTRI Scan	FTIR	590.00	



(As of September 12, 2022)

Sample Name	Test Name	Test Method	TEST FEE (PhP)	SAMPLE REQUIREMENT
FOOD AND FEEDS				
Vitamins in Food/Feeds	Vitamin A (Retinol)	TM-OCS-207 (HPLC)	5,300.00	At least 100 g
	Vitamin D3	TM-OCS-208 (HPLC)	5,300.00	At least 100 g
	Folic Acid	TM-OCS-209 (HPLC)	5,000.00	At least 100 g

(As of August 14, 2024)

Sample Name	Test Name	Test Method	TEST FEE (PhP)	SAMPLE REQUIREMENT
FUELS AND PETROLEUM PRODUCTS				
Coconut Shell-based Charcoal Briquettes and Activated Carbon	Self-heating	UN Manual of Tests and Criteria, Section 33.4.6 Test N.4, Rev. 7 (2019)	2600	2 kg

(As of October 1, 2014)

Inorganic Chemistry Section

Sample Name	Test Name	Test Method	TEST FEE (PhP)	SAMPLE REQUIREMENT
Water (Deepwell, Spring, Distilled, Deionized, Bottle) and Wastewater (Effluent, Influent)	Arsenic	HVG-AAS	1,500.00	Not less than 6L
	Anions (F, Cl, NO ₂ , Br, NO ₃ , PO ₄ , SO ₄)	IC	1,100.00(1st analyte)	
	Succeeding ions		800.00	
	Cadmium	AAS	1,200.00	
	Calcium	AAS	1,200.00	
	Chromium	AAS	1,200.00	



	Copper	AAS	1,200.00	
	Iron	AAS	1,200.00	
	Lead	AAS	1,200.00	
	Magnesium	AAS	1,200.00	
	Manganese	AAS	1,200.00	
	Nickel	AAS	1,200.00	
	Nitrogen (Ammonia-Nitrogen)	Distillation/Titration	50.00	
	Nitrogen (Organic)	Kjeldahl Titration	950.00	
	Potassium	AAS/Flame Emission	1,200.00	
	Silica	Gravimetry	800.00	
	Silicon	UV-Vis	800.00	
	Silver	AAAS	800.00	
	Sodium	AAS/Flame Emission	1,200.00	
	Zinc	AAS	1,200.00	
Pipes (uPVC, etc.)	Extractable Pb (First and Third Extraction)	AAS	6,400.00/6,400.00	3 pcs sample if diameter >5 cm length - 0.5m 6 pcs sample of diameter <5 cm length – 1m (Max diam accepted = 10 cm) Sealed at one end
Ceramics and Plastic Containers for Foodstuff	Extractable Metal	AAS	2,000.00 per element	at least 100mL
Toys and Other Related Materials	Extractable Metals	AAS	1,800.00 per element	at least 100mL
Chemical/Reagents KOH – Caustic potash NaOH – Caustic Soda NaHCO ₃ – Baking Soda NaHCO ₃ – tartaric acid + baking powder Na ₂ CO ₃ – Soda ash	Arsenic	HVG-AAS	1,500.00	For powder sample –100g For liquid sample – 100mL
	Trace Metals	AAS (Std addition)	1,200.00 per element	



Plating Solution	Metals (Ag, Au, Cd, Cr, Cu, Fe, Mg, Mn, Ni, Pb, Zn, etc)	AAS	880.00 per metal	at least 100mL
Powder Granules	Sieve Analysis (one mesh)	ASTM C110	400.00	at least 500g
	Sieve Analysis (succeeding mesh)	ASTM C110	230.00	
Salt/Sodium Chloride	Complete Chemical Analysis (NaCl. Moisture, Water Insolubles, Ca, Mg, SO ₄)	AOAC 925.55	5,000.00	at least 250g, 1 kg sample for Complete Chemical Acid Analysis
Soil, Sediments, Sludge	Arsenic	HVG AAS	1,500.00	at least 250g
	Metals (Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, P, K, Na, Zn)	AAS	1,000.00 per element	
Clay and Related Materials, Pozzolan Cement/Perlite/ Zeolite/Refractories/ Fly Ash Sand/Silica Sand (99.9 % SiO ₂) Diatomaceous Earth (77% SiO ₂) Rice Hull (90% SiO ₂) Ceramics/Glass Borosilicate glass	Complete Chemical Analysis (SiO ₂ , Fe ₂ O ₃ , Al ₂ O ₃ , TiO ₂ , CaO, MgO, Na ₂ O, K ₂ O, LOI	JISM 5584	6,500.00	at least 250g
	Alumina	JISM 5584	850.00	
	Calcium Oxide	JISM 5584	800.00	
	Iron Oxide	JISM 5584	850.00	
	Magnesium Oxide	JISM 558	1,100.00	
	Potassium Oxide	JISM 5584	800.00	
	Silica	JISM 5584	1,070.00	
	Sodium Oxide	JISM 5584	800.00	
	Titania	JISM 5584	800.00	
	Manganese Oxide	AAS	900.00	
	Boron Oxide	Titrimetry ASTM 169-92	1,500.00	
Limestone (CaCO ₃), Quicklime (CaO),	Complete Chemical Analysis (SiO ₂ ,	ASTM C25	4,500.00	at least 250g



Hydrated Lime (Ca(OH) ₂), Scales, etc. Calcite -CaCO ₃ Lime – CaO (apog)	Fe ₂ O ₃ , Al ₂ O ₃ , CaO, MgO, LOI)			
	Alumina	ASTM C25	1,310.00	
	Calcium Oxide	ASTM C25	650.00	
	Iron Oxide	ASTM C25	800.00	
	Magnesium Oxide	ASTM C25	1,100.00	
	Potassium Oxide	ASTM C25	800.00	
	Sodium Oxide	ASTM C25	800.00	
	Silica	ASTM C25	1,320.00	
	Phosphorous Pentoxide, (P ₂ O ₃)	ASTM C25	1,310.00	
Gypsum (CaSO ₄ .2H ₂ O) and Gypsum Products)	Complete Chemical Analysis (CaSO ₄ .2H ₂ O, CaSO ₄ , SiO ₂ and Insoluble, R ₂ O ₃ , CaO, MgO, SO ₃)	ASTM C471	6,500.00	at least 250g
	Aluminum Oxide	ASTM C471	805.00	
	Anhydrite (CaSO ₄)	ASTM C471	800.00	
	Calcium Oxide	ASTM C471	800.00	
	Combined Water	ASTM C471	750.00	
	Free Water	ASTM C471	500.00	
	Iron and Aluminum Oxides (mixed oxides)	ASTM C471	700.00	
	Iron Oxide	ASTM C471	850.00	
	Magnesium Oxide	ASTM C471	1,100.00	
	Purity as CaSO ₄ .2H ₂ O	ASTM C471	800.00	
	Silica and Insoluble Matter	ASTM C471	800.00	
	Sodium Chloride	ASTM C471	500.00	
	Sulfate/Sulfur Trioxide	ASTM C471	930.00	



Boiler Scale	Organic & Volatile Matter	Tech. Method of Analysis by Griffin	650.00	100-150 g
	Silica		1,320.00	
	Iron & Aluminum Oxide		1,320.00	
	Lime (CaO)		650.00	
	Magnesia (MgO)		1,100.00	
	Sulfur Trioxide		930.00	
Fertilizers and Related Materials Organic Fertilizer	Micronutrients (Ca, Cu, Fe, Mg, Mn, Ni, Zn)	AOAC	1,200.00 per element	For solid sample—at least 200g For liquid sample—at least 200mL
	Nitrogen	Kjeldahl Titration	1,000.00	
	Potassium	AAS	1,000.00	
Cement (Hydraulic, Portland) Aggregates	Complete Chemical Analysis (SiO ₂ , Fe ₂ O ₃ , Al ₂ O ₃ , TiO ₂ , CaO, MgO, SO ₃ , LOI, Insoluble Residue)	ASTM C114	5,800.00	at least 250g
	Alumina	ASTM C114	850.00	
	Silica	ASTM C114	800.00	
	Calcium Oxide	ASTM C114	800.00	
	Insoluble Residue	ASTM C114	700.00	
	Iron Oxide	ASTM C114	850.00	
	Magnesium Oxide	ASTM C114	1,100.00	
	Potassium Oxide	ASTM C114	800.00	
	Sodium Oxide	ASTM C114	800.00	
	Sulfate/Sulfur Trioxide	ASTM C114	930.00	
	Titania	ASTM C114	800.00	