Day 2: Find the Largest and Smallest Elements in an Array

Gati Goyal

"Code is like humor. When you have to explain it, it's bad."

— Cory House

1 Introduction

Finding the largest and smallest elements in an array is a fundamental problem in computer science and programming. It involves scanning the array and determining the maximum and minimum values efficiently. This document provides an implementation where separate functions are used to find the largest and smallest elements in the array.

2 Problem Statement

Problem: Write a program to find the largest and smallest numbers in an array of size n using separate functions. **Hint:** Utilize modular programming to enhance code readability and reusability.

3 Algorithm

3.1 Find Smallest Element

- 1. Initialize a variable min with the first element of the array.
- 2. Traverse the array:
 - If the current element is smaller than min, update min.
- 3. Return min.

3.2 Find Largest Element

- 1. Initialize a variable max with the first element of the array.
- 2. Traverse the array:
 - If the current element is larger than max, update max.
- 3. Return max.

4 Code

```
#include <stdio.h>
// Function to find the smallest element in an array
int findSmallest(int arr[], int n) {
     int \min = arr[0];
      \mbox{ for } (\mbox{ int } \mbox{ i } = \mbox{ 1; i } < \mbox{ n; i++}) \mbox{ } \{
         if (arr[i] < min) {
              \min = \operatorname{arr}[i];
    return min;
}
// Function to find the largest element in an array
int findLargest(int arr[], int n) {
     int max = arr[0];
     for (int i = 1; i < n; i++) {
         if (arr[i] > max) 
              \max = \operatorname{arr}[i];
     return max;
}
int main() {
     int n;
     printf("Enter-the-size-of-the-array:-");
     scanf("%d", &n);
     int arr[n];
     printf("Enter-the-elements-of-the-array:\n");
     for (int i = 0; i < n; i++) {
         scanf("%d", &arr[i]);
     }
     int smallest = findSmallest(arr, n);
     int largest = findLargest(arr, n);
     printf("Smallest - Element: -%d\n", smallest);
     printf("Largest - Element: -%d\n", largest);
    return 0;
}
```

5 Complexity Analysis

5.1 Find Smallest Element

- Time Complexity: O(n) (Single iteration through the array).
- Space Complexity: O(1) (Constant space for the min variable).

5.2 Find Largest Element

- Time Complexity: O(n) (Single iteration through the array).
- Space Complexity: O(1) (Constant space for the max variable).

6 Comparison of One-Pass vs Separate Functions

Criteria	One-Pass Algorithm	Separate Functions
Time Complexity	O(n)	O(2n)
Space Complexity	O(1)	O(1)
Modularity	Moderate	High
Code Readability	Less modular	Highly modular

7 Conclusion

Using separate functions to find the smallest and largest elements increases code modularity and reusability, making the program easier to read and maintain. Although it introduces a slight increase in execution time due to two separate loops, this trade-off is acceptable for small to medium-sized datasets.

8 Output

Figure 1: Output in online compiler