


## EXPOSICION 2DO GRUPO



Form4


LEN

LCASE

STR

MID

RIGHT




Form2

LEN  
Devuelve un entero que contiene el número de caracteres de una cadena,  
o bien el número nominal de bytes necesarios para almacenar una variable.

Regresar

EJEMPLO



Form1

Ingresar Datos

Numero de caracteres

Contar

Form1

**FUNCION LCASE**

Devuelve una cadena o un caracter convertido en minuscula

Funciones Ejemplo

case

Regresar Transformar

Función MID

**FUNCION MID**

Devuelve una cadena que a su vez contiene un número especificado de caracteres de una cadena.

Funciones Ejemplo

Form2

Texto:

Inicio:

Longitud:

Regresar Ejecutar

Form2

# RIGHT

Devuelve una cadena que contiene un número especificado de caracteres desde el lado derecho de una cadena.

EJEMPLO APLICADO

Form6

DATO

RESULTADO

EJECUCIÓN

## PROGRAMACION

```
Public Class FUNCIONES
```

```
    Private Sub Button5_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles Button5.Click
```

```
        RIGHTDEF.Show()  
        Hide()  
    End Sub  
  
    Private Sub Button2_Click(ByVal sender As System.Object, ByVal e As  
System.EventArgs) Handles Button2.Click  
        LCASEDEF.Show()  
        Me.Hide()  
    End Sub  
  
    Private Sub Button4_Click(ByVal sender As System.Object, ByVal e As  
System.EventArgs) Handles Button4.Click  
        MIDDEF.Show()  
        Hide()  
    End Sub  
  
    Private Sub Button1_Click(ByVal sender As System.Object, ByVal e As  
System.EventArgs) Handles Button1.Click  
        Form1.Show()  
        Hide()  
    End Sub  
End Class
```