

```

unit uConexaoBanco;

interface

uses
  SqlExpr, iniFiles, SysUtils, Forms, Dialogs;

type

TConexaoBanco = class
private
  { private declarations }
  FConexaoBanco : TSQLConnection;
protected
  { protected declarations }
public
  { public declarations }
  Constructor Create;
  Destructor Destroy; override;
  function GetConexao : TSQLConnection;
  property ConexaoBanco : TSQLConnection read GetConexao;
published
  { published declarations }
end;

implementation

{ TConexaoBanco }

constructor TConexaoBanco.Create;
var
  arquivoIni, hostname, database, drivename, username, password : String;
  localserver : Integer;
  configuracoes : TIniFile;
begin

  arquivoIni := extractfilepath(application.exename) + 'config.ini';

  if not fileexists(arquivoIni) then begin
    configuracoes := TIniFile.Create(arquivoIni);
    configuracoes.WriteString('dados', 'Hostname', '189.57.21.98');
    configuracoes.WriteString('dados', 'DataBase', 'greenbusiness');
    configuracoes.WriteString('dados', 'DriverName', 'MSSQL');
    configuracoes.WriteString('dados', 'UserName', 'sa');
    configuracoes.WriteString('dados', 'Password', '@Ivan!5273');
    configuracoes.free;
  end;

{
  configuracoes := TIniFile.Create(arquivoIni);

  try
  begin
    hostname := configuracoes.readstring('dados','HostName', 'erro');
    database := configuracoes.readstring('dados','DataBase', 'erro');
    drivename := configuracoes.readstring('dados','DriverName', 'erro');
    username := configuracoes.readstring('dados','UserName', 'erro');
    password := configuracoes.readstring('dados','Password','erro');
  end;
  finally
    configuracoes.free;
  end;
}
// try
//   begin

// conexao com o mssql
FConexaoBanco := TSQLConnection.Create(Application);
FConexaoBanco.Connected := False;
FConexaoBanco.ConnectionName := 'PROVAGTR';
FConexaoBanco.Params.Clear;
FConexaoBanco.LoadParamsFromIniFile(arquivoIni);
FConexaoBanco.KeepConnection := False;
FConexaoBanco.DriverName := 'MSSQL';

```

```

FConexaoBanco.LibraryName := 'dbxmss.dll';
FConexaoBanco.VendorLib := 'sqlncli.dll';
FConexaoBanco.GetDriverFunc := 'getSQLDriverMSSQL';
FConexaoBanco.LoginPrompt := False;
FConexaoBanco.Connected := True;

{
    FConexaoBanco.Params.Values['DataBase'] := database;
    FConexaoBanco.Params.Values['UserName'] := username;
    FConexaoBanco.Params.Values['Password'] := password;
    FConexaoBanco.Params.Values['HostName'] := hostname;
}
//    end;
// except
//    showmessage('Erro ao Conectar o Banco de Dados');
///    end;

end;

destructor TConexaoBanco.Destroy;
begin
    FreeAndNil( FConexaoBanco );
    inherited;
end;

function TConexaoBanco.GetConexao: TSQLConnection;
begin
    Result := FConexaoBanco;

end;

end.

```