

Drawing File: Z: $\2012-1254$ Task 10\SHEET FILES\C_01.dwg Apr 23, 2013 - 3:14pm



C-09 C-08 C-05 C-04 C-03 C-02 LOCATION # 1 CONSTRUCTION PLAN AND SECTION
LOCATION # 2 EXISTING PLAN & SECTION
LOCATION # 2 DEMOLITION PLAN AND SECTION LOCATION # 1 DEMOLITION PLAN AND SECTION LOCATION # 3 CONSTRUCTION PLAN AND SECTION LOCATION # 3 DEMOLITION PLAN AND SECTION LOCATION # 3 EXISTING PLAN & SECTION LOCATION # 2 CONSTRUCTION PLAN AND SECTION LOCATION # 1 EXISTING PLAN & SECTION GENERAL NOTES ESTIMATE OF QUANTITIES AND SCOPE OF WORK COVER SHEET LSI QF DRAWINGS

LOCATION MAP



ESTIMATE OF QUANTITIES LOCATION NO.: 1 - SECOND PLACE

ITEM NUMBER	ITEM DESCRIPTION	CNIT	QUANTITY
1254/10-01	MOBILIZATION	L.S.	1.00
1254/10-02	WORK ZONE SAFETY CONTROL	L.S.	1.00
1254/10-03	PRECONSTRUCTION SURVEY	L.S.	1.00
1254/10-04	REMOVE AND DISPOSE EXISTING CONCRETE SIDE WALK, 4½" INCH THICK	SQ. FT.	155.00
1254/10-05	REMOVE AND DISPOSE EXISTING CONCRETE UNDERLAYMENT, 5 INCH THICK, IN ASPHALT PAVERS SIDEWALK AREA	SQ. FT.	206.00
1254/10-06	REMOVE, REFURBISH AND STORE EXISTING ASPHALT PAVERS, 2 ½ INCH THICK	SQ. FT.	206.00
1254/10-07	REMOVE, REFURBISH AND STORE BELGIUM BLOCK PAVERS	SQ. FT.	158.00
1254/10-08	REMOVE DAMAGED GRANITE CURB SECTION	LINEAR FEET	6.00
1254/10-09	UNCLASSIFIED EXCAVATION AND DISPOSAL	CU. YARD	23.00
1254/10-10	EXCAVATION PROTECTION SHEETING	SQ. FT.	00.08
1254/10-11	SELECT GRANULAR FILL	CU. YARD	15.00
1254/10-12	FLOWABLE FILL - MINIMUM 300 LB PER SQ. INCH COMPRESSIVE STRENGTH CONCRETE MIX	CU. YARD	5.00
1254/10-13	SAND BACKFILL	CU. YARD	5.00
1254/10-14	CONCRETE UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 4 ½ INCH THICK	SQ. FT.	206.00
1254/10-15	ASPHALT UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 1 ½ INCH THICK	SQ. FT.	206.00
1254/10-16	REINSTALL ASPHALT CONCRETE PAVERS (UP TO 20% OF REPLACEMENT NEW PAVERS TO BE INCLUDED IN THE PRICE BID)	SQ. FT.	206.00
1254/10-17	STONE SCREENINGS UNDERLAYMENT FOR BELGIUM BLOCK PAVERS	CU. YARD	2.00
1254/10-18	REINSTALL BELGIUM BLOCK PAVERS	SQ. FT.	0.00
1254/10-19	REPLACE DAMAGED GRANITE CURB SECTION	LINEAR FEET	6.00
1254/10-27	CONCRETE SIDEWALKS AND DRIVEWAYS	SQ. FT.	318.00

22.00	LINEAR FEET	REINSTALL GRANITE CURB (UP TO 10% OF REPLACEMENT NEW CURBS TO BE INCLUDED IN THE PRICE BID, IF NECESSARY)	1254/10-26
22.00	LINEAR FEET	REMOVE, REFURBISH AND STORE EXISTING GRANITE CURB	1254/10-25
126.00	SQ. FT.	CONCRETE UNDERLAYMENT FOR GRANITE SLABS SIDEWALK, 4 ½ INCH THICK	1254/10-24
126.00	SQ. FT.	REINSTALL GRANITE SLABS (UP TO 10% OF REPLACEMENT NEW SLABS TO BE INCLUDED IN THE PRICE BID, IF NECESSARY)	1254/10-23
126.00	SQ. FT.	REMOVE, REFURBISH AND STORE EXISTING GRANITE SLABS 2 ½ INCH THICK	1254/10-22
180.00	SQ. FT.	PLACE TOP SOIL	1254/10-21
180.00	SQ. FT.	REMOVE AND STORE EXISTING TOP SOIL	1254/10-20
392.00	SQ. FT.	REINSTALL ASPHALT CONCRETE PAVERS (UP TO 20% OF REPLACEMENT NEW PAVERS TO BE INCLUDED IN THE PRICE BID)	1254/10-16
392.00	SQ. FT.	ASPHALT UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 1 ½ INCH THICK	1254/10-15
392.00	SQ. FT.	CONCRETE UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 4 ½ INCH THICK	1254/10-14
5.00	CU. YARD	SAND BACKFILL	1254/10-13
5.00	CU. YARD	FLOWABLE FILL - MINIMUM 300 LB PER SQ. INCH COMPRESSIVE STRENGTH CONCRETE MIX	1254/10-12
9.00	CU. YARD	SELECT GRANULAR FILL	1254/10-11
90.00	SQ. FT.	EXCAVATION PROTECTION SHEETING	1254/10-10
29.00	CU. YARD	UNCLASSIFIED EXCAVATION AND DISPOSAL	1254/10-09
392.00	SQ. FT.	REMOVE, REFURBISH AND STORE EXISTING ASPHALT PAVERS, 2 1/2 INCH THICK	1254/10-06
392.00	SQ. FT.	REMOVE AND DISPOSE EXISTING CONCRETE UNDERLAYMENT, 4 ½ INCH THICK, IN ASPHALT PAVERS SIDEWALK AREA	1254/10-05
1.00	L.S.	PRECONSTRUCTION SURVEY	1254/10-03
1.00	L.S.	WORK ZONE SAFETY CONTROL	1254/10-02
1.00	L.S.	MOBILIZATION	1254/10-01
YTITNAUQ	UNIT	ITEM DESCRIPTION	ITEM NUMBER
		ESTIMATE OF QUANTITIES LOCATION NO.: 2 - BELVEDERE	

PROFESSIONAL ENGINEER N.Y. LICENSE NO. 053085—	DIEGO								DESIGNED BY:
AL ENGINEER NO. 053085—1	DIEGO ALAIMO								DRAWN BY:
SCALE: AS SHOWN							REVISIONS		CHECKED BY:
NWOH						•			
DATE: PRO. 04/22/2013	ns engineers, r.c.		KON T	CITY OF NEW YORK,		ESTIMATE	SE	CONT	BATTERY
PROJECT NO.: 1254—10		65 Broadway, Sui	Engineers • Surve		1 OF 2	ESTIMATE OF QUANTITIES	SECOND PLACE	CONTRACT 12-2095/10	BATTERY PARK CITY AUTHORITY
SHEET NO.: C-02		65 Broadway, Suite 401, New York, N.Y. 10006 Phone: (212) 616-2657. Fax: (212) 616-3060	Engineers • Surveyors • Construction Managers	BOROUGH OF MANHATTAN		TITIES		0	ORITY

ESTIMATE OF QUANTITIES LOCATION NO.: 3 - CHAMBERS STREET

ITEM NUMBER	ITEM DESCRIPTION	UNIT	QUANTITY
1254/10-01	MOBILIZATION	L.S.	1.00
1254/10-02	WORK ZONE SAFETY CONTROL	L.S.	1.00
1254/10-03	PRECONSTRUCTION SURVEY	L.S.	1.00
1254/10-04	REMOVE AND DISPOSE EXISTING CONCRETE SIDE WALK, 4½" INCH THICK	SQ. FT.	6.00
1254/10-05	REMOVE AND DISPOSE EXISTING CONCRETE UNDERLAYMENT, 5 INCH THICK, IN ASPHALT PAVERS SIDEWALK AREA	SQ. FT.	505.00
1254/10-06	REMOVE, REFURBISH AND STORE EXISTING ASPHALT PAVERS, 2 ½ INCH THICK	SQ. FT.	505.00
1254/10-07	REMOVE, REFURBISH AND STORE BELGIUM BLOCK PAVERS	SQ. FT.	116.00
1254/10-08	REMOVE DAMAGED GRANITE CURB SECTION	LINEAR FEET	5.00
1254/10-09	UNCLASSIFIED EXCAVATION AND DISPOSAL	CU. YARD	32.00
1254/10-10	EXCAVATION PROTECTION SHEETING	SQ. FT.	100.00
1254/10-11	SELECT GRANULAR FILL	CU. YARD	18.00
1254/10-12	FLOWABLE FILL - MINIMUM 300 LB PER SQ. INCH COMPRESSIVE STRENGTH CONCRETE MIX	CU. YARD	5.00
1254/10-13	SAND BACKFILL	CU. YARD	9.00
1254/10-14	CONCRETE UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 4 ½ INCH THICK	SQ. FT.	505.00
1254/10-15	ASPHALT UNDERLAYMENT FOR ASPHALT CONCRETE PAVERS, 1 ½ INCH THICK	SQ. FT.	505.00
1254/10–16	REINSTALL ASPHALT CONCRETE PAVERS (UP TO 20% OF REPLACEMENT NEW PAVERS TO BE INCLUDED IN THE PRICE BID)	SQ. FT.	505.00
1254/10-17	STONE SCREENINGS UNDERLAYMENT FOR BELGIUM BLOCK PAVERS	CU. YARD	3.00
1254/10-18	REINSTALL BELGIUM BLOCK PAVERS	SQ. FT.	116.00
1254/10-19	REPLACE DAMAGED GRANITE CURB SECTION	LINEAR FEET	5.00
1254/10-27	CONCRETE SIDEWALKS AND DRIVEWAYS	SQ. FT.	6.00

NOTES:

- . ADDITIONAL ITEMS TO BE PROVIDED BY CONTRACTORS FOR BID EVALUATION.
- 2. TIME AND MATERIALS PRICES FOR ADDITIONAL WORK ONLY NOT SHOWN IN THE CONTRACT DRAWINGS.
- 3. ADDITIONAL WORK WILL BE DETERMINED BY BPCA ENGINEER UPON COMPLETION OF EXPLORATORY EXCAVATION.
- 4. SCOPE OF ADDITIONAL SERVICES: MOBILIZE AND DEMOBILIZE; EXCAVATE AN AREA OF THE SINK HOLE TO DISCOVER THE CAUSING PROBLEM; REMEDIATE PROBLEM AS DIRECTED BY ENGINEER, PROVIDE ALL NECESSARY LABOR MATERIAL* (SEE NOTE BELOW) AND EQUIPMENT.

4.	3.	2.		C	5.	4.	3.	2.	1.	lacksquare
DUMP TRUCK	EXCAVATOR CAT 450 INCLUDING OPERATING COST	ALUMINIUM SHEETING BOX (12' LONG x 8'DEEP X 4' TO 8' WIDE)	UTILITY/COMPRESSOR TRUCK WITH SMALL TOOLS INCLUDING OPERATING COST	EQUIPMENT COST	TEAMSTER	MASON	OPERATING ENGINEER (1 OPERATOR × 4 DAYS × 8 HR)	LABOR (1 LABORERS × 4 DAYS × 8 HR)	LABOR FOREMEN (1 FOREMEN × 4 DAYS × 8 HR)	LABOR COST
PER DAY	PER DAY	PER DAY	PER DAY	UNIT	PER HR	PER HR	PER HR	PER HR	PER HR	UNIT

* MATERIALS COST WILL BE REIMBURSED UPON INSTALLATION AND INVOICES TO BE PRESENTED TO BPCA WITH THE 10% OVERHEAD PLUS 5% PROFIT ALLOWANCE.

PROFESSIC N.Y. LICENSI	DIEGO						DESIGNED BY:
PROFESSIONAL ENGINEER N.Y. LICENSE NO. 053085—1	DIEGO ALAIMO						DRAWN BY:
SCALE: AS SHOWN						REVISIONS	CHECKED BY:
DATE: 04/22/2013	KS ENGINEERS, P.C.	KST	CITY OF NEW YORK,		ESTIMATE		BATTEF CO
PROJECT NO.: 1254-10	65 Broadway, Sui Phone: (212) 616	Engineers • Surve		2 OF 2	ESTIMATE OF QUANTITIES	SECOND PLACE	BATTERY PARK CITY AUTHORITY CONTRACT 12-2095/10
SHEET NO.: C-03	65 Broadway, Suite 401, New York, N.Y. 10006 Phone: (212) 616-2657, Fax: (212) 616-3060	Engineers • Surveyors • Construction Managers	BOROUGH OF MANHATTAN		TIES		ORITY D

Drawing File: Z: $\2012-1254$ Task 10\SHEET FILES\C_03.dwg Apr 23, 2013 - 4:15pm

