

```

1 CREATE TABLE Ecommerce_Orders (
2     Customer_Name TEXT,
3     Age INTEGER,
4     City TEXT,
5     State TEXT,
6     Category TEXT,
7     Product_Name TEXT,
8     Quantity INTEGER,
9     Unit_Price INTEGER,
10    Total_Amount INTEGER,
11    Discount_Percent INTEGER,
12    Final_Amount INTEGER,
13    Payment_Method TEXT,
14    Order_Status TEXT,
15    Return_Reason TEXT,
16    Region TEXT
17 );
18
19
20 INSERT INTO Ecommerce_Orders VALUES ('ORD10001', 'Gaurang Tiwari', 30, 'Pune', 'Maharashtra', 'Electronics', 2, 1200, 2400, 10, 2160, 'Credit Card', 'Completed', 'None', 'West');
21 INSERT INTO Ecommerce_Orders VALUES ('ORD10002', 'Riya Bose', 42, 'Chennai', 'Tamil Nadu', 'Books', 1, 800, 800, 5, 760, 'Debit Card', 'Completed', 'None', 'South');
22 INSERT INTO Ecommerce_Orders VALUES ('ORD10003', 'Tanya Sinha', 18, 'Hyderabad', 'Telangana', 'Clothing', 3, 600, 1800, 15, 1530, 'UPI', 'Completed', 'None', 'South');
23 INSERT INTO Ecommerce_Orders VALUES ('ORD10004', 'Pooja Thakur', 60, 'Delhi', 'Delhi', 'Electronics', 1, 600, 600, 20, 480, 'Credit Card', 'Completed', 'None', 'North');
24 INSERT INTO Ecommerce_Orders VALUES ('ORD10005', 'Priya Pawar', 43, 'Delhi', 'Delhi', 'Electronics', 1, 430, 430, 0, 430, 'UPI', 'Completed', 'None', 'North');
25 INSERT INTO Ecommerce_Orders VALUES ('ORD10006', 'Chirag Khan', 24, 'Mumbai', 'Maharashtra', 'Food', 2, 120, 240, 0, 240, 'UPI', 'Completed', 'None', 'West');

```

```
STDIN
SELECT * FROM Ecommerce_Orders;
```

Output:

Order_ID	Customer_Name	Age	City	State
ORD10001	Gaurang Tiwari	30	Pune	Maharashtra
ORD10002	Riya Bose	42	Chennai	Tamil Nadu
ORD10003	Tanya Sinha	18	Hyderabad	Telangana
ORD10004	Pooja Thakur	60	Delhi	Delhi
ORD10005	Priya Pawar	43	Delhi	Delhi
ORD10006	Chirag Khan	24	Mumbai	Maharashtra
ORD10007	Rohit Shah	55	Mumbai	Maharashtra
ORD10008	Gaurang Kadam	32	Bangalore	Karnataka
ORD10009	Meera Iyer	50	Bangalore	Karnataka
ORD10010	Uday Patel	42	Bangalore	Karnataka

```
1 CREATE TABLE Ecommerce_Orders (  
2     Order_ID TEXT,  
3     Customer_Name TEXT,  
4     Age INTEGER,  
5     City TEXT,  
6     State TEXT,  
7     Category TEXT,  
8     Product_Name TEXT,  
9     Quantity INTEGER,  
10    Unit_Price INTEGER,  
11    Total_Amount INTEGER,  
12    Discount_Percent INTEGER,  
13    Final_Amount INTEGER,  
14    Payment_Method TEXT,  
15    Order_Status TEXT,  
16    Return_Reason TEXT,  
17    Region TEXT  
18 );  
19  
20 INSERT INTO Ecommerce_Orders VALUES ('ORD10001', 'Gaurang Tiwari', 30, 'Pune', 'Maharashtra',  
21 INSERT INTO Ecommerce_Orders VALUES ('ORD10002', 'Riya Bose', 42, 'Chennai', 'Tamil Nadu', 'Bea  
22 INSERT INTO Ecommerce_Orders VALUES ('ORD10003', 'Tanya Sinha', 18, 'Hyderabad', 'Telangana',  
23 INSERT INTO Ecommerce_Orders VALUES ('ORD10004', 'Pooja Thakur', 60, 'Delhi', 'Delhi', 'Electro
```

```
STDIN
SELECT * FROM Ecommerce_Orders
WHERE Order_Status = "Delivered";
```

Output:

Account	Payment_Method	Order_Status	Return_Reason	Region
	UPI	Delivered	N/A	West
	Credit Card	Delivered	N/A	South
	EMI	Delivered	N/A	North
	Credit Card	Delivered	N/A	North
	Cash on Delivery	Delivered	N/A	West
	UPI	Delivered	N/A	South
	Net Banking	Delivered	N/A	South

```
queries.sql x
1 CREATE TABLE Ecommerce_Orders (
2   Order_ID TEXT,
3   Customer_Name TEXT,
4   Age INTEGER,
5   City TEXT,
6   State TEXT,
7   Category TEXT,
8   Product_Name TEXT,
9   Quantity INTEGER,
10  Unit_Price INTEGER,
11  Total_Amount INTEGER,
12  Discount_Percent INTEGER,
13  Final_Amount INTEGER,
14  Payment_Method TEXT,
15  Order_Status TEXT,
16  Return_Reason TEXT,
17  Region TEXT
18 );
19
20 INSERT INTO Ecommerce_Orders VALUES ('ORD10001', 'Gaurang Tiwari', 30, 'Pune', 'Maharashtra', 'Electronics', 'Laptop', 1, 120000, 10, 108000, 'Credit Card', 'Completed', 'None', 'India');
21 INSERT INTO Ecommerce_Orders VALUES ('ORD10002', 'Riya Bose', 42, 'Chennai', 'Tamil Nadu', 'Books', 'Fiction', 2, 400, 5, 380, 'Cash', 'Completed', 'None', 'India');
22 INSERT INTO Ecommerce_Orders VALUES ('ORD10003', 'Tanya Sinha', 18, 'Hyderabad', 'Telangana', 'Clothing', 'Dress', 1, 250, 0, 250, 'Debit Card', 'Completed', 'None', 'India');
23 INSERT INTO Ecommerce_Orders VALUES ('ORD10004', 'Pooja Thakur', 60, 'Delhi', 'Delhi', 'Electronics', 'Smartwatch', 1, 6000, 15, 5100, 'Credit Card', 'Completed', 'None', 'India');
```

I/O AI Agent 53 ms ✓

STDIN

```
SELECT City, COUNT(*) AS Total_Orders
FROM Ecommerce_Orders
GROUP BY City
ORDER BY Total_Orders DESC;
```

Output:

City	Total_Orders
Bangalore	3
Mumbai	2
Delhi	2
Pune	1
Hyderabad	1
Chennai	1

queries.sql

I/O

AI Agent

46 ms

1CREATE TABLE Ecommerce_Orders (
2Product_Name TEXT,
3Quantity INTEGER,
4Unit_Price INTEGER,
5Total_Amount INTEGER,
6Discount_Percent INTEGER,
7Final_Amount INTEGER,
8Payment_Method TEXT,
9Order_Status TEXT,
10Return_Reason TEXT,
11Region TEXT
12);
13
14INSERT INTO Ecommerce_Orders VALUES ('ORD10001', 'Gaurang Tiwari', 30, 'Pune', 'Maharashtra', 'Home & Kitchen', 1000, 10, 900, 'Credit Card', 'Delivered', 'No Return Reason', 'Pune');
15
16INSERT INTO Ecommerce_Orders VALUES ('ORD10002', 'Riya Bose', 42, 'Chennai', 'Tamil Nadu', 'Electronics', 1200, 15, 1020, 'Debit Card', 'Delivered', 'No Return Reason', 'Chennai');
17
18INSERT INTO Ecommerce_Orders VALUES ('ORD10003', 'Tanya Sinha', 18, 'Hyderabad', 'Telangana', 'Beauty & Personal Care', 500, 5, 475, 'Credit Card', 'Delivered', 'No Return Reason', 'Hyderabad');
19
20INSERT INTO Ecommerce_Orders VALUES ('ORD10004', 'Pooja Thakur', 60, 'Delhi', 'Delhi', 'Electronics', 1500, 20, 1200, 'Credit Card', 'Delivered', 'No Return Reason', 'Delhi');
21
22INSERT INTO Ecommerce_Orders VALUES ('ORD10005', 'Priya Pawar', 43, 'Delhi', 'Delhi', 'Electronics', 1300, 18, 1110, 'Debit Card', 'Delivered', 'No Return Reason', 'Delhi');
23
24INSERT INTO Ecommerce_Orders VALUES ('ORD10006', 'Chirag Khan', 24, 'Mumbai', 'Maharashtra', 'Home & Kitchen', 800, 12, 704, 'Credit Card', 'Delivered', 'No Return Reason', 'Mumbai');
25
26INSERT INTO Ecommerce_Orders VALUES ('ORD10007', 'Rohit Shah', 55, 'Mumbai', 'Maharashtra', 'Books & Stationery', 400, 8, 368, 'Debit Card', 'Delivered', 'No Return Reason', 'Mumbai');
27
28INSERT INTO Ecommerce_Orders VALUES ('ORD10008', 'Gaurang Kadam', 32, 'Bangalore', 'Karnataka', 'Electronics', 900, 10, 810, 'Credit Card', 'Delivered', 'No Return Reason', 'Bangalore');
29
30INSERT INTO Ecommerce_Orders VALUES ('ORD10009', 'Meera Iyer', 50, 'Bangalore', 'Karnataka', 'Beauty & Personal Care', 600, 12, 522, 'Debit Card', 'Delivered', 'No Return Reason', 'Bangalore');
31
32INSERT INTO Ecommerce_Orders VALUES ('ORD10010', 'Uday Patel', 42, 'Bangalore', 'Karnataka', 'Books & Stationery', 300, 6, 279, 'Credit Card', 'Delivered', 'No Return Reason', 'Bangalore');

STDIN
SELECT Category, SUM(Final_Amount) AS Total_Revenue
FROM Ecommerce_Orders
GROUP BY Category
ORDER BY Total_Revenue DESC;

Output:

Category	Total_Revenue
Home & Kitchen	7109
Electronics	6698
Beauty & Personal Care	2182
Books & Stationery	1000

 Ready

 Light  Wiki  SQLite

queries.sql ✕

```

1 CREATE TABLE Ecommerce_Orders (
2     Product_Name TEXT,
3     Quantity INTEGER,
4     Unit_Price INTEGER,
5     Total_Amount INTEGER,
6     Discount_Percent INTEGER,
7     Final_Amount INTEGER,
8     Payment_Method TEXT,
9     Order_Status TEXT,
10    Return_Reason TEXT,
11    Region TEXT
12 );
13
14 INSERT INTO Ecommerce_Orders VALUES ('ORD10001', 'Gaurang Tiwari', 30, 'Pune', 'Maharashtra', 'Electronics', 'Delivered', 'No Return', 'West');
15 INSERT INTO Ecommerce_Orders VALUES ('ORD10002', 'Riya Bose', 42, 'Chennai', 'Tamil Nadu', 'Books', 'In Progress', 'No Return', 'South');
16 INSERT INTO Ecommerce_Orders VALUES ('ORD10003', 'Tanya Sinha', 18, 'Hyderabad', 'Telangana', 'Clothing', 'Cancelled', 'No Return', 'Central');
17 INSERT INTO Ecommerce_Orders VALUES ('ORD10004', 'Pooja Thakur', 60, 'Delhi', 'Delhi', 'Electronics', 'Shipped', 'No Return', 'North');
18 INSERT INTO Ecommerce_Orders VALUES ('ORD10005', 'Priya Pawar', 43, 'Delhi', 'Delhi', 'Electronics', 'Shipped', 'No Return', 'North');
19 INSERT INTO Ecommerce_Orders VALUES ('ORD10006', 'Chirag Khan', 24, 'Mumbai', 'Maharashtra', 'Home Appliances', 'Shipped', 'No Return', 'West');
20 INSERT INTO Ecommerce_Orders VALUES ('ORD10007', 'Rohit Shah', 55, 'Mumbai', 'Maharashtra', 'Books', 'Shipped', 'No Return', 'West');
21 INSERT INTO Ecommerce_Orders VALUES ('ORD10008', 'Gaurang Kadam', 32, 'Bangalore', 'Karnataka', 'Clothing', 'Shipped', 'No Return', 'South');
22 INSERT INTO Ecommerce_Orders VALUES ('ORD10009', 'Meera Iyer', 50, 'Bangalore', 'Karnataka', 'Home Appliances', 'Shipped', 'No Return', 'South');
23 INSERT INTO Ecommerce_Orders VALUES ('ORD10010', 'Uday Patel', 42, 'Bangalore', 'Karnataka', 'Books', 'Shipped', 'No Return', 'South');

```

□ I/O

✦ AI Agent

17 ms

STDIN

```
SELECT Customer_Name, Product_Name, Return_Reason
FROM Ecommerce_Orders
WHERE Order_Status = "Returned";
```

Output:

Customer_Name	Product_Name	Return_Reason
Tanya Sinha	Sunscreen SPF50	Wrong Size
Uday Patel	Hair Serum	Defective Product