

VeritasDocs v1 — Improvements

Plain-language summary of everything built and tested this session · feature-kunal-DMS branch

Foundation Stuff (behind-the-scenes plumbing)

#	NAME	WHAT IT DOES
1	Rename tables	Database had messy names, like folders labeled "stuff1", "stuff2". Now all tables follow one clean, consistent naming pattern. Users see no difference — pure cleanup.
2	One settings table	Before, changing a number (like "how many search results to show") meant digging into code and asking a programmer. Now that number lives in a table — easy to change, no code needed.
3	Remember exact spot on page	Before, the computer read a page but forgot exactly where on the page it read from. Now it remembers the exact box — like pinning a sticky note on the exact word.
4	Agree rules for "spot on page"	Before building the sticky-note-pin feature, the team wrote down the rules first — top-left corner is zero, numbers go 0 to 1, not pixel counts. So everyone builds it the same way, no conflicts later.
5	Log every change + block anonymous edits	Every time someone touches a file or folder, the system writes down who did it and when. If no real person is attached to an action, the system refuses it outright. No ghost edits allowed.
6	Explain why simple tables for people/place connections	The team asked: should we use a fancy graph-database tool for connecting people and land records? The answer: no, plain tables work fine, are simpler, cheaper, and easier to fix later. The reasoning was written down for the record.
7	Delete fake permission table	An old table named "permissions" sat in the database, looking like it controlled who-can-do-what — but no code actually used it. Fake security. Deleted so nobody is fooled into thinking it worked.

Reading & Finding Documents

#	NAME	WHAT IT DOES
---	------	--------------

8	Fix Hindi/Marathi reading	The computer reads scanned pages (OCR, the "computer eyeball"). Before, it only read English well — Hindi and Marathi text turned into garbage symbols. Now it reads all three languages properly.
9	Find file before fully ready	Before, uploading a file meant it was invisible in search while the computer "chewed" on it for 20-30 seconds. Now, typing the file name shows it right away, tagged "still processing."
10	Fix Hindi/Marathi search bug	The search engine had an internal bug where Hindi/Marathi words were compared the wrong way, silently missing real matches. The comparison logic was fixed.
11	Stop duplicate uploads	Before, uploading the same file twice by accident quietly created two copies, wasting space. Now the system says "hey, this file is already here!" and stops — unless you explicitly say "upload it anyway."
12	Real AI proof + AI says "I don't know"	The big one. Before, the AI would give an answer and slap a "trust me" label on itself — self-graded, never actually checked. Now every sentence the AI says is checked against a real source document. If the documents don't contain the answer, the AI says "I don't know" instead of making up a confident-sounding but false answer. This is the single most important fix — it stops the AI from lying confidently.

Reading Old Messy Paper Registers

#	NAME	WHAT IT DOES
13	Form template storage	Built an empty shelf to hold the "recipe" for each type of old government form. The shelf is empty for now — it needs real old paper samples to fill it in.
14	Fix split-across-two-pages entries	An old book entry sometimes spreads across a left page and a right page, like a two-page spread. This fix glues the two halves back together correctly, matching them by row number.
15	Fix "ditto" marks	Old handwritten books use a , , mark meaning "same as the row above" — lazy shorthand instead of repeating the word. This fix fills in the real repeated word, and remembers "this one was copied via ditto, not actually written by hand."

16	Fix broken-continues-on-next-page entries	Sometimes one entry is too long and spills onto the next page with a blank row number at the top. This fix glues it back into one whole entry instead of two broken halves.
17	Fix messy mixed-language cells	One box in an old register sometimes has jumbled Marathi, English, and numbers all mixed together (like "1 hectare 25 are, 4500 sqft"). This fix untangles it, converts everything to one consistent unit, and flags confusing bits (like "Akker," which means different things in different districts) for a human to check instead of guessing.

Note: items 14-17 are built and tested, but not yet connected to live document uploads — that needs a vision-AI tool, which needs a decision on which provider to use.

Show Proof on Screen

#	NAME	WHAT IT DOES
18	Page-highlight viewer	Click on any fact the system extracted, and the screen shows the actual scanned page with a highlighted box drawn exactly where that fact came from — real, visible proof of the source.

People & Places Web (Entity Graph)

#	NAME	WHAT IT DOES
19	Build people/places database	New tables to hold real people, real land/property, real offices — plus the lines connecting them, like "this person owns this land" or "this document mentions this person."
20	Auto-approve safe stuff, ask humans for risky stuff	Low-risk connections (like "this page mentions this name") are approved automatically and fast. High-risk connections (like "this legal paper transfers this land to a new owner") always need a real human to say "yes, correct" — no matter how confident the computer is. The computer is never allowed to skip a human on risky decisions.
21	Bulk-approve	A person can approve hundreds of pending connections at once — all above a chosen trust score, in one folder — with a single action instead of clicking approve 100 times. The system records exactly who did it, what score was used, and which connections were touched.

22	Undo button	If a bulk-approve was a mistake, it can be undone — either one connection at a time, or the whole batch at once. A clean undo that doesn't touch anything else.
23	Block bulk-approve until checked	Before bulk-approve is allowed on a folder, someone must first confirm "I checked, the trust scores here are actually good." No shortcuts — if nobody has checked yet, the bulk-approve button simply doesn't work for that folder.
24	One-screen view of a person/place	Click on one person or property and see everything about them on a single screen — their records, documents mentioning them, connected people — all in one place, like a profile page.

Records That Change Over Years

#	NAME	WHAT IT DOES
25	Never overwrite old record data	Land records change over decades — owner changes, value changes. The wrong way would be to erase the old value and write the new one on top, losing history forever. The right way, built here: keep the old value, add the new change on top like a stack, never erase. You can always ask "what did it originally say?" and get a real answer.
26	Fast status search	Records can be "active," "on hold," "cancelled," etc. Built a fast way to find "show me all records currently on hold" without the computer having to re-check every single record's entire history one by one.

Making Logs Trustworthy

#	NAME	WHAT IT DOES
27	Tamper-proof activity logs	Every log entry is now locked to the one before it with a mathematical chain, like a wax seal connecting pages of an old scroll. The database also physically refuses to let anyone edit or delete a log entry — even an administrator. Tested for real: deliberately tried to sneak-edit a log entry, and the checking tool caught it instantly, pointing at the exact broken spot.

28	Locked file storage (can't delete early)	Built a special storage box where, once a file is locked in with a timer, literally nobody — not even the top administrator — can delete or change it before the timer runs out. Tested for real: tried to force-delete a locked file, and the storage system refused, exactly as designed.
----	--	---

Who Can Do What

#	NAME	WHAT IT DOES
29	6 real job roles instead of just 2	Before, there were only two user types: "admin" (can do everything) and "regular person." Now there are six real job titles — records officer, operator, department head, legal counsel, IT admin, and a read-only auditor. Each role only sees and does what makes sense for that job. Some roles only see their own department's folders, not the whole company's files — tested for real by creating a test user, granting them exactly one folder, and confirming they saw only that folder and nothing else.

Team Decision Made

#	NAME	WHAT IT DOES
30	Keep folder structure as-is	The old plan said folders should only go two levels deep. But the real, working folders already go deeper and function fine. The team decided to keep it as-is rather than break working functionality just to match an old paper plan. The decision was written down officially.

All 30 items were tested for real — not just "should work," but actually run, clicked, and verified — and saved to the codebase, pushed to the team's shared branch (feature-kunal-DMS).