

A Project Report On

“Food calorie estimations Using Deep Learning And Computer Vision”

Submitted By

- **Ankur Kumar** _____ (22CS3073)
- **Utsav Shingala** _____ (22CS3065)
- **Gourab Chowdhury** _____ (22CS3069)
- **Manish Kumar** _____ (22CS3038)
- **Harshit Negi** _____ (22CS3074)
- **Sahil** _____ (22CS3052)
- **Ravi Shekhar** _____ (22CS3075)
- **Sudhanshu Shivam** _____ (22CS3059)
- **Rounak Bharti** _____ (22CS3051)
- **Sourabh** _____ (22CS3058)

UNDER THE GUIDANCE OF

Dr. Pallabi Saikia

DEPARTMENT OF

Computer Science & Engineering

COURSE NAME

Computer Vision and Pattern Recognition



**Rajiv Gandhi Institute of
Petroleum Technology**

**राजीव गांधी पेट्रोलियम प्रौद्योगिकी
संस्थान**

Acknowledgements

We are profoundly grateful to **Dr. Pallabi Saikia** for her expert guidance, constructive feedback, and constant encouragement throughout the development of this project. Her valuable insights and motivation played a crucial role in successfully completing this work.

We would also like to express our deepest appreciation to the **Department of Computer Science & Engineering**, whose continuous support, academic resources, and learning environment helped us accomplish this project with confidence.

At last, we would like to extend our sincere gratitude to all the **faculty members, technical staff, and supporting staff** of the Computer Science & Engineering Department who helped us directly or indirectly during the course of this work. Their cooperation and guidance have been truly invaluable.

This project is a collective effort by our team of **10 members**, and we wholeheartedly acknowledge the dedication, hard work, and teamwork of every group member involved.

INDEX

Chapter 1.....	7
1. SYNOPSIS.....	7
1.1 Group ID.....	7
1.2 Group Member	7
1.3 Title of Project	7
1.4 Internal Guide	7
1.5 Technical Keywords	7
1.6 Problem Statement.....	7
1.7 Abstract.....	8
1.8 Goals and Objectives	8
1.9 Name of Conference/ Journals where papers can be published	8
 Chapter 2.....	9
2. INTRODUCTION	9
2.1 Background	9
2.2 Relevance.....	10
2.3 Project Undertaken.....	11
2.4 Methodologies of Problem Solving.....	11
2.5 Literature Survey.....	12
2.6 Applications	14
 Chapter 3.....	15
3. SOFTWARE REQUIREMENT	15
3.1 Project Scope.....	15
3.2 Assumptions Dependencies	15
3.2.1 User classes and Characteristics.....	15
3.2.2 Basic Requirement	16
3.3 Functional Requirement	16
3.4 External Interface Requirement.....	16
3.4.1 User Interface.....	16

3.4.2 Hardware Interface	17
3.4.3 Software Interface.....	17
3.5 Nonfunctional Requirement	17
3.5.1 Performance Requirement.....	17
3.5.2 Safety Requirement.....	18
3.5.3 Security Requirement.....	18
3.5.4 Software Quality Attribute	18
3.6 System Requirement.....	18
3.6.1 Database Requirement	19
3.6.2 Software Requirement	19
3.6.3 Hardware Requirement.....	19
3.7 Analysis Model – SDLC model to be applied	19
Chapter 4.....	21
4. SYSTEM DESIGN	21
4.1 System Architecture	21
4.2 Mathematical Model	22
4.3 Data Flow Diagram.....	22
4.4 UML Diagram	23
4.4.1 Class Diagram.....	23
4.4.2 Collaboration Diagram	24
4.4.3 Sequence Diagram	25
4.4.4 Activity Diagram	26
Chapter 5.....	27
5. SYSTEM ARCHITECTURE AND DETAIL OF METHODS	27
5.1 system architecture.....	27
5.2 details of method.....	29

5.2.1 image acquisition	29
5.2.2 image detection	30
5.2.3 image segmentation	31
5.2.4 volume estimation	33
5.2.1 calories estimation.....	33
 Chapter 6.....	35
6. SOFTWARE TESTING.....	35
6.1 Types of Testing.....	35
6.1.1 Unit Testing.....	35
6.1.2 Alpha Testing	35
6.1.3 Beta Testing	35
6.1.4 Performance Testing.....	36
6.1.5 White box Testing	36
6.1.6 Black box Testing	36
6.1.7 System Testing	36
 Chapter 7.....	38
7. RESULT AND ANALYSIS.....	38
 Chapter 8.....	41
8. CONCLUSION.....	41
 Chapter 9.....	42
9. REFERENCES	42

chapter 1

Synopsis

1.1 Group ID : 06

1.2 Team Members

- **Ankur Kumar** (22CS3073) - Team Lead
- **Utsav Shingala** (22CS3065) - Idea Generation Lead
- **Gourab Chowdhury** (22CS3069) - Repository & GUI Lead
- **Manish Kumar** (22CS3038) - Dataset & Preprocessing Lead
- **Harshit Negi** (22CS3074) - Implementation Lead
- **Sahil** (22CS3052) - Dataset & Preprocessing Lead
- **Ravi Shekhar** (22CS3075) - Implementation Lead
- **Sudhanshu Shivam** (22CS3059) - Report & PPT Lead
- **Rounak Bharti** (22CS3051) - Implementation Lead
- **Sourabh** (22CS3058) - Repository & GUI Lead

1.3 Title of the Project

"FOOD CALORIE ESTIMATION USING DEEP LEARNING AND COMPUTER VISION"

1.4 Internal Guide :

Dr. Pallabi Saikia

1.5 Technical Keywords :

Jupyter , YOLO v4 , object detection , image segmentation , image processing, food image recognition, food calorie estimation; computer vision, deep learning

1.6 Problem Statement

The reason behind this project is that as the sugar level is rapidly increasing in the human body , there is a need to keep a track on the amount of calorie intake. The calorie intake depends on the person if he/she wants to reduce the obesity or to gain the weight . Using this system , people can estimate the approximate amount of calorie intake from the foods just by clicking a single image of the food.

1.7 Abstract

Nowadays, people are more concerned about their health due to COVID-19. Number of diseases are increasing day-by-day such as heart diseases, high blood pressure, diabetes, etc. These diseases are increasing due to over consumption of oily food, high sugary contents, junk food and many more which leads to obesity. Even COVID-19 has proved the importance of intake of sufficient nutrients to build a strong immune system. So, in order to keep a track of intake of necessary nutrients and to avoid over consumption of fatty and high cholesterolic foods, we are proposing this system. It is not just for the fatty people or the people who are suffering from any disease but can also work for the persons who want to gain weight. In this paper, we proposed an image based calorie estimation system which can run on desktop system without any use of external servers. The proposed system consists of various steps such as food classification, detection, segmentation and calorie calculation.

1.8 Goals and Objectives

1. Detection of the type of food especially fruits.
2. Estimation of approximate amount of calories present in the food (fruits).

1.9 Name of Conference/ Journals where papers can be published

1. Journal of Emerging Technologies and Innovative Research (JETIR)
2. International Journal of Innovative Research in Science and Engineering Technologies (IJIRSET)
3. International Engineering and Research Journal (IERJ)

Chapter 2

Introduction

2.1 Background

People are generally considered obese when their Body Mass Index (BMI) is over 30 kg/m². High BMI is associated with the increased risk of diseases, such as heart disease. Unfortunately, more and more people will meet criteria for obesity. The main cause of obesity is the imbalance between the amount of food intake and energy consumed by the individuals. Obesity treatment requires the patients to eat healthy food and decrease the amount of daily calorie intake, which needs patients to calculate and record calorie from foods every day. While computer vision-based measurement methods were introduced to estimate calorie from images directly according to the calibration object and foods information, obese patients have benefited a lot from these methods. And as today's young generation is more careless about their diet. They don't look after what are they eating. And as the world is getting faster, people don't consider what they are eating, they are just busy in their work and consume whatever looks attractive even if it is highly fatty. Every time the attractive foods are not healthy. For this we need to keep control on ourselves and keep a watch on what we are eating and how does it is going to affect our body. Especially the people who are suffering from diabetes should take care of the calorie intake. For them even consuming a single fruit can make a huge difference in the sugar level. So, to keep a track of the amount of calories we consume, we have proposed a system which will provide the user with the calorie content present in the food by clicking its picture. The people who need to gain weight or even the people who are having less number of white platelets i.e less than 1,50,000 can use this system to increase the calorie content by consuming high amount of calorie content foods. The condition having less than 1,50,000 number of platelets is known as thrombocytopenia. A normal platelet count ranges from 150,000 to 450,000 platelets per microliter of blood. In this paper we proposed a system which can run on any browser. To estimate the calorie present in the food, the user first of all needs to register a standard reference object whose size is known. Then the user needs to click a picture of the food as well as the reference object which is Image Acquisition. In this system we are using thumb as a reference object. After Image Acquisition, the next step is Image Detection the system will detect

the objects by creating bounding boxes around the food and the reference object. Then all objects in the image will get detected. After this, each object image is separately cropped and saved in the system for segmentation. After segmentation. We get Contour Areas, this Contour Areas will help us to find the volume of fruit. Dataset will provide the standard value of densities. By using standard formulas of volume estimation and calorie estimation we get the final output, that is calorie in the particular food items. In recent years, there are a lot of methods based on computer vision proposed to estimate calories. Among these methods, the accuracy of estimation result is determined by two main factors: object detection algorithm and volume estimation method. In this project, we studied the application of deep learning for food classification and recognition. Deep learning is an emerging approach from machine learning, and has been proposed in recent years to move machine learning systems towards the discovery of multiple

levels of representation.

The main contributions of this project are listed as follows:

1. Proposing the first recognition system for food.
2. Proposing a complete and effective calorie estimation method

2.2 Relevance

In recent years ,object detection has been the biggest accomplishments of deep learning and image processing. One of the common approaches to creating localizations for objects is with the help of bounding boxes. You can train an object detection model to identify and detect more than one specific object, so it's versatile. Object detection models are usually trained to detect the presence of specific objects. The constructed models can be used in images, videos, or realtime operations. Today , it is also used for detecting the presence of animals in the farms , detecting the features in healthcare , etc.

2.3 Project Undertaken

A lot more people calculate their Body Mass Index (BMI) to check whether they are completely healthy or having a perfect body structure , but using the Food Calorie Estimation System the user will get to know the presence exact calorie content in the specific food .The proposed system can also detect multiple food items at a time.

2.4 Methodologies Of Problem Solving

Python :

Python and OpenCV we are using some function which provides the functionality to read neural networks from the weight files so we are using those function to parse our weight file for object detection purpose we are using it anyway for our segmentation and file parsing yolov4 model weight file

OpenCV

OpenCV (Open Source Computer Vision Library) is used to filter images taken from either a video stream, video files or image files. While using a supported programming language ,you can create a program to use a camera, as a sensor, to detect and track elements within an image. If you can isolate elements within an image, you can detect and track the elements within video OpenCV (Open Source Computer Vision Library) is an open source computer vision and machine learning software library. OpenCV was built to provide a common infrastructure for computer vision applications and to accelerate the use of machine perception in the commercial products. Being a BSD-licensed product, OpenCV makes it easy for businesses to utilize and modify the code. The library has more than 2500 optimized algorithms, which includes a comprehensive set of both classic and state-of-the-art computer vision and machine learning algorithms. These algorithms can be used to detect and recognize fruits, faces, identify objects, classify human actions in videos, track camera movements, track moving objects, extract 3D models of objects, produce 3D point clouds from stereo cameras, stitch images together to produce a high resolution image of an entire scene, find similar images from an image database, remove red eyes from images taken using flash, follow eye movements, recognize scenery and establish markers to overlay it with augmented reality, etc. OpenCV has more than 47 thousand people of user

community and estimated number of downloads exceeding 18 million. The library is used extensively in companies, research groups and by the governmental bodies.

2.5 Literature Survey

Analysis of Literature Survey

1. Automatic calorie estimation system for food images on smartphones

Koichi Okamoto, Keiji Yanai, The Faculty of Informatics, Nihon Telecommunications University proposes a food calorie estimation system displayed on smartphones for consumers using this method.

This includes the following steps:

1.1 Take the Meal photo with the reference object here reference object which they have used is the food plate.

1.2 Gathered the Required data of objects from Image using Colour Pixel-based K means clustering and grab cut.

1.3 CNN algorithm is used to Identify the category of food objects.

1.4 Calculate the actual food size and food calories using a pre-trained relationship between size (volume and shape) and standard calories

2. Calories Estimating from Food Image openCV

Meghana M. Reddy, Github Repository, May 2016 This system used an SVM (Support Vector Machine) algorithm to classify photos. If the data is not too large, there is no problem. However, the SVM algorithm won't give good results on a large amount of data and the system proposed by Meghana, must Require the 3 objects which are reference object, food and Food plate in ascending order of size. And the author also used the thresholding methods.

3.YOLO for Real-Time Food Detection

Benny Cheung in blog has proposed a system in which he has detected the food objects. Here he has used UEC FOOD 100 dataset which contains 100 - classes of food photos. Each food object in this dataset has a bounding box around it indicating the location of the food item in the image. Most of the food classes in the dataset are from Japanese culture. In this paper , he have used Darknet's YOLO algorithm for object detection

4. Real-Time Pear Fruit Detection and Counting Using YOLOv4 Models and Deep SORT
chevalier cheval The authors, Ira Borja Parico and Tofael Ahamed, have created a system that identifies pear fruits and counts the total quantity of them. They employed the YOLO technique for both Object Detection and Fruit Counting.

5.YOLO-based models for fruit detection have been used in several studies. On an NVIDIA GeForce GTX 1070 Ti GPU, Koirala et al. completed real-time mango fruit recognition with their MangoYOLO model, which achieved an F1 score of 0.968, an AP of 98.3%, and an inference speed of 14 FPS. Only one study used YOLO in conjunction with a multiple object tracking algorithm to count fruits.

6. Only one study used YOLO in conjunction with a multiple object tracking algorithm to count fruits. Itakura et al. used YOLOv2 and the Kalman filter to count pear fruits in a video, achieving an AP of 97 percent in detection and an F1 score of 0.972 in counting. However, their counting system did not have a high frame rate. Because a depth camera is uncommon and mentioned. Because consumer smartphones lack depth cameras, implementing the method on mobile devices proved difficult.

7.Measuring calorie and nutrition from food image

P. Pouladzadeh, S. Shirmohammadi, and R. Almaghrabi, IEEE , Transactions on Instrumentation and Measurement, pp. 1947–1956, 2014. The author have divided the food into six groups according to similar nutritional properties. The UNICT-FD889 dataset with the UECFood100 dataset was used for training and testing in deep learning. The system can classify and identify the nutrient according to their groups, but performance is a major issue due to less training and testing. Moreover, it works well for a limited dataset.

8. Deep Learning-Based Food Calorie Estimation Method in Dietary Assessment

A. Meyers, N. Johnston, V. Rathod, A. Korattikara, A. Gorban, N. Silberman, S. Guadarrama, G. Papandreou, J. Huang, and K. P. Murphy, "Im2Calories: Towards an automated mobile vision food diary," in Proc. of IEEE International Conference on Computer Vision (ICCV), 2015. Faster R-CNN is used to detect the food and calibration object. GrabCut algorithm is used for object extraction of each food's contour. Then the volume is estimated with the food and corresponding object. Here multiple Object detection is possible also we need to take 2 photos of food one from a top view (due to reference object used as coin and for better recognition purpose) and another is from a side view. We are going to use similar pipelines

in our structure of a system.

2.6 Applications

1. This proposed system can help in Healthcare
2. In order to classify the kind of food we can use for this system
3. Can predict the approximate amount of calories present in the food
4. We also can measure the approximate area of that food object

CHAPTER 3

SOFTWARE REQUIREMENT SPECIFICATION

3.1 PROJECT SCOPE

- To develop prototype model for food calorie estimation using python.
- This model will be run using python programming language.
- The system will be a windows based application which will run on browser.

3.2 ASSUMPTIONS AND DEPENDENCIES

This document will provide a general description of project, including user requirements, product perspective, and overview of requirements, general constraints. In addition, it will also provide the specific requirements and functionality needed for this project such as interface, functional requirements and performance requirements.

3.2.1 User Classes and Characteristics

Find the different user classes that you anticipate will use this product. Any common user who suffer from obesity or any kind of diseases that is related to diet.

That user can definitely use this system. To use this system, user does not require technical knowledge. It also describe the pertinent behaviour or characteristics of

each user class. Few requirements may be limited only to specific user classes. Differentiate the very most important or useful user classes for this item or product from those who are less significant to satisfy.

3.2.2 Basic Requirement

To use our system there are some requirements that we expect from user :

- We assume that the image should be taken from an appropriate distance where the reference object and food object are clearly visible inside of images and light intensity should be balanced as well not too dark and not too bright.
- For better results user should consider the background of the food object, if the background is uniform and have the same place color the system performance would be on top. For background, the user can use the white plane plate and out the food object inside of that food plate.
- For this current system we have only included a few food objects and reference objects as the thumb and the detection system is trained on the fresh or standard food object appearance. And currently, we have trained the detection algorithm to specifically detect fruits.

3.3 FUNCTIONAL REQUIREMENTS

Functional user requirements are nothing but very high-level statements about what the system should and also it should describe clearly an overview of system services in detail.

3.4 EXTERNAL INTERFACE REQUIREMENTS

3.4.1 User Interfaces

The user interface or UI for the system should be compatible to be used by any standard browser such as IE, Mozilla or Google chrome. Using this UI user can have access to the system.

3.4.2 Hardware Interfaces

A hardware interface is needed to run the software. Python IDLE and other necessary libraries is required which is minimal requirement.

3.4.3 Software Interfaces

It uses Python as the programming tool. Latest version of python anything higher than 3.7 can be used.

3.5 NON FUNCTIONAL REQUIREMENTS

3.5.1 Performance Requirements

- System can work optimal or faster on 4 GB or more of RAM.
- The system is targeted to be available all time. Once there is a fatal error or system down, the system will provide understandable feedback to the user.

3.5.2 Safety Requirements

- The system is designed in modules where errors can be detected.

3.5.3 Security Requirements

- The system is designed in modules where errors can be detected and fixed easily.

3.5.4 Software Quality Attributes

- Usability:

This relates to how easily people can use system. A measure of usability could be the time it takes for end users to become familiar with my system functions, without training or help.

- Reliability:

This can be defined as the available time or UP time of software.

- Performance:

This is essentially how fast system works. A performance requirement for the system could be start in less than 20 seconds. It will give output in less than 10 seconds

- Security :

Say that system saves all the previous code and lets you reuse a saved code.

3.6 SYSTEM REQUIREMENTS

3.6.1 Database Requirements

Database is not the required in our system, user just need to pass image as a input to the system.

3.6.2 Software Requirements

1. Operating System: Microsoft Windows 7 and Above
2. Programming Language: Python
3. IDE: Python IDLE
4. Platform : Jupyter notebook

3.6.3 Hardware Requirements

1. Processor: Intel Core I3 or Higher
2. RAM: 4 GB or Higher
3. Hard Disk: 100 GB (min)

3.7 ANALYSIS MODELS: SDLC MODEL TO BE APPLIED

SDLC model to be applied

Agile Model

Agile Model is a combination of the Iterative and incremental model. This model focuses more on flexibility while developing a product rather than on the requirement.

In Agile, a product is broken into small incremental builds. It is not developed as a complete product in one go. Each build increments in terms of features. The next build is built on previous functionality. In agile iterations are termed as sprints. Each sprint lasts for 2-4 weeks. At the end of each sprint, the product owner verifies the product and after his approval, it is delivered to the customer. Customer feedback is taken for improvement and his suggestions and enhancement are worked on in the next sprint. Testing is done in each sprint to minimize the risk of any failures. In this project we have used agile model. It helps us to done work in efficient way.




Figure 3.1: agile Model

CHAPTER 4

SYSTEM DESIGN

4.1 SYSTEM ARCHITECTURE-



Here we are proposing a food calorie estimation system that can run on a user's smartphone on the web or on through cloud support or it can be also used on a PC or on the Web. In this proposed system user needs to take a photo of food items from their smartphone or need to provide it with the pre-registered Reference object. The system will then categorize those food items into pre-defined food item categories before estimating the number of calories in each of the food items observed.

4.2 MATHEMATICAL MODEL-

Let

S be Closed system defined as, $S = Ip, Op, A$

To select the input from the system and perform various actions from the set of actions A so that Op can be achieved state can be attained.

$S=Ip,Op ,A$

Where,

$Ip= Image$

Set of actions= $A=F1,F2,F3,F4,F5$

Where

$F1= Image Capture$

$F2= Detection$

$F3= Segmentation$

$F4= Volume Estimation$


$F5- Calorie Calculation$

OUTPUT-

$Op=Calorie value in digits$

4.3 DATA FLOW DIAGRAMS –

A data flow diagram (DFD) is a graphical representation of the “flow” of data through an information system, modeling its process aspects. A DFD is often used as a preliminary step to create an overview of the system, which can later be elaborated. DFDs can also be used for the visualization of data processing.




4.4 UML DIAGRAMS

4.4.1 Class Diagram

A class diagram in the world of Unified Modeling Language or UML can be defined as a type of static structure diagram which mainly defines the structure of a system. It works by showing the system's classes and their attributes and operations or methods also the relationships among objects.


UML – Class diagrams



11


4.4.2 Collaboration Diagram

The collaboration diagram is used to show the relationship between the objects in a system. Both the sequence and the collaboration diagrams represent the same information but differently. Instead of showing the flow of messages, it depicts the architecture of the object residing in the system as it is based on object-oriented programming. The collaboration diagram, which is also known as a communication diagram, is used to portray the object's architecture in the system.




4.4.3 Sequence Diagram

Sequence diagrams can be used to provide a graphical representation of object interactions or object coordination over the time. These basically displays a actor or user, and the objects and components they interact with in the execution of a use case. The sequence diagrams displays the own of messages from one object to another object, and as such correspond to the methods and event supported by a class/object



4.4.4 Activity Diagram

Activity diagram can be defined as a flowchart to display the flow from one activity to another activity. These activities could be described as an operation of the system. The control flow usually is drawn from one operation of application to another. This can be branched or sequential, or concurrent also. Activity diagrams can deal with all or many type of flow control and used different elements such as join or fork.



CHAPTER 5

System Architecture & Details of the Method.

5.1 System Architecture

In this report, we propose a food calorie estimation system that can run on a user's smartphone on the web or on through cloud support or it can be also used on a PC or on the Web. In this proposed system user needs to take a photo of food items from their smartphone or need to provide it with the pre-registered Reference object. The system will then categorize those food items into pre-defined food item categories before estimating the number of calories in each of the food items observed.

Our main processing steps of the proposed system are as follows:

1. Acquisition of images as input to the system.
2. Object Detection and identification and cropping of those desired and detected objects.
3. Images Segmentation of Objects
4. Find the approximate Volume, Density, and Calories using a predefined reference object if the reference object is present inside the image else shows only detection.
5. Display the result estimated calories with the detected object name.

We presume that a meal photo is taken from the object's Front View in our mobile system. To make segmentation easier, we assume that the background of food dishes is uniform rather than textured. Furthermore, we presume that the reference object's size is known. In fact, in the system we are implementing, a user can record the size of a reference object that is anticipated to be in their own possession, such as a coin, or the user can register their Thumb as their reference object.

Here As we are planning to create a system that detects the objects out from the complete picture and that enables us to be more flexible in sense of we can use more than 1 pre-defined reference object and also multiple food object detection will be easy but for better results, we assume that user will use background surface as uniform such as dish plate, then food should be present and picture should be taken a good exposure of light and at least 1 pre-defined reference object should be present in the picture which is going to be provided as input to the system.











Fig 1: Diagram of system

SYSTEM ARCHITECTURE



-  TAKE IMAGE OF FOOD ITEM
-  DETECTION OF FOOD ITEMS
-  SEGMENTATION OF FOOD ITEMS AND PREREGISTERED REFERENCE OBJECT
-  CALCULATE FOOD CALORIE FROM THEIR SIZE
-  DISPLAY CALORIES CALCULATED

Block Diagram




5.2 DETAILS OF METHOD

5.2.1 Image Acquisition

Here for the 1st step, we are acquiring the images users can click the image, and then they can pass that image to our system and get desired results out of it.

Like below example we expect to be input in this format:



5.2.2 Detection

For the **Detection** phase, we are using the YOLO-V4 algorithm, which are give very fast object detection localization and classification of objects on which it has been trained on. It almost takes less than 0.5 seconds on average image size to process and provides the detection result in a single pass. We have used the Darknet YOLO-V4 framework to train our model on those fruit categories and reference objects. It is a state-of-art

algorithm now which has been a champion for object detection completions.

As the users are mostly going to use this app in real-time scenarios, so For training purposes, we need a Dataset so we created our own dataset which contains the almost 800 images of 7 different fruits categories, which have created this dataset with the help of roboflow platform where we added necessary annotations to our dataset which are the application for YOLO object detection format.


- we also augmented the data in the following dimensions.

Flip: Horizontal, Vertical

90° Rotate: Clockwise, Counter-Clockwise, Upside Down

Brightness: Between -20% and +20% and we have resized the data in 896x896.

The results are



5.2.3 **Image Segmentation:**


In the Segmentation phase we will separate the object area from the parent picture which is been detected in the previous phase. By doing cropping we will extract those desired objects that we want to process for this step, here we have used the Utsu method and global thresholding techniques and a few filtrations present in computer vision

which makes our work quite easy to find contours and do the rest of the processing. The same goes for reference objects.
The segmentation for cropped object will look like this one

For Apple :



For Orange:



The last image from each example represents the mask of an object which we have got from our segmentation algorithm.

5.2.4 Volume Estimation:

After we get the segmented pixel area and the required things such as Food Object Area using Food Contours, Reference object Pixel height, and predefined reference object multiplier we will get used the main following things which are mentioned below:

We have 3 factors from image segmentation

1. Foods pixel area
2. Skin pixel area
3. Actual skin area (skin multiplier)

From these factors food estimated area is given below:

Estimated Food Area = Foods Pixel Area * Actual Skin Area of Skin Pixel Area

We have two types of shapes of foods

1. Sphere - like apple, orange, tomato, onion
2. Cylinder – like banana, cucumber, carrot

Volume estimation for Sphere :

Estimated Radius =ER

$$ER = \sqrt{(\text{Estimated Food Area} / \Pi)}$$

And Estimated Volume = EV

$$EV = 4 / 3 * \Pi * ER^3$$

5.2.5 Calories Estimation:

For the calorie estimation, we are going to make use of a pre-defined table having the value of labels and standard density, and also with that respect, we have calorie values.


Foods	Density (g/cm³)	Calorie (kcal/g)	Label	Shape
Apple	0.609	0.52	1	Sphere
Banana	0.94	0.89	2	Cylinder
Carrot	0.641	0.41	3	Cylinder
Cucumber	0.641	0.16	4	Cylinder
Onion	0.513	0.40	5	Sphere
Orange	0.482	0.47	6	Sphere
Tomato	0.481	0.18	7	Sphere

Estimated Weight = Actual Density of food * Estimated Volume

Estimated Calories = Estimated Weight * Calories Per 100 gm / 100

Once the result is generated by using this simple mathematical formula

We will write our result on image back and will present it to the user in the following format.



CHAPTER 6

SOFTWARE TESTING

6.1 TYPES OF TESTING

6.1.1 Unit Testing

Unit testing is the testing of an individual unit or group of related units. It falls under the class of white box testing. It is often done by the programmer to test that the unit he/she has implemented is producing expected output against given input.

6.1.2 Alpha Testing

It is the most common type of testing used in the Software industry. The objective of this testing is to identify all possible issues or defects before releasing it into the market or to the user. Alpha testing is carried out at the end of the software development phase but before the Beta Testing. Still, minor design changes may be made as a result of such testing. Alpha testing is conducted at the developer's site.

In-house virtual user environment can be created for this type of testing.

6.1.3 Beta Testing

Beta Testing is a formal type of software testing which is carried out by the customer. It is performed in the Real Environment before releasing the product to

the market for the actual end users. Beta testing is carried out to ensure that there are no major failures in the software or product and it satisfies the business requirements from an end-user perspective. Beta testing is successful when the customer accepts the software. Usually, this testing is typically done by end-users or others. It is the final testing done before releasing an application for commercial purpose. Usually, the Beta version of the software or product released is limited to a certain number of users in a specific area. So end user actually uses the software and shares the feedback to the company. Company then takes necessary action before releasing the software to the worldwide.

6.1.4 Performance Testing

This term is often used interchangeably with 'stress' and 'load' testing.

Performance

Testing is done to check whether the system meets the performance requirements.

6.1.5 White Box Testing

White Box testing is based on the knowledge about the internal logic of an application's code. It is also known as Glass box Testing. Internal software and code

working should be known for performing this type of testing. Under these tests are based on the coverage of code statements, branches, paths, conditions etc.

6.1.6 Black Box Testing

Black Box testing also known as Behavioural testing, is a software testing method in which the internal structure or design or implementation of the item being tested is not known to the tester. These tests can be functional or non-functional, through usually functional. This method is named as so because the software program, in the eyes of the tester, is like a black box, inside which one cannot see.

This method attempts to find error like incorrect or missing functions, interface error, behaviour or performance error etc.

6.1.7 System Testing

Under System Testing technique, the entire system is tested as per the requirements. It is a Black-box type testing that is based on overall requirement specifications and covers all the combined parts of a system.


Chapter 7

Result and Analysis

As it is mentioned in the proposed system part that to get the calories user needs to include the predefined reference object inside the input image so that calorie calculation can be done well.

In this model, we have the validation of the reference object. if the reference object is not there in the image our model will not show the calories, it will only show the detection of objects. So reference objects should be present in the image that users are passing. Also, we insist people use white plates or white backgrounds to get better results or any common uniform surface.

TEST CASE 1 with reference object



Like for these photos in the 1st picture we have the reference object present so it as per the requirement to get the calories we need at least 1 predefined reference object. So as we can see the calories are successfully calculated for each image, here are the results that are going to be printed at users side at the end

Apple(97.93)_22kcal_1 [434, 83, 175, 171]
 Calorie estimation done for--> Apple and Calorie is 22.21 kcal/g

Apple(98.53)_30kcal_16 [661, 93, 173, 195]

Calorie estimation done for--> Apple and Calorie is 29.657 kcal/g

Apple(97.35)_63kcal_18 [233, 149, 198, 219]

Calorie estimation done for--> Apple and Calorie is 62.728 kcal/g

Apple(98.73)_116kcal_24 [488, 214, 245, 252]

Calorie estimation done for--> Apple and Calorie is 116.468 kcal/g

Drawn and detection part done for--> thumb(98.64)

Drawn and detection part done for--> Apple(97.93)_22kcal_1

Drawn and detection part done for--> Apple(98.53)_30kcal_16

Drawn and detection part done for--> Apple(97.35)_63kcal_18

Drawn and detection part done for--> Apple(98.73)_116kcal_24

Display and detection part done in 3.409546136856079 Seconds

The format of printing the name for fruits is:

ObjectName_(Confidence)_Calories_BBNumber


And for the reference object it is :

ReferanceObjectName_(confidence)_BBNumber

As we can see that light intensity and background near the object can impact the results also it is necessary to keep reference object near the food objects. Because user needs to take care of this because we do use the properties of images which it holds.

And the overall procedure took around 3.5 seconds to complete the whole process, this time range can vary depending on the type of hardware the user is using and also a number of processes along with this one running on that computer.

For the validation part, it won't show any calories generated at the end but it will do its detection part and will print the note for the user as "the reference object isn't there in the image, so please provide one picture which contains at least one reference object inside of it."



Test Case 2 :without reference object

*****-----!***!-----*****

Reference Object is not present in the image please provide one to move ahead for calories

*****-----!***!-----*****

CHAPTER 8

CONCLUSION

In this paper, we proposed an image-based calorie estimation system that runs on a desktop computer without the use of any external servers. The system automatically estimates food calories by taking a photo of the food from the top or side with a pre-registered reference object.

We have used the YOLO-V4 algorithm for object detection. To recognize and localize each of the food regions we have used the YOLO-V4 darknet which has many convolution neural networks layers inside it in this system, we have used the simple segmentation methods from computer vision therefore it is difficult sometimes to treat a food image with not sufficient light intensity, the non-uniform background behind the food object

We plan to incorporate more sophisticated segmentation algorithms in the future, hopefully, state-of-art region-based with CNN methods for this process we can conclude that our Computer vision which is used for segmentation deals with the image really quick, and calories calculation is fast enough for object detection model YOLO-V4 which we have used is highly accurate and give really faster detection result.

CHAPTER 9

References

- [1] Chetan Jarande, Mukta Bhagwat, Vishakha Patil, Diya Ukirde “SURVEY ON FOOD CALORIE ESTIMATION USING DEEP LEARNING AND COMPUTER VISION”, 2021, JSPM's Jayawantrao Sawant College of Engineering, Pune, India.
- [2] An Automatic Calorie Estimation System of Food Images on a Smartphone
Koichi Okamoto Keiji Yanai.
- [3] Meghana M Reddy, [3] “Calorie- estimation-from-foodimages-opencv”,
github repo, May 2016 link
- [4] R. B. Girshick, J. Donahue, T. Darrell, and J. Malik. Rich feature hierarchies for accurate object detection and semantic segmentation. In Computer Vision and Pattern Recognition, 2014. CVPR 2014. IEEE Conference on, 2014.
- [5] Yanchao Liang, Jianhua Li , “Deep Learning- Based Food Calorie Estimation Method in Dietary Assessment” link
- [6] T. Miyazaki, De. S. G. Chamin, and K. Aizawa, “Image-based calorie content estimation for dietary
assessment,” in IEEE International Symposium on Multimedia, pp. 363–368, 2011.
- [7] P.Pouladzadeh, S.Shirmohammadi, and R.Almaghrabi, “Measuring Calorie and Nutrition from Food Image”, IEEE Transactions on Instrumentation & Measurement, Vol.63, No.8, p.p. 1947 – 1956, August 2014.
- [8] Parisa Pouladzadeh, Abdulsalam Yassine, and Shervin Shirmohammadi, “Foodd: An image-based food detection dataset for calorie measurement,” in International Conference on Multimedia Assisted Dietary Management, 2015
- [9] “YOLO for Real-Time Food Detection Jun 7, 2018 • Benny Cheung

- [10] K. Okamoto and K. Yanai, "Grillcam: A real-time eating action recognition system," in Proc. of International Conference on Multimedia Modelling (MMM), 2016.
- [11] C. Rother, V. Kolmogorov, and A. Blake, "GrabCut: Interactive foreground extraction using iterated graph 69cuts," in Proc. of ACM SIGGRAPH, pp. 309–314, 2004.
- [12] "Food Item Calorie Estimation Using YOLOv4 and Image Processing"
Samidha Patil, Shivani Patil, Vaishnavi Kale, Mohan Bonde
- [13] YOLOMuskmelon: Quest for Fruit Detection Speed and Accuracy Using Deep Learning OLAREWAJU M. LAWAL , (Member, IEEE) College of Agricultural Engineering, Shanxi Agricultural University
- [14] Real Time Pear Fruit Detection and Counting Using YOLOv4 Models and Deep SORT Sensors 2021 · Addie Ira Borja Parico, Tofael Ahamed
- [15] Food Image Recognition and Food Safety Detection Method Based on Deep Learning - Jianbo Wu,2,3 Hui Deng,1 and Xianghui Zeng1
- [16] "UEC FOOD 100," <http://foodcam.mobi/dataset.html>.
- [17] Koirala, A.; Walsh, K.B.; Wang, Z.; McCarthy, C. Deep learning for real-time fruit detection and orchard fruit load estimation: benchmarking of 'MangoYOLO'. *Precis. Agric.* 2019, 20, 1107–1135, doi:10.1007/s11119-019-09642-0.
- [18] Itakura, K.; Narita, Y.; Noaki, S.; Hosoi, F. Automatic pear and apple detection by videos using deep learning and a Kalman filter. *OSA Contin.* 2021, 4, 1688, doi:10.1364/OSAC.424583

