

# Nested Loops

Loops within loops are termed as nested loops.

## Pattern Problems

The easiest way to understand the working of a nested loop is by solving pattern printing problems.

### Print a solid rectangle



```
*****
*****
*****
*****
*****
```

```
#include <iostream>

using namespace std;

int main() {
    int rows, columns;
    cout << "Enter the number of rows :\n";
    cin >> rows;
    cout << "Enter the number of columns :\n";
    cin >> columns;

    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= columns; j++) {
            cout << "*";
        }
        cout << endl;
    }
    return 0;
}
```

Print a hollow rectangle

```
*****
*      *
*      *
*      *
*      *
*****
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
    int rows, columns;
    cout << "Enter the number of rows :\n";
    cin >> rows;
    cout << "Enter the number of columns :\n";
    cin >> columns;

    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= columns; j++) {
            if (i == 1 || i == rows || j == 1 || j == columns) {
                cout << "*";
            } else {
                cout << " ";
            }
        }
        cout << endl;
    }
    return 0;
}
```

## Print Half Pyramid Pattern using Stars

```
*
**
***
****
*****

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= i; j++) {
            cout << "*";
        }
        cout << endl;
    }
    return 0;
}
```

## Print an Inverted Half pyramid

```
* * * * *
* * * *
* * *
* *
*

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;
```

```

for (int i = n; i >= 1; i--) {
    for (int j = 1; j <= i; j++) {
        cout << "* ";
    }
    cout << endl;
}
return 0;
}

```

Print Half Pyramid after 180 degree rotation

```

    *
   **
  ***
 ****
*****

```

```

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= n; j++) {
            if (j <= n - i) {
                cout << " ";
            } else {
                cout << "*";
            }
        }
        cout << endl;
    }
    return 0;
}

```

## Print Half Pyramid using numbers

```
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
```

```
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; ++i) {
        for (int j = 1; j <= i; ++j) {
            cout << j << " ";
        }
        cout << "\n";
    }
    return 0;
}
```

## Print Inverted Half Pyramid using numbers

```
1 2 3 4 5
1 2 3 4
1 2 3
1 2
1
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
    int n;
    cin >> n;

    for (int i = n; i >= 1; --i) {
        for (int j = 1; j <= i; ++j) {
            cout << j << " ";
        }
        cout << endl;
    }
    return 0;
}
```

## Print Half Pyramid using numbers - 2

```
1
2 2
3 3 3
4 4 4 4
5 5 5 5 5
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
```

```

int n;
cin >> n;
for (int i = 1; i <= n; i++) {
    for (int j = 1; j <= i; ++j) {
        cout << i << " ";
    }
    cout << endl;
}
return 0;
}

```

Print Inverted Half Pyramid using numbers - 2

```

1 1 1 1 1
2 2 2 2
3 3 3
4 4
5

```

```

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= n - i + 1; ++j) {
            cout << i << " ";
        }
        cout << endl;
    }
    return 0;
}

```

## Print Floyd's Triangle

```
1
2 3
4 5 6
7 8 9 10
11 12 13 14 15
```

```
#include <iostream>
```


```
using namespace std;
```

```
int main() {
    int n;
    cin >> n;

    int number = 1;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= i; j++) {
            cout << number << " ";
            number++;
        }
        cout << endl;
    }
    return 0;
}
```

## Print 0-1 pattern

```
1
0 1
1 0 1
0 1 0 1
1 0 1 0 1
```



easy

but good

Apni Kaksha



```

#include<iostream>
using namespace std;

int main() {

    int i,j,r;

    cin>>r;

    for(i=1;i<=r;i++)
    {
        for(j=1;j<=i;j++)
        {
            if((i+j)%2==0)
                cout<<" 1";
            else
                cout<<" 0";
        }
        cout<<endl;
    }

    return 0;
}

```

Pattern - 5 Palindromic pattern

```

      1
     2 1 2
    3 2 1 2 3
   4 3 2 1 2 3 4
  5 4 3 2 1 2 3 4 5

```

Good

```

#include<iostream>
using namespace std;

```

```

int main(){

```

```
int i,j,r;
```

```
cin>>r;
```

```
for(i=1;i<=r;i++)  
{  
    int k=i;  
    for(j=1;j<=(r-i);j++)  
    {  
        cout<<" ";  
    }  
    for( ;j<=r;j++)  
    {  
        cout<<k<<" ";  
        k--;  
    }  
    k=1;  
    for( ;j<(r+i);j++)  
    {  
        k++;  
        cout<<k<<" ";  
    }  
    for( ;j<=(2*r-1);j++)  
    {  
        cout<<" ";  
    }  
  
    cout<<endl;  
}
```

```
return 0;
```

}

start

## Advanced Pattern Problems

Print Diamond using Stars : Given n, print diamond with 2\*n rows.

```
  *
 ***
*****
*****
*****
*****
*****
 *****
  *****
   ***
    *
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
```

```
    int n;
```

```
    cin >> n;
```

```
    int space = (2 * n - 1) / 2;
```

```
    for (int i = 1; i <= n; i++) {
```

```

    for (int j = 1; j <= space; j++) {
        cout << " ";
    }
    for (int j = 1; j <= 2 * i - 1; j++) {
        cout << "*";
    }
    cout << endl;
    space--;
}

space = 0;
for (int i = n; i >= 1; i--) {
    for (int j = 1; j <= space; j++) {
        cout << " ";
    }
    for (int j = 1; j <= 2 * i - 1; j++) {
        cout << "*";
    }
    cout << endl;
    space++;
}
return 0;
}

```

## Print Hollow Diamond using Stars

```

    *
  * *
 *  *
*   *
*   *
*   *
*   *
 *  *
  * *
    *

```

```
#include <iostream>
```

```

using namespace std;

int main() {
    int n;
    cin >> n;

    int space = (2 * n - 1) / 2;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= space; j++) {
            cout << " ";
        }
        for (int j = 1; j <= 2 * i - 1; j++) {
            if (j == 1 || j == 2 * i - 1) {
                cout << "*";
            } else {
                cout << " ";
            }
        }
        cout << endl;
        space--;
    }

    space = 0;
    for (int i = n; i >= 1; i--) {
        for (int j = 1; j <= space; j++) {
            cout << " ";
        }
        for (int j = 1; j <= 2 * i - 1; j++) {
            if (j == 1 || j == 2 * i - 1) {
                cout << "*";
            } else {
                cout << " ";
            }
        }
        cout << endl;
        space++;
    }
    return 0;
}

```

## Print Hollow Diamond Incribed in a Rectangle

```

*****
****  ****
***   ***
**    **
*     *
*     *
**    **
***   ***
****  ****
*****

```

one

```

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    int space = (2 * n - 1) / 2;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= space; j++) {
            cout << "*";
        }
        for (int j = 1; j <= 2 * i - 1; j++) {
            if (j == 1 || j == 2 * i - 1) {
                cout << "*";
            } else {
                cout << " ";
            }
        }
        for (int j = 1; j <= space; j++) {
            cout << "*";
        }
        cout << endl;
        space--;
    }
}

```

```

space = 0;
for (int i = n; i >= 1; i--) {
    for (int j = 1; j <= space; j++) {
        cout << "*";
    }
    for (int j = 1; j <= 2 * i - 1; j++) {
        if (j == 1 || j == 2 * i - 1) {
            cout << "*";
        } else {
            cout << " ";
        }
    }
    for (int j = 1; j <= space; j++) {
        cout << "*";
    }
    cout << endl;
    space++;
}
return 0;
}

```

## Print Solid Rhombus

```

*****
*****
*****
*****
*****

```

```

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= n - i; j++) {
            cout << " ";
        }
        for (int j = 1; j <= n; j++) {

```

```

        cout << "*";
    }
    cout << "\n";
}
return 0;
}

```

## Print Hollow Rhombus

```

    *****
      *   *
     *   *
    *   *
*****
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= n - i; j++) {
            cout << " ";
        }
        for (int j = 1; j <= n; j++) {
            if (i == 1 || i == n) {
                cout << "*";
            } else {
                if (j == 1 || j == n) {
                    cout << "*";
                } else {
                    cout << " ";
                }
            }
        }
        cout << "\n";
    }
    return 0;
}

```

✓ Mha  
Lu



## Pyramid pattern for Numbers

```
1
2 2
3 3 3
4 4 4 4
5 5 5 5 5
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
    int n;
    cin >> n;

    int space = n - 1;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= space; j++) {
            cout << " ";
        }
        space--;
        for (int j = 1; j <= i; j++) {
            cout << i << " ";
        }
        cout << "\n";
    }
    return 0;
}
```

$n < 10$

## Pyramid Pattern for Numbers - 2

```
  1
 1 2
1 2 3
1 2 3 4
1 2 3 4 5
```

✓ Mha Lu

```
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    int space = n - 1;
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= space; j++) {
            cout << " ";
        }
        space--;
        for (int j = 1; j <= i; j++) {
            cout << j << " ";
        }
        cout << "\n";
    }
    return 0;
}
```

## Print Sold Butterfly Pattern

```
*           *
**          **
***         ***
****        ****
*****       *****
*****       *****
****        ****
***         ***
**          **
*           *
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        int empty_space = 2 * n - 2 * i;
        for (int j = 1; j <= i; j++) {
            cout << "*";
        }
        for (int j = 1; j <= empty_space; j++) {
            cout << " ";
        }
        for (int j = 1; j <= i; j++) {
            cout << "*";
        }
        cout << "\n";
    }

    for (int i = n; i >= 1; i--) {
        int empty_space = 2 * n - 2 * i;
        for (int j = 1; j <= i; j++) {
            cout << "*";
        }
    }
}
```

✓  
Good  
↓  
But  
Easy

```

    }
    for (int j = 1; j <= empty_space; j++) {
        cout << " ";
    }
    for (int j = 1; j <= i; j++) {
        cout << "*";
    }
    cout << "\n";
}

return 0;
}

```

## Print Hollow Butterfly Pattern

```

*           *
**          **
* *        * *
*  *      *  *
*    **   *
*    **   *
*  *      *  *
* *        * *
**          **
*           *

```

```

#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {
        int empty_space = 2 * n - 2 * i;
        for (int j = 1; j <= i; j++) {
            if (j == 1 || j == i) {
                cout << "*";
            }
        }
        cout << "\n";
    }
}

```

```

        } else {
            cout << " ";
        }
    }
    for (int j = 1; j <= empty_space; j++) {
        cout << " ";
    }
    for (int j = 1; j <= i; j++) {
        if (j == 1 || j == i) {
            cout << "*";
        } else {
            cout << " ";
        }
    }
    cout << "\n";
}

for (int i = n; i >= 1; i--) {
    int empty_space = 2 * n - 2 * i;
    for (int j = 1; j <= i; j++) {
        if (j == 1 || j == i) {
            cout << "*";
        } else {
            cout << " ";
        }
    }
    for (int j = 1; j <= empty_space; j++) {
        cout << " ";
    }
    for (int j = 1; j <= i; j++) {
        if (j == 1 || j == i) {
            cout << "*";
        } else {
            cout << " ";
        }
    }
    cout << "\n";
}

return 0;
}

```

## Print Pascal's Triangle

```
      1
     1 1
    1 2 1
   1 3 3 1
  1 4 6 4 1
```

→ excellent

Quest 1

```
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;


    int coef = 1;
    for (int i = 0; i < n; i++) {
        for (int space = 1; space <= n - i; space++)
            cout << " ";

        for (int j = 0; j <= i; j++) {
            if (j == 0 || i == 0) {
                coef = 1;
            } else {
                coef = coef * (i - j + 1) / j;
            }
            cout << coef << " ";
        }
        cout << endl;
    }

    return 0;
}
```

✓ pascal  
using  
arrays

## Zig-Zag Pattern



```
#include<iostream>
```

```
using namespace std;
```

```
int main(){
```

```
    int i,j,n;
```

```
    cin>>n;
```

```
    for(i=1;i<=3;i++){
```

```
        for(j=1;j<=n;j++){
```

```
            if(((i+j)%4==0)||((i==2)&&(j%4==0)))
```

```
                cout<<"* ";
```

```
            else
```

```
                cout<<" ";
```

```
        }
```

```
        cout<<endl;
```

```
    }
```

```
    return 0;
```

```
}
```

Apni Kaksha

V.V.

Good