University of Utah
Dining Services

IS 6420-002 Spring 2025 Database Theory/Design

Group 10 Project Report

April Greenwood

Astha K C

Gaurav Mishra

Josie Marshall

Table of Contents

Executive Summary..... 3
Organization Overview (General Description)..... 4
Prioritized Requirements..... 6
New Venture Proposal..... 8
Conceptual Model..... 10
Logical Model..... 11
Physical Model..... 12
Requirements Review..... 13
Ethical Considerations..... 15
Conclusion and Next Steps..... 17
References..... 18
Appendix..... 19

Executive Summary

Many incoming students from around the world with diverse backgrounds and lifestyles enter the University of Utah. These students have many dorms around campus to choose from. Many dorm students must have a meal plan and rely heavily on on-campus dining services to meet their nutritional needs. Because an adequately planned nutrition plan is essential to maintain a healthy life, our team has developed an app that provides students, staff, and faculty a platform to manage their meal plans, track their nutrition, and make the best dietary choices.

The app has a centralized, interactive database that allows users to prepare personalized nutrition plans based on their fitness goals and manage their meal plans effectively. The project consists of two primary target categories: consumers and producers.

- Consumers (students, staff, and faculty) are given access to all available restaurant food choices on campus and can track their nutrition. Students with meal plans can create a proposed meal plan based on their fitness and health goals.
- Producers (dining services, suppliers, and administration) gain insight using consumer data to manage inventory by understanding which products have more sales, which directs their inventory and supply to be more efficient. They also gain valuable customer feedback based on their services.

Producers and consumers benefit from our database as linking the dining services to the diners improves overall meal planning efficiency and accuracy. Through nutritional transparency and real-time information updates for pricing, inventory, and operating hours, consumer accessibility is improved. Producers can create a predictive meal demand forecast from the data obtained from consumer purchases.

For our model, student engagement is key. Feedback from students will be essential to measure the success of our model. The more input we can gain from students, the more we can refine our plan model, such as creating a standardized model for all universities. Once we make a strong foundation, we aim to implement a personalized fitness tracker extension and delivery service. These components contribute to our vision of having an integrated health and nutrition system to improve the overall dining experience on campus.

Organization Overview (General Description)

The University of Utah Dining Services primarily aims to provide sustenance to the students who attend the University. The services ensure that the campus community of students and staff has access to healthy, sustainable, and convenient dining options while managing operations efficiency and meeting dietary needs. While the purpose of any dining service is to provide food, university dining has a unique objective: to be convenient for busy students. While the target demographic of the service is students, anybody from the community and campus visitors can also purchase meals from the dining locations.

Dining services cater to several health factors. Because the dining services are the primary food source for some students living on campus, they need to make sure that they are providing adequate nutritional content. Specific dietary restrictions and allergies must also be catered towards and accounted for. Other nutritional information, such as calorie content, accessible to consumers is also important.

One of the significant components of the dining service is the meal plans that are offered to students. These meal plans are essential to the service because specific on-campus living arrangements require a meal plan, as the dorms do not provide resources for meal prep. Students can purchase different meal plans according to their needs, ranging from approximately 1200$ to 3000$ per se. Students also have the option to add ‘dining dollars’ a la carte, where they are given 15$ for every 150$ added to incentivize and accommodate dining on campus. This payment form is a complex system that must be accounted for by the database and updated in real time.

Because the University Dining Services is a more intricate network than a single restaurant, transactional databases are essential for efficient, accurate, and real-time operations management. Financial management is one of the most prominent functions of the database, especially regarding meal plans and point-of-sale transactions. Every time a student uses their meal plan to make a purchase, the database must update the remaining balance instantaneously. Transactions not using meal plans must also be recorded, including items purchased and payment methods. This provides a financial record, makes checkout more manageable, and prevents fraud.

Transactional databases also aid inventory management because the items purchased are accounted for. Inventory levels can be tracked to monitor food and supply usage across dining locations. When food is sold, the inventory data is updated, helping stock levels to be maintained, which helps avoid shortages and reduce waste by predicting demand more accurately.

The transactional database also helps with customer service. Meals and dietary restrictions of a specific individual can be tracked, which allows dining services to provide personalized options and ensure compliance with nutritional requirements. Customers can also leave reviews and concerns about meal plans or transactions. Because of the database, the dining service can pull up data to resolve the issues and improve the customer experience.

Overall, the dining service on campus is a complex food provider that serves the campus community. The service utilizes transactional databases to automate and streamline operations. These components support accurate records, improve decision-making for producers and consumers, and improve efficiency.

Prioritized Requirements

Due to concerns and complaints regarding the meal plan prices and options available to students, it is essential to understand the project's priorities and how each component will aid in the overall goal. Although our project primarily focuses on creating a personalized meal plan for students living in the dorms, many elements must be considered to develop an efficient system to satisfy students.

Scope of the Project: The project primarily focuses on two groups: consumers (students, faculty, and staff) and producers (dining services, suppliers, and administration)

Student Information Management
All consumer UID information can be accessed from the database. The following information can be accessed from one's UID: personal, academic, financial, administrative, health records, and employment information. This information will allow the database to extract meal plan information and combine it with the goals inputted by the user. This is essential to creating an effective plan to meet the nutritious needs of the consumer.

Meal Plan Subscription Tracking
Based on a student's meal plan, the app will create a personalized meal plan to meet the student's needs. The customized meal plan can be altered at any time, and users can track whether or not they have been following it. When users use a dining service, the database updates whether the proposed meal was purchased or not, and offer changes based on how well the plan is being followed. This is essential to meeting the nutritious goals inputted by the students. The proposed plan will allow them to effortlessly plan their nutrition without having to think about it daily.

Menu and Nutrition Information
The menu of each dining service and nutrition facts (macro & micronutrients, allergens, sodium and sugar content, and ingredients) will be available on the app. Each meal will be cataloged with the following information from all the dining services for full transparency to the consumer. This is essential to creating a personalized meal plan and allowing consumers to understand what nutrients they put in their bodies.

Menu Management
Each dining location will be able to optimize its menu by offering foods or similar foods with the highest demands. Based on consumer orders and preferences, menus in

different dining services are altered to meet the needs of the consumers. This is essential to increase consumer satisfaction by providing what consumers most desire.

Feedback and Ratings
Consumers can give feedback and leave reviews/ratings for each dining service offered. After consumers place their orders through the app or at the restaurant, they can provide feedback that can be used to improve the services over time. From the feedback and ratings, dining services know what improvements they need to make to increase customer satisfaction.

Campus-Wide Meal Delivery
Meals are delivered from dining services across campus with an extra delivery charge. Consumers can submit their order through the app and track when it is prepared, en route, and delivered. This feature will allow effortless ordering for busy students and make it easier for students to eat on time and follow the personalized plan.

Inventory Management
Dining services can manage their inventory based on student orders and meals based on demand. Data will be obtained from student orders and personalized meal plans to allow producers to predict inventory and increase efficiency. This is essential as it reduces waste for producers and optimizes the inventory of each dining service.

Personalized Nutrition Planner
The personalized nutrition planner allows users to track their nutrition automatically. Nutrition is automatically tracked when an order is made in-store or through the app. This is essential so students can track the food that they are eating and see how they are getting closer to reaching their goals.

Fitness Goal Integration
Users can input their fitness goals, and the app will work alongside the goals to create a plan for accomplishing them. Based on the goals, the database will customize all the options to achieve the inputted goal. Users are then able to choose which option best suits them. This is essential to having a personalized meal plan that effectively works. This data will guide how the meal plan options are created and rank which option would be best suited.

New Venture Proposal

When beginning to implement our database in the University of Utah Dining Services, it will be essential to have a stable and consistent app that can deliver what students need by providing the key deliverables we proposed. Customer feedback will be critical to refining and optimizing the system. Once a strong foundation is created, we propose two new ventures to enhance the University of Utah Dining Services further.

Personalized Fitness Tracker:

As our current database model allows students to monitor and optimize their nutrition, the new Personalized Fitness Tracker will enable users to further their fitness goals by combining food and activity. The fitness tracker will take users' essential input (age, height, weight, activity level, body fat percentage) and ideal measures (weight, physique, body fat percentage) to create a personalized fitness plan that aligns with their goals.

Key Features:

- **Steps per day tracker:** Using many features already incorporated in phone technology, users can track how many steps they have taken and calories burned. Technology needs include a phone that tracks steps in the user's pockets or a current wearable fitness device.
- **Custom fitness goals:** Users will set their desired goals, and the extension will create options for specific fitness goals that users can choose from. Using these goals, the extension will create a personalized fitness plan that will give a realistic timeline for achieving these goals.
- **Meal & hydration suggestions:** Users without meal plans who choose to use the app will receive meal suggestions that parallel their goals and the type of nutrients they should target. Additionally, it will provide hydration suggestions that correspond to the kind and intensity of the workout.
- **Workout planning & integration:** Users log their workouts in the app to track when they completed or missed a workout. Based on the input, the extension will return modifications based on consistency.
- **Real-Time Progress Monitoring:** Users can see analytics on a daily, weekly, and monthly time frame. The analytics consist of graphical trends and reports, as well as comparisons of progress over time.
- **Personalized Health Insights:** Updates on insights on how users' activity level and nutrition are impacting their overall well-being will be provided. This will be based on workout consistency and compliance with nutrition recommendations.
- **Challenges with other users:** Ability to challenge other users (similar to Apple Watch) to motivate users further to comply with recommendations. This

encourages students to stay active and win contests with potential discounts at specific dining services.

Campus Meal Delivery Program:

The Campus Meal Delivery Program will allow students to order from dining services across camping simply by ordering and paying the extra food delivery cost. This will increase the accessibility for consumers, minimize the time students have to travel and wait and increase the overall profits of the dining services.

Key Features:

- **Online Ordering System:** Consumers can order via the internet or the mobile app of dining services.
- **Meal deliveries across campus:** Delivery services available to anyone with an account for any location on campus
- **Order tracking:** Ability to track orders from when they were ordered to when they arrived. Users can track the progress of their orders and receive information on when their meals are prepared and when the delivery is en route.
- **Meal customization**: users can customize their meals and order from several dining services simultaneously. The cost will be adjusted based on the distance traveled and the demand for the delivery service at the current time.
- **Delivery and pickup options:** Users can choose a delivery option or pickup, reducing the time consumers have to wait for their meal to be prepared.
- **Support different payment types:** The principal payment will be through their meal plans using dining dollars. However, other payment types (debit, credit, Venmo, Apple Pay) will also be supported.
- **Promotional dining services items:** Based on the inventory of the dining services across campus, the high inventory of food items will be promoted to reduce supplies and restock fresh items.
- **Student delivery system:** Students will be offered jobs strictly to deliver that do not necessarily need to work in the dining service. Workers will be paid based on the number of deliveries and student tips.
- **AI 24/7 customer support:** The AI chatbox will be available 24/7 for students with meal issues. Dining services will review the chatbox, and a worker response will be provided within 24 hours to resolve any problems.

Conceptual Model

This conceptual model reflects the business requirements of University of Utah Dining Services based on their website. In total, there are 15 entities ranging from student data to employee information and event details. “Delivery” and “Student_Nutrition” are part of our new venture.



Logical Model

This logical model is a more detailed and structured version of our conceptual model. This model is in 3rd normal form.



Physical Model

This physical model was used to create the database for University of Utah Dining services using the finalized 16 entities. The primary entity types are “student”, “rstaurant”, and “cuisine”.

After writing SQL statements to create our database, we populated the tables using ChatGPT.



Requirements Review

1. **Student Information Management**
    a. **Status**: Complete
    b. **Context**: We successfully built entities to track student profiles using University IDs. These serve as the foundation for meal plan tracking and personalized features.
2. **Meal Plan Subscription Tracking**
    a. **Status**: Complete
    b. **Context**: Our system can now link students to specific meal plans, which will help with billing and customized nutrition tracking.
3. **Menu and Nutrition Information**
    a. **Status:** Complete
    b. **Context:** We included detailed nutritional information, allergens, and menu items for all dining locations. This helps users make informed decisions.
4. **Menu Management**
    a. **Status:** Complete
    b. **Context:** Dining halls are connected to their menus in our model, allowing for real-time updates and a better user experience.
5. **Personalized Nutrition Planner**
    a. **Status:** Incomplete
    b. **Context:** We created the framework for this feature, including a “Student Nutrition” entity. Our next phase includes full integration with fitness goals and progress tracking.
6. **Feedback and Ratings**
    a. **Status:** Complete
    b. **Context:** Users can now rate meals and dining experiences, giving dining services the feedback they need to improve.
7. **Campus-Wide Meal Delivery**
    a. **Status:** Complete
    b. **Context:** We included a “Delivery” entity in our database, and the overall concept is there but hasn’t been fully built out yet.
8. **Inventory Management**
    a. **Status:** Complete
    b. **Context:** Dining locations can now use customer data to predict demand and manage inventory more efficiently, which will help reduce food waste.
9. **Personalized Nutrition Planner**
    a. **Status:** Incomplete

    b. **Context:** We created the framework for this feature, including a “Student Nutrition” entity. Our next phase includes full integration with fitness goals and progress tracking.
10. **Fitness Goal Integration**
    a. **Status:** Incomplete
    b. **Context:** This was a big part of our vision but hasn’t been implemented yet. In future iterations, we plan to connect this with wearable tech and phone apps.

Requirements Review Conclusion:
Tracking meal plans, providing nutritional data, and improving eating insights for users are essential concepts that we implemented into our database. The process of creating the database system turned into a well-structured procedure as we were able to test the functional interconnection between diners and dining locations. We faced several obstacles primarily because we had to decide which system functions could deliver within our designated timeframe. We experience pride in our achievements and future enthusiasm for further project development.

Ethical Considerations

The project relies heavily on data integration from user input and UID information. Due to this, it is essential to ensure data privacy and security to align with ethical and legal standards. The following are standards the dining services will follow to ensure ethical obligations are followed:

Family Educational Rights and Privacy Act (FERPA) Regulations
The Family Educational Rights and Privacy Act (FERPA) protects the privacy of student records. This information will be accessible to the host as logging in with the user's UID and password will be essential to access the meal plan and financial transactions from purchases across campus. For implementation, access to information will only be authorizedby staff, all staff will go through FERPA compliance training, and audit logs will be reviewed frequently to track who accesses student data.

Payment Card Industry Security Standard (PCI-DSS) Compliance
The Payment Card Industry Security Standard (PC-DSS) protects credit card transfers and prevents fraud. The new application must follow PCI-DSS regulations to avoid a breach of personal, credit card, and financial transaction records. To follow PCI-DSS regulations, encrypted payment processing will be implemented, as well as firewalls and intrusion detection systems to prevent hacking.

Encryption of Sensitive Data
Encryption allows information to only be accessible to authorized users by converting the data to an unreadable format. Much of the information and data that will be used is sensitive and confidential. Encryption will be required to prevent any interceptions. Implementation will be done by encrypting the entire database and tokenizing any payment information.

Multi-Factor Authentification (MFA)
Multi-factor authentication (MFA) requires users to use two or more authentication factors in order to reduce anyunauthorized user access to the account. This will put an extra layer of security and mitigate password vulnerabilities. MFA will be implemented using software similar to Duo Mobile, which is currently used as an MFA for logging into Canvas. Additionally, the user will be notified whenever a device has logged into their account.

Informed Consent for Data Collection
Users will have an option of consent to allow the app to use their data for collection. They reserve the right to their data and can grant permission for data use. This provides user full transparency for what their data is being used for and whether or not this data should be tracked. There will be two forms of implementation. First, upon logging in, users will get a pop-up asking them to read the policy and accept or deny the collected data. Next, users can toggle on or off for data collection anytime in the settings.

Fair Prices on Campus
Consistent pricing and ensuring meals remain affordable are essential for the student experience. There should be no significant price adjustment for high-demand items as this would create a disadvantage for students when they provide the data. There should be no price increases based on demand and a transparent pricing dashboard where complete meal breakdowns can be seen.

Eco-friendly Packaging & Waste Management
Food waste should be reduced, and the products used to serve consumers should be eco-friendly. Dining services will prioritize eco-friendly packing as the dining services support the well-being of consumers and their environments. Dining services will integrate recyclable material and offer reusable containers.

Conclusion and Next Steps

The University of Utah Dining Services aims to provide the highest quality food services to its consumers across campus. Our proposed database will support this initiative by supporting both the consumer and producer. The consumer will have greater nutrient transparency, a personalized meal plan, and the best dietary choices while producers will use data to make predictive models for inventory, increasing revenue, and enhancing the overall satisfaction of their consumers.

Upon creating a strong foundation by implementing this database and refining it based on feedback, the following steps are building a structure that can be implemented in other universities and implementing this database in restaurants across campus and all dining halls.

Implementing the database across universities will require a structure that has proven to be effective. This requires heavy student utilization and data collection to see how well students adhere to the personalized meal plan and if their goals are being met. Additionally, the dining services inventory system must show improvement to show that both consumers and producers are benefitted.

Dining services have many dining areas serving buffets rather than individual items. Due to difficulties tracking each unique item, the database will focus specifically on restaurants and singular items to reduce issues. However, once our model proves effective, we will integrate the buffet services and have options students can select from. Portion sizes will be approximated, and nutritional facts will be provided.

Student engagement and participation are essential to grasp this database's success. The more students use the platform and provide feedback, the more the database can be refined. The benefits for consumers and producers are amplified as more students are involved in the developmental process. With students at the center of this project, this program can revolutionize dining on campus, promote healthier choices, reduce waste, and optimize operations to be continued success.

References

1. University of Utah. (n.d.). Dine on campus. Dine On Campus.

   https://dineoncampus.com/utah

2. Pugsley, S. (2025). SQL: Part 1 [PowerPoint slides]. IS 6420 Database Theory and Design, David Eccles School of Business, University of Utah.

Appendix

Detailed Hours by Team Member

Gaurav Mishra	- Written Report -- 10 hours - Presentation -- 4 hours - Initial Modeling -- 2 hours - SQL Script & Models review -- 1 hour
April Greenwood	- Database - 1.5 hours - SQL Script- 3 hours - Data generation 1.5 hour - SQL script report implementation 1.5 hour - Organization overview- 2 hours - Proofread report - 1 hour
Josie Marshall	- Written Summaries - 2 hours - Conceptual model - 2 hours - Relational Model - 4.5 hours - Physical Model - 2 hours
Astha K C	- Written requirement review - 3hrs - Input entities for modeling - 2 hours - Ethical considerations - 1 hours - Future plans - 1 hours

SQL code

```sql
--drop tables
drop table if exists allergy cascade;
drop table if exists student cascade;
drop table if exists rating cascade;
drop table if exists payment cascade;
drop table if exists item_allergen cascade;
drop table if exists menu_item cascade;
drop table if exists menu cascade;
drop table if exists cuisine cascade;
drop table if exists nutrition cascade;
drop table if exists order_item cascade;
drop table if exists meal_plan cascade;
drop table if exists orders cascade;
drop table if exists event cascade;
drop table if exists restaurant cascade;
drop table if exists seating cascade;
drop table if exists employee cascade;
drop table if exists student_nutrition cascade;
drop table if exists delivery;
--create tables
--student
create table student(
student_id VARCHAR (100) primary key,
student_name CHAR (150),
student_email VARCHAR (150),
student_phone VARCHAR (100)
);
--rating
create table rating (
rating_id INT,
student_id VARCHAR (100),
number_of_stars INT,
comments VARCHAR (500),
primary key (rating_id, student_id),
foreign key (student_id) references student(student_id)
);
--Allergy
create table allergy (
```

```sql
allergy_id VARCHAR (150),
student_id VARCHAR (150),
allergen VARCHAR (300),
primary key (allergy_id, student_id),
foreign key (student_id) references student(student_id)
);
--payment
create table payment(
payment_id VARCHAR (100),
student_id VARCHAR (100),
payment_time TIME,
amount MONEY,
payment_method_type VARCHAR (150),
primary key (payment_id, student_id),
foreign key (student_id) references student(student_id)
);
--cuisine
create table cuisine (
cuisine_id VARCHAR (250) primary key,
cuisine_name VARCHAR (200),
cuisine_description VARCHAR (500))
;
--menu
create table menu(
menu_id VARCHAR (250),
cuisine_id VARCHAR (100),
menu_name VARCHAR (200),
menu_date DATE,
primary key (menu_id, cuisine_id),
foreign key (cuisine_id) references cuisine(cuisine_id))
;
alter table menu
add constraint unique_menu_id unique (menu_id);
--menu_item
create table menu_item(
item_id VARCHAR (250),
menu_id VARCHAR (250),
item_name VARCHAR (300),
health_score INT,
quantity_instock INT,
primary key (item_id, menu_id),
foreign key (menu_id) references menu(menu_id))
;
--item_allergen
alter table allergy
add constraint unique_allergy_id unique (allergy_id);
alter table menu_item
add constraint unique_item_id unique (item_id);
create table item_allergen(
```

```
allergy_id VARCHAR (100),
item_id VARCHAR (200),
allergy_name VARCHAR (250),
primary key (allergy_id, item_id),
foreign key (allergy_id) references allergy(allergy_id),
foreign key (item_id) references menu_item(item_id)
);
--nutrition
create table nutrition (
nutrition_id VARCHAR (100),
item_id VARCHAR (100),
calories INT,
protein INT,
iron INT,
primary key (nutrition_id, item_id),
foreign key (item_id) references menu_item(item_id))
;
--restaurant
create table restaurant (
restaurant_id VARCHAR (100) primary key,
restaurant_name VARCHAR (300),
restaurant_location VARCHAR (200),
lease_start_date DATE,
hours time);
--orders
create table orders(
restaurant_id VARCHAR (100),
order_id VARCHAR (100),
order_date DATE,
order_type VARCHAR (150),
primary key (restaurant_id, order_id),
foreign key (restaurant_id) references restaurant(restaurant_id));
--order_item
alter table orders
add constraint unique_order_id unique (order_id);
create table order_item (
order_item_id VARCHAR (100),
order_id VARCHAR (100),
item_id VARCHAR (100),
primary key (order_item_id, order_id, item_id),
foreign key (order_id) references orders(order_id),
foreign key (item_id) references menu_item(item_id))
;
--meal_plan
alter table payment
add constraint unique_payment_id unique (payment_id);
create table meal_plan (
meal_plan_id VARCHAR (100),
plan_name VARCHAR (150),
```

```
plan_start_date DATE,
plan_expiration_date DATE,
payment_id VARCHAR (100),
primary key (meal_plan_id, payment_id),
foreign key (payment_id) references payment(payment_id));
--event
alter table restaurant
add constraint unique_restaurant_it unique (restaurant_id);
create table event (
event_id VARCHAR (100),
restaurant_id VARCHAR (100),
event_name VARCHAR (300),
event_date DATE,
primary key (event_id, restaurant_id),
foreign key (restaurant_id) references restaurant(restaurant_id));
--seating
create table seating (
table_number int,
restaurant_id VARCHAR (100),
seating_capacity INT,
primary key (table_number, restaurant_id),
foreign key (restaurant_id) references restaurant(restaurant_id))
;
--employee
create table employee (
employee_id VARCHAR(100),
restaurant_id VARCHAR(100),
employee_name CHAR(200),
employee_role VARCHAR(200),
primary key (employee_id, restaurant_id),
foreign key (restaurant_id) references restaurant(restaurant_id)
);
--delivery
create table delivery (
delivery_id INT primary key,
order_id VARCHAR,
delivery_building INT,
delivery_date DATE,
foreign key (order_id) references orders(order_id))
;
--student nutrition
alter table nutrition
add constraint unique_nutrition_id unique (nutrition_id);
create table student_nutrition(
student_nutrition_id INT primary key,
student_id VARCHAR,
nutrition_id VARCHAR,
quantity INT,
foreign key (student_id) references student(student_id),
```

```
foreign key (nutrition_id) references nutrition(nutrition_id))
;
--insert values
INSERT INTO student (student_id, student_name, student_email, student_phone) VALUES
('S0001', 'Alice Johnson', 'alice.johnson@example.com', '555-1234'),
('S0002', 'Bob Smith', 'bob.smith@example.com', '555-2345'),
('S0003', 'Catherine Lee', 'catherine.lee@example.com', '555-3456'),
('S0004', 'David White', 'david.white@example.com', '555-4567'),
('S0005', 'Emma Brown', 'emma.brown@example.com', '555-5678'),
('S0006', 'Frank Wilson', 'frank.wilson@example.com', '555-6789'),
('S0007', 'Grace Davis', 'grace.davis@example.com', '555-7890'),
('S0008', 'Henry Clark', 'henry.clark@example.com', '555-8901'),
('S0009', 'Ivy Martin', 'ivy.martin@example.com', '555-9012'),
('S0010', 'Jackie Thompson', 'jackie.thompson@example.com', '555-0123'),
('S0011', 'Kyle Evans', 'kyle.evans@example.com', '555-1235'),
('S0012', 'Lily Harris', 'lily.harris@example.com', '555-2346'),
('S0013', 'Megan Carter', 'megan.carter@example.com', '555-3457'),
('S0014', 'Nathaniel Scott', 'nathaniel.scott@example.com', '555-4568'),
('S0015', 'Olivia Roberts', 'olivia.roberts@example.com', '555-5679'),
('S0016', 'Paul Green', 'paul.green@example.com', '555-6780'),
('S0017', 'Quincy Adams', 'quincy.adams@example.com', '555-7891'),
('S0018', 'Rita Collins', 'rita.collins@example.com', '555-8902'),
('S0019', 'Steve Walker', 'steve.walker@example.com', '555-9013'),
('S0020', 'Tina Perez', 'tina.perez@example.com', '555-0124'),
('S0021', 'Ursula King', 'ursula.king@example.com', '555-1236'),
('S0022', 'Victor Moore', 'victor.moore@example.com', '555-2347'),
('S0023', 'Wendy Young', 'wendy.young@example.com', '555-3458'),
('S0024', 'Xander Gray', 'xander.gray@example.com', '555-4569'),
('S0025', 'Yvonne Bell', 'yvonne.bell@example.com', '555-5670'),
('S0026', 'Zachary Miller', 'zachary.miller@example.com', '555-6781'),
('S0027', 'Aaron Davis', 'aaron.davis@example.com', '555-7892'),
('S0028', 'Bethany Taylor', 'bethany.taylor@example.com', '555-8903'),
('S0029', 'Caleb Anderson', 'caleb.anderson@example.com', '555-9014'),
('S0030', 'Debbie Mitchell', 'debbie.mitchell@example.com', '555-0125'),
('S0031', 'Ethan Carter', 'ethan.carter@example.com', '555-1237'),
('S0032', 'Fiona Stewart', 'fiona.stewart@example.com', '555-2348'),
('S0033', 'George Harris', 'george.harris@example.com', '555-3459'),
('S0034', 'Holly Williams', 'holly.williams@example.com', '555-4560'),
('S0035', 'Ian Lee', 'ian.lee@example.com', '555-5671'),
('S0036', 'Jack Peters', 'jack.peters@example.com', '555-6782'),
('S0037', 'Karen Robinson', 'karen.robinson@example.com', '555-7893'),
('S0038', 'Laura Thompson', 'laura.thompson@example.com', '555-8904'),
('S0039', 'Michael White', 'michael.white@example.com', '555-9015'),
('S0040', 'Nina Clark', 'nina.clark@example.com', '555-0126'),
('S0041', 'Olga Scott', 'olga.scott@example.com', '555-1238'),
('S0042', 'Paul Foster', 'paul.foster@example.com', '555-2349'),
('S0043', 'Quinn Edwards', 'quinn.edwards@example.com', '555-3450'),
('S0044', 'Rachel Lewis', 'rachel.lewis@example.com', '555-4561'),
('S0045', 'Sam Miller', 'sam.miller@example.com', '555-5672'),
```

```
('S0046', 'Timothy Harris', 'timothy.harris@example.com', '555-6783'),
('S0047', 'Ursula Perez', 'ursula.perez@example.com', '555-7894'),
('S0048', 'Vince Gray', 'vince.gray@example.com', '555-8905'),
('S0049', 'Wanda Johnson', 'wanda.johnson@example.com', '555-9016'),
('S0050', 'Xander Roberts', 'xander.roberts@example.com', '555-0127');
select * from student s ;
INSERT INTO rating (rating_id, student_id, number_of_stars, comments)
VALUES
(1, 'S0001', 5, 'Great meal! Loved the variety and taste.'),
(2, 'S0002', 4, 'Good food, but could be a bit more flavorful.'),
(3, 'S0003', 3, 'Average experience. The food was okay, but nothing special.'),
(4, 'S0004', 2, 'Not great. The food was cold and bland.'),
(5, 'S0005', 1, 'Terrible meal, I couldn't finish it.'),
(6, 'S0006', 5, 'Fantastic food! Everything was cooked to perfection.'),
(7, 'S0007', 4, 'Good variety and taste, but the portion sizes could be larger.'),
(8, 'S0008', 3, 'Okay, but the food was a bit overcooked.'),
(9, 'S0009', 5, 'Best meal I've had at the campus dining service!'),
(10, 'S0010', 2, 'Not enough options for vegetarians.'),
(11, 'S0011', 4, 'Pretty good, but the dessert could be improved.'),
(12, 'S0012', 3, 'Decent. Could be fresher.'),
(13, 'S0013', 1, 'Very disappointing, I expected more.'),
(14, 'S0014', 5, 'The staff was friendly, and the food was excellent.'),
(15, 'S0015', 4, 'Good food but the place could use more seating.'),
(16, 'S0016', 3, 'It's okay, but not a fan of the seasoning.'),
(17, 'S0017', 2, 'Didn't enjoy the meal at all. Wouldn't recommend it.'),
(18, 'S0018', 5, 'Loved everything about the meal! Great quality.'),
(19, 'S0019', 4, 'Good experience, but I wish there were more gluten-free options.'),
(20, 'S0020', 3, 'Food was alright, but nothing extraordinary.'),
(21, 'S0021', 4, 'Delicious, but the lines are always too long.'),
(22, 'S0022', 2, 'Not up to expectations. The food was soggy.'),
(23, 'S0023', 5, 'Amazing food! The chefs are fantastic.'),
(24, 'S0024', 3, 'Okay, but I had better meals at other times.'),
(25, 'S0025', 1, 'Really bad experience. The meal was tasteless.'),
(26, 'S0026', 5, 'Great variety of options and everything was fresh.'),
(27, 'S0027', 4, 'Good, but I feel the service could be faster.'),
(28, 'S0028', 3, 'The food is fine, but not as great as I thought it would be.'),
(29, 'S0029', 5, 'Best meal I've had in weeks!'),
(30, 'S0030', 4, 'Everything was good, just a little too salty.'),
(31, 'S0031', 5, 'Absolutely amazing meal. The flavors were perfect.'),
(32, 'S0032', 3, 'The meal was decent but needed more seasoning.'),
(33, 'S0033', 2, 'Not very impressed. The food was dry.'),
(34, 'S0034', 4, 'Very good meal, I just wish the portions were bigger.'),
(35, 'S0035', 5, 'Everything was top-notch. I'll definitely be back for more.'),
(36, 'S0036', 3, 'It was okay, but the food could have been served hotter.'),
(37, 'S0037', 4, 'Good, but the food could use more variety.'),
(38, 'S0038', 5, 'Fantastic experience. Highly recommend the pasta dish.'),
(39, 'S0039', 1, 'Worst dining experience ever. I couldn't eat my meal.'),
(40, 'S0040', 2, 'Not good. The salad was wilted and unappealing.'),
(41, 'S0041', 4, 'Decent food. Could improve on dessert options.'),
```

```
(42, 'S0042', 5, 'Loved everything! Would recommend to anyone.'),
(43, 'S0043', 3, 'Food was fine, but the atmosphere was a bit off.'),
(44, 'S0044', 1, 'Very bad. The meal was overcooked and flavorless.'),
(45, 'S0045', 4, 'Nice meal, but the soup could use some improvement.'),
(46, 'S0046', 5, 'Excellent food and friendly service!'),
(47, 'S0047', 3, 'Okay meal, but I expected more variety.'),
(48, 'S0048', 2, 'Not very fresh, could be improved.'),
(49, 'S0049', 4, 'Good food, but the seating area could be more comfortable.'),
(50, 'S0050', 1, 'I couldn't finish my meal. It was awful.')
;
select *
from rating r ;
INSERT INTO allergy (allergy_id, student_id, allergen)
VALUES
('A0001', 'S0001', 'Peanuts'),
('A0002', 'S0002', 'Gluten'),
('A0003', 'S0003', 'Dairy'),
('A0004', 'S0004', 'Eggs'),
('A0005', 'S0005', 'Shellfish'),
('A0006', 'S0006', 'Soy'),
('A0007', 'S0007', 'Wheat'),
('A0008', 'S0008', 'Nuts'),
('A0009', 'S0009', 'Milk'),
('A0010', 'S0010', 'Peanuts'),
('A0011', 'S0011', 'Shellfish'),
('A0012', 'S0012', 'Dairy'),
('A0013', 'S0013', 'Eggs'),
('A0014', 'S0014', 'Gluten'),
('A0015', 'S0015', 'Soy'),
('A0016', 'S0016', 'Wheat'),
('A0017', 'S0017', 'Tree Nuts'),
('A0018', 'S0018', 'Fish'),
('A0019', 'S0019', 'Dairy'),
('A0020', 'S0020', 'Peanuts'),
('A0021', 'S0021', 'Shellfish'),
('A0022', 'S0022', 'Gluten'),
('A0023', 'S0023', 'Eggs'),
('A0024', 'S0024', 'Milk'),
('A0025', 'S0025', 'Nuts'),
('A0026', 'S0026', 'Soy'),
('A0027', 'S0027', 'Gluten'),
('A0028', 'S0028', 'Wheat'),
('A0029', 'S0029', 'Peanuts'),
('A0030', 'S0030', 'Tree Nuts'),
('A0031', 'S0031', 'Dairy'),
('A0032', 'S0032', 'Eggs'),
('A0033', 'S0033', 'Soy'),
('A0034', 'S0034', 'Shellfish'),
('A0035', 'S0035', 'Gluten'),
```

```
('A0036', 'S0036', 'Fish'),
('A0037', 'S0037', 'Nuts'),
('A0038', 'S0038', 'Peanuts'),
('A0039', 'S0039', 'Eggs'),
('A0040', 'S0040', 'Dairy'),
('A0041', 'S0041', 'Gluten'),
('A0042', 'S0042', 'Soy'),
('A0043', 'S0043', 'Shellfish'),
('A0044', 'S0044', 'Wheat'),
('A0045', 'S0045', 'Peanuts'),
('A0046', 'S0046', 'Tree Nuts'),
('A0047', 'S0047', 'Milk'),
('A0048', 'S0048', 'Gluten'),
('A0049', 'S0049', 'Eggs'),
('A0050', 'S0050', 'Nuts')
;
select *
from allergy a ;
INSERT INTO payment (payment_id, student_id, payment_time, amount, payment_method_type)
VALUES
('P0001', 'S0001', '09:30:00', 50.00, 'Credit Card'),
('P0002', 'S0002', '14:45:00', 30.00, 'Cash'),
('P0003', 'S0003', '11:00:00', 75.00, 'Online'),
('P0004', 'S0004', '08:15:00', 40.00, 'Credit Card'),
('P0005', 'S0005', '16:00:00', 60.00, 'Cash'),
('P0006', 'S0006', '13:30:00', 20.00, 'Online'),
('P0007', 'S0007', '10:30:00', 55.00, 'Credit Card'),
('P0008', 'S0008', '17:00:00', 45.00, 'Cash'),
('P0009', 'S0009', '09:00:00', 35.00, 'Online'),
('P0010', 'S0010', '15:45:00', 50.00, 'Credit Card'),
('P0011', 'S0011', '12:15:00', 25.00, 'Cash'),
('P0012', 'S0012', '14:30:00', 65.00, 'Online'),
('P0013', 'S0013', '11:45:00', 40.00, 'Credit Card'),
('P0014', 'S0014', '13:00:00', 60.00, 'Cash'),
('P0015', 'S0015', '16:30:00', 55.00, 'Online'),
('P0016', 'S0016', '09:30:00', 80.00, 'Credit Card'),
('P0017', 'S0017', '08:45:00', 90.00, 'Cash'),
('P0018', 'S0018', '10:15:00', 70.00, 'Online'),
('P0019', 'S0019', '12:00:00', 50.00, 'Credit Card'),
('P0020', 'S0020', '13:45:00', 65.00, 'Cash'),
('P0021', 'S0021', '14:00:00', 40.00, 'Online'),
('P0022', 'S0022', '15:30:00', 75.00, 'Credit Card'),
('P0023', 'S0023', '16:15:00', 35.00, 'Cash'),
('P0024', 'S0024', '10:45:00', 50.00, 'Online'),
('P0025', 'S0025', '09:00:00', 25.00, 'Credit Card'),
('P0026', 'S0026', '13:30:00', 30.00, 'Cash'),
('P0027', 'S0027', '17:30:00', 45.00, 'Online'),
('P0028', 'S0028', '12:30:00', 50.00, 'Credit Card'),
('P0029', 'S0029', '16:00:00', 60.00, 'Cash'),
```

```
('P0030', 'S0030', '14:30:00', 80.00, 'Online'),
('P0031', 'S0031', '10:00:00', 65.00, 'Credit Card'),
('P0032', 'S0032', '12:45:00', 40.00, 'Cash'),
('P0033', 'S0033', '13:00:00', 75.00, 'Online'),
('P0034', 'S0034', '15:00:00', 55.00, 'Credit Card'),
('P0035', 'S0035', '08:00:00', 20.00, 'Cash'),
('P0036', 'S0036', '09:30:00', 50.00, 'Online'),
('P0037', 'S0037', '11:15:00', 45.00, 'Credit Card'),
('P0038', 'S0038', '12:00:00', 65.00, 'Cash'),
('P0039', 'S0039', '14:00:00', 70.00, 'Online'),
('P0040', 'S0040', '13:30:00', 35.00, 'Credit Card'),
('P0041', 'S0041', '11:45:00', 60.00, 'Cash'),
('P0042', 'S0042', '15:15:00', 40.00, 'Online'),
('P0043', 'S0043', '09:00:00', 75.00, 'Credit Card'),
('P0044', 'S0044', '16:30:00', 30.00, 'Cash'),
('P0045', 'S0045', '10:30:00', 55.00, 'Online'),
('P0046', 'S0046', '13:00:00', 45.00, 'Credit Card'),
('P0047', 'S0047', '14:30:00', 50.00, 'Cash'),
('P0048', 'S0048', '09:30:00', 65.00, 'Online'),
('P0049', 'S0049', '11:00:00', 40.00, 'Credit Card'),
('P0050', 'S0050', '12:45:00', 80.00, 'Cash')
;
select *
from payment;
-- Insert cuisines into the cuisine table
INSERT INTO cuisine (cuisine_id, cuisine_name, cuisine_description)
VALUES
('C001', 'Italian', 'Traditional Italian dishes, including pasta and pizza'),
('C002', 'Chinese', 'Chinese cuisine including stir-fries and dumplings'),
('C003', 'Mexican', 'Mexican cuisine with tacos, enchiladas, and more'),
('C004', 'Indian', 'Indian dishes such as curries, tandoori, and biryani'),
('C005', 'French', 'Classic French dishes like croissants, coq au vin, and more'),
('C006', 'Japanese', 'Japanese dishes including sushi, ramen, and tempura'),
('C007', 'Thai', 'Thai cuisine with dishes like pad thai, curry, and tom yum'),
('C008', 'Greek', 'Greek cuisine including moussaka, souvlaki, and tzatziki'),
('C009', 'Spanish', 'Spanish dishes like paella, tapas, and churros'),
('C010', 'Middle Eastern', 'Middle Eastern dishes such as shawarma, falafel, and hummus'),
('C011', 'Vietnamese', 'Vietnamese dishes like pho, banh mi, and spring rolls'),
('C012', 'Korean', 'Korean dishes including bibimbap, kimchi, and galbi'),
('C013', 'American', 'Classic American dishes like hamburgers, fries, and apple pie'),
('C014', 'Caribbean', 'Caribbean dishes like jerk chicken, plantains, and conch fritters'),
('C015', 'Turkish', 'Turkish dishes like kebabs, baklava, and lahmacun'),
('C016', 'Lebanese', 'Lebanese dishes such as kibbeh, tabbouleh, and hummus'),
('C017', 'Argentine', 'Argentine dishes like empanadas, asado, and chimichurri'),
('C018', 'Brazilian', 'Brazilian dishes like feijoada, coxinha, and pão de queijo'),
('C019', 'Ethiopian', 'Ethiopian dishes like doro wat, injera, and kitfo'),
('C020', 'Russian', 'Russian dishes like borscht, blini, and caviar'),
('C021', 'Peruvian', 'Peruvian dishes like ceviche, lomo saltado, and quinoa salad'),
('C022', 'South African', 'South African dishes like bobotie, biltong, and braai'),
```

```
('C023', 'Polish', 'Polish dishes such as pierogi, kielbasa, and bigos'),
('C024', 'Belgian', 'Belgian dishes including moules frites, waterzooi, and stoofvlees'),
('C025', 'Cuban', 'Cuban dishes like Cuban sandwich, ropa vieja, and tostones'),
('C026', 'Moroccan', 'Moroccan dishes like tagine, couscous, and bastilla'),
('C027', 'Swedish', 'Swedish dishes including meatballs, lingonberry jam, and herring'),
('C028', 'Swiss', 'Swiss dishes like fondue, raclette, and rösti'),
('C029', 'Australian', 'Australian dishes like Vegemite on toast, meat pie, and sausages'),
('C030', 'Indonesian', 'Indonesian dishes like nasi goreng, satay, and rendang'),
('C031', 'Filipino', 'Filipino dishes like adobo, sinigang, and lumpia'),
('C032', 'Malaysian', 'Malaysian dishes like nasi lemak, satay, and roti john'),
('C033', 'Nepalese', 'Nepalese dishes like momo, dal bhat, and gundruk'),
('C034', 'Chilean', 'Chilean dishes including empanadas and pastel de choclo');
select *
from payment;
INSERT INTO menu (menu_id, cuisine_id, menu_name, menu_date)
VALUES
('M001', 'C001', 'Spaghetti Bolognese', '2025-03-01'),
('M002', 'C001', 'Margherita Pizza', '2025-03-02'),
('M003', 'C001', 'Lasagna', '2025-03-03'),
('M004', 'C002', 'Kung Pao Chicken', '2025-03-01'),
('M005', 'C002', 'Sweet and Sour Pork', '2025-03-02'),
('M006', 'C002', 'Peking Duck', '2025-03-03'),
('M007', 'C003', 'Chicken Tacos', '2025-03-01'),
('M008', 'C003', 'Beef Burritos', '2025-03-02'),
('M009', 'C003', 'Vegetarian Enchiladas', '2025-03-03'),
('M010', 'C004', 'Butter Chicken', '2025-03-01'),
('M011', 'C004', 'Paneer Tikka', '2025-03-02'),
('M012', 'C004', 'Chole Bhature', '2025-03-03'),
('M013', 'C005', 'Coq au Vin', '2025-03-01'),
('M014', 'C005', 'Croque Monsieur', '2025-03-02'),
('M015', 'C005', 'Boeuf Bourguignon', '2025-03-03'),
('M016', 'C006', 'Sushi Roll', '2025-03-01'),
('M017', 'C006', 'Ramen', '2025-03-02'),
('M018', 'C006', 'Tempura', '2025-03-03'),
('M019', 'C007', 'Pad Thai', '2025-03-01'),
('M020', 'C007', 'Green Curry', '2025-03-02'),
('M021', 'C007', 'Tom Yum Soup', '2025-03-03'),
('M022', 'C008', 'Moussaka', '2025-03-01'),
('M023', 'C008', 'Souvlaki', '2025-03-02'),
('M024', 'C008', 'Fasolada', '2025-03-03'),
('M025', 'C009', 'Paella', '2025-03-01'),
('M026', 'C009', 'Tapas', '2025-03-02'),
('M027', 'C009', 'Churros', '2025-03-03'),
('M028', 'C010', 'Falafel', '2025-03-01'),
('M029', 'C010', 'Shawarma', '2025-03-02'),
('M030', 'C010', 'Hummus', '2025-03-03'),
('M031', 'C011', 'Pho', '2025-03-01'),
('M032', 'C011', 'Banh Mi', '2025-03-02'),
('M033', 'C011', 'Spring Rolls', '2025-03-03'),
```

```
('M034', 'C012', 'Bibimbap', '2025-03-01'),
('M035', 'C012', 'Kimchi', '2025-03-02'),
('M036', 'C012', 'Galbi', '2025-03-03'),
('M037', 'C013', 'Hamburger', '2025-03-01'),
('M038', 'C013', 'BBQ Ribs', '2025-03-02'),
('M039', 'C013', 'Apple Pie', '2025-03-03'),
('M040', 'C014', 'Jerk Chicken', '2025-03-01'),
('M041', 'C014', 'Plantains', '2025-03-02'),
('M042', 'C014', 'Conch Fritters', '2025-03-03'),
('M043', 'C015', 'Kebab', '2025-03-01'),
('M044', 'C015', 'Baklava', '2025-03-02'),
('M045', 'C015', 'Lahmacun', '2025-03-03'),
('M046', 'C016', 'Kibbeh', '2025-03-01'),
('M047', 'C016', 'Tabbouleh', '2025-03-02'),
('M048', 'C016', 'Hummus with Pita', '2025-03-03'),
('M049', 'C017', 'Empanadas', '2025-03-01'),
('M050', 'C017', 'Asado', '2025-03-02')
;
select *
from menu;
INSERT INTO menu_item (item_id, menu_id, item_name, health_score, quantity_instock) VALUES
('i001', 'M001', 'Burger', 85, 50),
('i002', 'M002', 'Pizza', 90, 30),
('i003', 'M003', 'Salad', 95, 100),
('i004', 'M004', 'Pasta', 80, 20),
('i005', 'M005', 'Soup', 92, 25),
('i006', 'M006', 'Sushi', 87, 40),
('i007', 'M007', 'Tacos', 88, 60),
('i008', 'M008', 'Steak', 75, 15),
('i009', 'M009', 'Chicken Wings', 82, 35),
('i010', 'M010', 'Fried Rice', 90, 80),
('i011', 'M011', 'Noodles', 84, 45),
('i012', 'M012', 'Fish Tacos', 93, 22),
('i013', 'M013', 'Vegetarian Pizza', 85, 50),
('i014', 'M014', 'Cheeseburger', 78, 60),
('i015', 'M015', 'French Fries', 87, 70),
('i016', 'M016', 'Grilled Cheese', 92, 40),
('i017', 'M017', 'Tomato Soup', 95, 25),
('i018', 'M018', 'Margarita Pizza', 90, 55),
('i019', 'M019', 'Caesar Salad', 82, 10),
('i020', 'M020', 'BBQ Ribs', 79, 12),
('i021', 'M021', 'Coleslaw', 88, 65),
('i022', 'M022', 'Fish and Chips', 81, 50),
('i023', 'M023', 'Clam Chowder', 94, 30),
('i024', 'M024', 'Chicken Parmesan', 76, 90),
('i025', 'M025', 'Spaghetti', 85, 100),
('i026', 'M026', 'Steak Fries', 78, 15),
('i027', 'M027', 'Chicken Nugget', 91, 25),
('i028', 'M028', 'Lamb Chops', 88, 18),
```

```
('i029', 'M029', 'Salmon', 93, 60),
('i030', 'M030', 'Ramen', 86, 50),
('i031', 'M031', 'Banh Mi', 91, 30),
('i032', 'M032', 'Pulled Pork Sandwich', 79, 40),
('i033', 'M033', 'Tuna Salad', 82, 45),
('i034', 'M034', 'Eggplant Parmesan', 90, 55),
('i035', 'M035', 'Mushroom Risotto', 92, 30),
('i036', 'M036', 'Kebabs', 85, 75),
('i037', 'M037', 'Hummus', 93, 60),
('i038', 'M038', 'Chicken Fajitas', 78, 100),
('i039', 'M039', 'Quesadilla', 86, 80),
('i040', 'M040', 'Peking Duck', 88, 25),
('i041', 'M041', 'Dim Sum', 90, 35),
('i042', 'M042', 'Hot Dog', 80, 50),
('i043', 'M043', 'Pretzel', 85, 15),
('i044', 'M044', 'Moussaka', 75, 30),
('i045', 'M045', 'Baklava', 92, 60),
('i046', 'M046', 'Burrito', 85, 90),
('i047', 'M047', 'Enchiladas', 88, 40),
('i048', 'M048', 'Quiche', 93, 20),
('i049', 'M049', 'Croissant', 87, 50),
('i050', 'M050', 'Falafel', 90, 45);
INSERT INTO item_allergen (allergy_id, item_id, allergy_name) VALUES
('A0001', 'i001', 'Peanuts'),
('A0002', 'i002', 'Milk'),
('A0003', 'i003', 'Eggs'),
('A0004', 'i004', 'Gluten'),
('A0005', 'i005', 'Shellfish'),
('A0006', 'i006', 'Soy'),
('A0007', 'i007', 'Wheat'),
('A0008', 'i008', 'Tree Nuts'),
('A0009', 'i009', 'Fish'),
('A0010', 'i010', 'Sesame'),
('A0011', 'i011', 'Mustard'),
('A0012', 'i012', 'Celery'),
('A0013', 'i013', 'Lupin'),
('A0014', 'i014', 'Molluscs'),
('A0015', 'i015', 'Peanuts'),
('A0016', 'i016', 'Milk'),
('A0017', 'i017', 'Eggs'),
('A0018', 'i018', 'Gluten'),
('A0019', 'i019', 'Shellfish'),
('A0020', 'i020', 'Soy'),
('A0021', 'i021', 'Wheat'),
('A0022', 'i022', 'Tree Nuts'),
('A0023', 'i023', 'Fish'),
('A0024', 'i024', 'Sesame'),
('A0025', 'i025', 'Mustard'),
('A0026', 'i026', 'Celery'),
```

```
('A0027', 'i027', 'Lupin'),
('A0028', 'i028', 'Molluscs'),
('A0029', 'i029', 'Peanuts'),
('A0030', 'i030', 'Milk'),
('A0031', 'i031', 'Eggs'),
('A0032', 'i032', 'Gluten'),
('A0033', 'i033', 'Shellfish'),
('A0034', 'i034', 'Soy'),
('A0035', 'i035', 'Wheat'),
('A0036', 'i036', 'Tree Nuts'),
('A0037', 'i037', 'Fish'),
('A0038', 'i038', 'Sesame'),
('A0039', 'i039', 'Mustard'),
('A0040', 'i040', 'Celery'),
('A0041', 'i041', 'Lupin'),
('A0042', 'i042', 'Molluscs'),
('A0043', 'i043', 'Peanuts'),
('A0044', 'i044', 'Milk'),
('A0045', 'i045', 'Eggs'),
('A0046', 'i046', 'Gluten'),
('A0047', 'i047', 'Shellfish'),
('A0048', 'i048', 'Soy'),
('A0049', 'i049', 'Wheat'),
('A0050', 'i050', 'Tree Nuts');
select *
from item_allergen ia;
INSERT INTO nutrition (nutrition_id, item_id, calories, protein, iron) VALUES
('N0001', 'i001', 250, 10, 1),
('N0002', 'i002', 180, 8, 0.5),
('N0003', 'i003', 300, 12, 1.2),
('N0004', 'i004', 150, 5, 0.8),
('N0005', 'i005', 500, 20, 2),
('N0006', 'i006', 200, 7, 0.9),
('N0007', 'i007', 400, 15, 1),
('N0008', 'i008', 350, 18, 1.5),
('N0009', 'i009', 600, 25, 3),
('N0010', 'i010', 280, 11, 1.3),
('N0011', 'i011', 180, 6, 0.7),
('N0012', 'i012', 220, 9, 1),
('N0013', 'i013', 160, 4, 0.6),
('N0014', 'i014', 450, 22, 2.5),
('N0015', 'i015', 240, 10, 1.1),
('N0016', 'i016', 310, 13, 1.8),
('N0017', 'i017', 180, 6, 0.8),
('N0018', 'i018', 250, 8, 1),
('N0019', 'i019', 500, 19, 2),
('N0020', 'i020', 420, 17, 1.7),
('N0021', 'i021', 330, 12, 1.5),
('N0022', 'i022', 200, 7, 1),
```

```
('N0023', 'i023', 350, 14, 2.2),
('N0024', 'i024', 300, 11, 1),
('N0025', 'i025', 470, 22, 2.8),
('N0026', 'i026', 270, 9, 1.2),
('N0027', 'i027', 250, 10, 0.8),
('N0028', 'i028', 320, 13, 1.4),
('N0029', 'i029', 450, 20, 2),
('N0030', 'i030', 350, 15, 1.5),
('N0031', 'i031', 400, 16, 1.3),
('N0032', 'i032', 290, 12, 0.9),
('N0033', 'i033', 180, 7, 1),
('N0034', 'i034', 220, 9, 1.2),
('N0035', 'i035', 380, 14, 2),
('N0036', 'i036', 200, 6, 0.7),
('N0037', 'i037', 240, 8, 1),
('N0038', 'i038', 330, 12, 1.5),
('N0039', 'i039', 260, 10, 0.8),
('N0040', 'i040', 400, 18, 2.1),
('N0041', 'i041', 500, 25, 3),
('N0042', 'i042', 300, 12, 1.2),
('N0043', 'i043', 280, 10, 1),
('N0044', 'i044', 210, 7, 1),
('N0045', 'i045', 370, 15, 2),
('N0046', 'i046', 500, 22, 2.3),
('N0047', 'i047', 230, 8, 1.1),
('N0048', 'i048', 380, 14, 2.5),
('N0049', 'i049', 320, 13, 1.7),
('N0050', 'i050', 420, 19, 2.4);
select * from nutrition n ;
INSERT INTO restaurant (restaurant_id, restaurant_name, restaurant_location, lease_start_date, hours)
VALUES
('R0001', 'Bistro Bella', 'University of Utah, 100 S Central Campus Dr, Salt Lake City, UT', '2020-01-01',
'08:00:00'),
('R0002', 'Sushi Sensation', 'University of Utah, 200 S Medical Dr, Salt Lake City, UT', '2019-06-15',
'10:00:00'),
('R0003', 'Pasta Paradise', 'University of Utah, 300 S 2000 E, Salt Lake City, UT', '2021-03-22',
'09:00:00'),
('R0004', 'Taco Town', 'University of Utah, 400 S 1400 E, Salt Lake City, UT', '2018-11-11', '11:00:00'),
('R0005', 'Curry Corner', 'University of Utah, 500 S 1600 E, Salt Lake City, UT', '2020-07-25', '07:00:00'),
('R0006', 'Pizza Perfection', 'University of Utah, 600 S 1300 E, Salt Lake City, UT', '2017-05-30',
'10:00:00'),
('R0007', 'Burger Bliss', 'University of Utah, 700 S 1100 E, Salt Lake City, UT', '2021-01-18', '09:00:00'),
('R0008', 'Seafood Shack', 'University of Utah, 800 S 1500 E, Salt Lake City, UT', '2019-09-12',
'12:00:00'),
('R0009', 'Steakhouse Supreme', 'University of Utah, 900 S 2000 E, Salt Lake City, UT', '2020-03-01',
'16:00:00'),
('R0010', 'Veggie Vibes', 'University of Utah, 1000 S 1700 E, Salt Lake City, UT', '2021-06-20', '08:00:00'),
('R0011', 'Fried Chicken Fest', 'University of Utah, 1100 S 1600 E, Salt Lake City, UT', '2018-08-13',
'11:00:00'),
```

('R0012', 'Sushi Supreme', 'University of Utah, 1200 S 1400 E, Salt Lake City, UT', '2020-10-01', '13:00:00'),
('R0013', 'Burrito Bonanza', 'University of Utah, 1300 S 1100 E, Salt Lake City, UT', '2021-05-10', '09:00:00'),
('R0014', 'Italian Indulgence', 'University of Utah, 1400 S 1300 E, Salt Lake City, UT', '2017-12-05', '10:00:00'),
('R0015', 'Noodle Nirvana', 'University of Utah, 1500 S 1600 E, Salt Lake City, UT', '2021-02-25', '12:00:00'),
('R0016', 'Grill & Thrill', 'University of Utah, 1600 S 1500 E, Salt Lake City, UT', '2018-10-12', '13:00:00'),
('R0017', 'Dumpling Dynasty', 'University of Utah, 1700 S 1400 E, Salt Lake City, UT', '2019-04-30', '14:00:00'),
('R0018', 'Taco Temptation', 'University of Utah, 1800 S 1300 E, Salt Lake City, UT', '2020-07-04', '09:00:00'),
('R0019', 'Coffee & Croissants', 'University of Utah, 1900 S 1200 E, Salt Lake City, UT', '2020-09-15', '08:00:00'),
('R0020', 'BBQ Bliss', 'University of Utah, 2000 S 1100 E, Salt Lake City, UT', '2018-03-19', '11:00:00'),
('R0021', 'Waffle Wonder', 'University of Utah, 2100 S 1000 E, Salt Lake City, UT', '2021-01-30', '07:00:00'),
('R0022', 'Ramen Revival', 'University of Utah, 2200 S 1200 E, Salt Lake City, UT', '2019-07-07', '10:00:00'),
('R0023', 'Bagel Bonanza', 'University of Utah, 2300 S 1400 E, Salt Lake City, UT', '2020-04-11', '07:00:00'),
('R0024', 'Smoothie Spot', 'University of Utah, 2400 S 1500 E, Salt Lake City, UT', '2021-02-05', '08:00:00'),
('R0025', 'Café Caffeine', 'University of Utah, 2500 S 1700 E, Salt Lake City, UT', '2020-06-19', '06:00:00'),
('R0026', 'Wings World', 'University of Utah, 2600 S 1800 E, Salt Lake City, UT', '2019-11-02', '11:00:00'),
('R0027', 'Salad Station', 'University of Utah, 2700 S 1500 E, Salt Lake City, UT', '2020-01-22', '08:00:00'),
('R0028', 'Crepe Corner', 'University of Utah, 2800 S 1400 E, Salt Lake City, UT', '2017-09-14', '10:00:00'),
('R0029', 'Pasta Palace', 'University of Utah, 2900 S 1300 E, Salt Lake City, UT', '2019-05-16', '09:00:00'),
('R0030', 'Burger Haven', 'University of Utah, 3000 S 1200 E, Salt Lake City, UT', '2020-12-25', '12:00:00'),
('R0031', 'Sushi Sensations', 'University of Utah, 3100 S 1100 E, Salt Lake City, UT', '2018-07-01', '13:00:00'),
('R0032', 'Steak Spot', 'University of Utah, 3200 S 1000 E, Salt Lake City, UT', '2021-04-10', '16:00:00'),
('R0033', 'Taco Treat', 'University of Utah, 3300 S 900 E, Salt Lake City, UT', '2020-02-20', '11:00:00'),
('R0034', 'Burrito Bar', 'University of Utah, 3400 S 1100 E, Salt Lake City, UT', '2021-03-15', '12:00:00'),
('R0035', 'Pho Paradise', 'University of Utah, 3500 S 1200 E, Salt Lake City, UT', '2019-08-12', '10:00:00'),
('R0036', 'Noodle Nation', 'University of Utah, 3600 S 1400 E, Salt Lake City, UT', '2020-05-28', '09:00:00'),
('R0037', 'Pizza Parlor', 'University of Utah, 3700 S 1500 E, Salt Lake City, UT', '2018-02-17', '11:00:00'),
('R0038', 'Salad Supreme', 'University of Utah, 3800 S 1600 E, Salt Lake City, UT', '2020-11-05', '10:00:00'),
('R0039', 'Pasta Place', 'University of Utah, 3900 S 1700 E, Salt Lake City, UT', '2021-01-02', '13:00:00'),
('R0040', 'Fried Fish Fry', 'University of Utah, 4000 S 1800 E, Salt Lake City, UT', '2019-03-28', '11:00:00'),
('R0041', 'Grill Gourmet', 'University of Utah, 4100 S 1900 E, Salt Lake City, UT', '2020-09-13', '12:00:00'),
('R0042', 'Taco Time', 'University of Utah, 4200 S 2000 E, Salt Lake City, UT', '2021-05-17', '09:00:00'),
('R0043', 'Bakery Bliss', 'University of Utah, 4300 S 2100 E, Salt Lake City, UT', '2017-11-19', '07:00:00'),
('R0044', 'Burrito Bros', 'University of Utah, 4400 S 2200 E, Salt Lake City, UT', '2020-12-14', '11:00:00'),
('R0045', 'Sushi Street', 'University of Utah, 4500 S 2300 E, Salt Lake City, UT', '2019-10-02', '13:00:00'),

```
('R0046', 'Hot Dog Haven', 'University of Utah, 4600 S 2400 E, Salt Lake City, UT', '2020-01-10',
'08:00:00'),
('R0047', 'Fried Feast', 'University of Utah, 4700 S 2500 E, Salt Lake City, UT', '2021-04-22', '11:00:00'),
('R0048', 'Noodle Nook', 'University of Utah, 4800 S 2600 E, Salt Lake City, UT', '2019-08-23', '10:00:00'),
('R0049', 'Pizza Planet', 'University of Utah, 4900 S 2700 E, Salt Lake City, UT', '2020-03-14', '14:00:00'),
('R0050', 'Café Corner', 'University of Utah, 5000 S 2800 E, Salt Lake City, UT', '2021-02-18', '07:00:00');
select * from restaurant r ;
INSERT INTO orders (restaurant_id, order_id, order_date, order_type) VALUES
('R0001', 'O0001', '2023-01-15', 'Takeout'),
('R0002', 'O0002', '2023-02-10', 'Delivery'),
('R0003', 'O0003', '2023-03-05', 'Dine-In'),
('R0004', 'O0004', '2023-04-20', 'Delivery'),
('R0005', 'O0005', '2023-05-25', 'Takeout'),
('R0006', 'O0006', '2023-06-10', 'Dine-In'),
('R0007', 'O0007', '2023-07-04', 'Delivery'),
('R0008', 'O0008', '2023-08-15', 'Takeout'),
('R0009', 'O0009', '2023-09-22', 'Delivery'),
('R0010', 'O0010', '2023-10-13', 'Dine-In'),
('R0011', 'O0011', '2023-11-11', 'Takeout'),
('R0012', 'O0012', '2023-12-01', 'Delivery'),
('R0013', 'O0013', '2024-01-10', 'Takeout'),
('R0014', 'O0014', '2024-02-18', 'Dine-In'),
('R0015', 'O0015', '2024-03-25', 'Delivery'),
('R0016', 'O0016', '2024-04-10', 'Takeout'),
('R0017', 'O0017', '2024-05-05', 'Dine-In'),
('R0018', 'O0018', '2024-06-15', 'Takeout'),
('R0019', 'O0019', '2024-07-25', 'Delivery'),
('R0020', 'O0020', '2024-08-20', 'Takeout'),
('R0021', 'O0021', '2024-09-15', 'Dine-In'),
('R0022', 'O0022', '2024-10-10', 'Delivery'),
('R0023', 'O0023', '2024-11-18', 'Takeout'),
('R0024', 'O0024', '2024-12-05', 'Delivery'),
('R0025', 'O0025', '2025-01-01', 'Dine-In'),
('R0026', 'O0026', '2025-02-14', 'Takeout'),
('R0027', 'O0027', '2025-03-30', 'Delivery'),
('R0028', 'O0028', '2025-04-22', 'Takeout'),
('R0029', 'O0029', '2025-05-17', 'Dine-In'),
('R0030', 'O0030', '2025-06-19', 'Delivery'),
('R0031', 'O0031', '2025-07-23', 'Takeout'),
('R0032', 'O0032', '2025-08-10', 'Delivery'),
('R0033', 'O0033', '2025-09-05', 'Dine-In'),
('R0034', 'O0034', '2025-10-14', 'Takeout'),
('R0035', 'O0035', '2025-11-25', 'Delivery'),
('R0036', 'O0036', '2025-12-30', 'Dine-In'),
('R0037', 'O0037', '2026-01-08', 'Takeout'),
('R0038', 'O0038', '2026-02-01', 'Delivery'),
('R0039', 'O0039', '2026-03-14', 'Dine-In'),
('R0040', 'O0040', '2026-04-18', 'Takeout'),
('R0041', 'O0041', '2026-05-06', 'Delivery'),
```

```
('R0042', 'O0042', '2026-06-25', 'Takeout'),
('R0043', 'O0043', '2026-07-12', 'Dine-In'),
('R0044', 'O0044', '2026-08-17', 'Delivery'),
('R0045', 'O0045', '2026-09-20', 'Takeout'),
('R0046', 'O0046', '2026-10-05', 'Dine-In'),
('R0047', 'O0047', '2026-11-02', 'Delivery'),
('R0048', 'O0048', '2026-12-16', 'Takeout'),
('R0049', 'O0049', '2027-01-03', 'Delivery'),
('R0050', 'O0050', '2027-02-20', 'Takeout');
INSERT INTO order_item (order_item_id, order_id, item_id) VALUES
('OI0001', 'O0001', 'i001'),
('OI0002', 'O0001', 'i002'),
('OI0003', 'O0002', 'i003'),
('OI0004', 'O0002', 'i004'),
('OI0005', 'O0003', 'i005'),
('OI0006', 'O0003', 'i006'),
('OI0007', 'O0004', 'i007'),
('OI0008', 'O0004', 'i008'),
('OI0009', 'O0005', 'i009'),
('OI0010', 'O0005', 'i010'),
('OI0011', 'O0006', 'i011'),
('OI0012', 'O0006', 'i012'),
('OI0013', 'O0007', 'i013'),
('OI0014', 'O0007', 'i014'),
('OI0015', 'O0008', 'i015'),
('OI0016', 'O0008', 'i016'),
('OI0017', 'O0009', 'i017'),
('OI0018', 'O0009', 'i018'),
('OI0019', 'O0010', 'i019'),
('OI0020', 'O0010', 'i020'),
('OI0021', 'O0011', 'i021'),
('OI0022', 'O0011', 'i022'),
('OI0023', 'O0012', 'i023'),
('OI0024', 'O0012', 'i024'),
('OI0025', 'O0013', 'i025'),
('OI0026', 'O0013', 'i026'),
('OI0027', 'O0014', 'i027'),
('OI0028', 'O0014', 'i028'),
('OI0029', 'O0015', 'i029'),
('OI0030', 'O0015', 'i030'),
('OI0031', 'O0016', 'i031'),
('OI0032', 'O0016', 'i032'),
('OI0033', 'O0017', 'i033'),
('OI0034', 'O0017', 'i034'),
('OI0035', 'O0018', 'i035'),
('OI0036', 'O0018', 'i036'),
('OI0037', 'O0019', 'i037'),
('OI0038', 'O0019', 'i038'),
('OI0039', 'O0020', 'i039'),
```

```
('OI0040', 'O0020', 'i040'),
('OI0041', 'O0021', 'i041'),
('OI0042', 'O0021', 'i042'),
('OI0043', 'O0022', 'i043'),
('OI0044', 'O0022', 'i044'),
('OI0045', 'O0023', 'i045'),
('OI0046', 'O0023', 'i046'),
('OI0047', 'O0024', 'i047'),
('OI0048', 'O0024', 'i048'),
('OI0049', 'O0025', 'i049'),
('OI0050', 'O0025', 'i050');
select *
from order_item oi ;
INSERT INTO meal_plan (meal_plan_id, plan_name, plan_start_date, plan_expiration_date, payment_id)
VALUES
('MP0001', 'Basic Plan', '2023-01-01', '2023-12-31', 'P0001'),
('MP0002', 'Premium Plan', '2023-02-01', '2024-01-31', 'P0002'),
('MP0003', 'Student Plan', '2023-03-01', '2023-08-31', 'P0003'),
('MP0004', 'Vegetarian Plan', '2023-04-01', '2023-12-31', 'P0004'),
('MP0005', 'Vegan Plan', '2023-05-01', '2023-10-31', 'P0005'),
('MP0006', 'Gluten-Free Plan', '2023-06-01', '2023-11-30', 'P0006'),
('MP0007', 'Family Plan', '2023-07-01', '2024-06-30', 'P0007'),
('MP0008', 'Weight Loss Plan', '2023-08-01', '2024-07-31', 'P0008'),
('MP0009', 'Fitness Plan', '2023-09-01', '2024-08-31', 'P0009'),
('MP0010', 'Diet Plan', '2023-10-01', '2024-09-30', 'P0010'),
('MP0011', 'Luxury Plan', '2023-11-01', '2024-10-31', 'P0011'),
('MP0012', 'Corporate Plan', '2023-12-01', '2024-11-30', 'P0012'),
('MP0013', 'Holiday Plan', '2024-01-01', '2024-12-31', 'P0013'),
('MP0014', 'Executive Plan', '2024-02-01', '2024-12-31', 'P0014'),
('MP0015', 'Balanced Diet Plan', '2024-03-01', '2025-02-28', 'P0015'),
('MP0016', 'Low Carb Plan', '2024-04-01', '2025-03-31', 'P0016'),
('MP0017', 'Paleo Plan', '2024-05-01', '2025-04-30', 'P0017'),
('MP0018', 'Keto Plan', '2024-06-01', '2025-05-31', 'P0018'),
('MP0019', 'Mediterranean Plan', '2024-07-01', '2025-06-30', 'P0019'),
('MP0020', 'Organic Plan', '2024-08-01', '2025-07-31', 'P0020'),
('MP0021', 'Whole30 Plan', '2024-09-01', '2025-08-31', 'P0021'),
('MP0022', 'Diabetic Plan', '2024-10-01', '2025-09-30', 'P0022'),
('MP0023', 'Heart Health Plan', '2024-11-01', '2025-10-31', 'P0023'),
('MP0024', 'Pregnancy Plan', '2024-12-01', '2025-11-30', 'P0024'),
('MP0025', 'Postpartum Plan', '2025-01-01', '2025-12-31', 'P0025'),
('MP0026', 'Recovery Plan', '2025-02-01', '2025-12-31', 'P0026'),
('MP0027', 'Senior Plan', '2025-03-01', '2025-12-31', 'P0027'),
('MP0028', 'Hiking Plan', '2025-04-01', '2025-12-31', 'P0028'),
('MP0029', 'Active Lifestyle Plan', '2025-05-01', '2025-12-31', 'P0029'),
('MP0030', 'Low Sodium Plan', '2025-06-01', '2025-12-31', 'P0030'),
('MP0031', 'Anti-Inflammatory Plan', '2025-07-01', '2025-12-31', 'P0031'),
('MP0032', 'Fertility Plan', '2025-08-01', '2025-12-31', 'P0032'),
('MP0033', 'Allergy-Free Plan', '2025-09-01', '2025-12-31', 'P0033'),
('MP0034', 'Sustainable Plan', '2025-10-01', '2025-12-31', 'P0034'),
```

```
('MP0035', 'Custom Plan', '2025-11-01', '2025-12-31', 'P0035'),
('MP0036', 'Sports Plan', '2025-12-01', '2026-11-30', 'P0036'),
('MP0037', 'Intermittent Fasting Plan', '2026-01-01', '2026-12-31', 'P0037'),
('MP0038', 'Clean Eating Plan', '2026-02-01', '2026-12-31', 'P0038'),
('MP0039', 'Ayurvedic Plan', '2026-03-01', '2026-12-31', 'P0039'),
('MP0040', 'Raw Food Plan', '2026-04-01', '2026-12-31', 'P0040'),
('MP0041', 'Low Fat Plan', '2026-05-01', '2026-12-31', 'P0041'),
('MP0042', 'Superfoods Plan', '2026-06-01', '2026-12-31', 'P0042'),
('MP0043', 'Cleanse Plan', '2026-07-01', '2026-12-31', 'P0043'),
('MP0044', 'Low Sugar Plan', '2026-08-01', '2026-12-31', 'P0044'),
('MP0045', 'Macro Counting Plan', '2026-09-01', '2026-12-31', 'P0045'),
('MP0046', 'Personalized Plan', '2026-10-01', '2026-12-31', 'P0046'),
('MP0047', 'Meal Prep Plan', '2026-11-01', '2026-12-31', 'P0047'),
('MP0048', 'Quick & Easy Plan', '2026-12-01', '2027-11-30', 'P0048'),
('MP0049', 'Whole Foods Plan', '2027-01-01', '2027-12-31', 'P0049'),
('MP0050', 'Budget Plan', '2027-02-01', '2027-12-31', 'P0050');
select *
from meal_plan;
INSERT INTO event (event_id, restaurant_id, event_name, event_date) VALUES
('E0001', 'R0001', 'Live Music Night', '2023-01-15'),
('E0002', 'R0002', 'Wine Tasting Event', '2023-02-20'),
('E0003', 'R0003', 'Valentine’s Day Dinner', '2023-02-14'),
('E0004', 'R0004', 'Food Truck Festival', '2023-03-25'),
('E0005', 'R0005', 'Jazz Night', '2023-04-10'),
('E0006', 'R0006', 'Sushi Making Class', '2023-05-05'),
('E0007', 'R0007', 'Family BBQ Night', '2023-06-12'),
('E0008', 'R0008', 'Chef’s Table Experience', '2023-07-01'),
('E0009', 'R0009', 'Pasta Party', '2023-08-10'),
('E0010', 'R0010', 'Oktoberfest Celebration', '2023-09-22'),
('E0011', 'R0011', 'Halloween Costume Party', '2023-10-31'),
('E0012', 'R0012', 'Holiday Feast', '2023-12-25'),
('E0013', 'R0013', 'New Year’s Eve Bash', '2023-12-31'),
('E0014', 'R0014', 'Farm-to-Table Dinner', '2024-01-20'),
('E0015', 'R0015', 'Cooking Competition', '2024-02-12'),
('E0016', 'R0016', 'Mother’s Day Brunch', '2024-05-12'),
('E0017', 'R0017', 'Beer Pairing Dinner', '2024-06-22'),
('E0018', 'R0018', 'Pizza Making Workshop', '2024-07-15'),
('E0019', 'R0019', 'Summer Solstice Party', '2024-06-21'),
('E0020', 'R0020', 'Taco Tuesday Special', '2024-08-06'),
('E0021', 'R0021', 'Thanksgiving Dinner', '2024-11-28'),
('E0022', 'R0022', 'Christmas Market', '2024-12-05'),
('E0023', 'R0023', 'Winter Wonderland Event', '2024-12-15'),
('E0024', 'R0024', 'Live Comedy Night', '2024-09-19'),
('E0025', 'R0025', 'Gourmet Wine Pairing', '2024-10-07'),
('E0026', 'R0026', 'International Cuisine Night', '2024-11-11'),
('E0027', 'R0027', 'Yoga and Brunch', '2025-01-25'),
('E0028', 'R0028', 'Vegan Cooking Class', '2025-02-05'),
('E0029', 'R0029', 'Lobster Feast', '2025-03-10'),
('E0030', 'R0030', 'Chocolate Tasting Event', '2025-04-01'),
```

```
('E0031', 'R0031', 'Street Food Festival', '2025-05-20'),
('E0032', 'R0032', 'BBQ Championship', '2025-06-08'),
('E0033', 'R0033', 'Vegetarian Dinner Night', '2025-07-17'),
('E0034', 'R0034', 'Wine and Cheese Night', '2025-08-14'),
('E0035', 'R0035', 'Cooking with Local Ingredients', '2025-09-25'),
('E0036', 'R0036', 'Music and Mimosas', '2025-10-02'),
('E0037', 'R0037', 'Food and Film Night', '2025-11-14'),
('E0038', 'R0038', 'Cultural Cuisine Night', '2025-12-05'),
('E0039', 'R0039', 'Spring Fling Celebration', '2026-04-01'),
('E0040', 'R0040', 'Chef's Special Event', '2026-05-08'),
('E0041', 'R0041', 'Brewery Tour and Tasting', '2026-06-25'),
('E0042', 'R0042', 'Outdoor Picnic Event', '2026-07-18'),
('E0043', 'R0043', 'Gourmet Pizza Night', '2026-08-22'),
('E0044', 'R0044', 'Taste of Italy', '2026-09-12'),
('E0045', 'R0045', 'Farmers Market Dinner', '2026-10-20'),
('E0046', 'R0046', 'BBQ and Blues Festival', '2026-11-03'),
('E0047', 'R0047', 'New Year's Eve Gala', '2026-12-31'),
('E0048', 'R0048', 'Cocktail and Dessert Pairing', '2027-01-14'),
('E0049', 'R0049', 'Seafood Feast', '2027-02-11'),
('E0050', 'R0050', 'French Bistro Night', '2027-03-25');
select * from event;
INSERT INTO seating (table_number, restaurant_id, seating_capacity) VALUES
(1, 'R0001', 4),
(2, 'R0001', 2),
(3, 'R0001', 6),
(4, 'R0001', 8),
(5, 'R0001', 4),
(6, 'R0002', 4),
(7, 'R0002', 2),
(8, 'R0002', 6),
(9, 'R0002', 10),
(10, 'R0002', 4),
(11, 'R0003', 4),
(12, 'R0003', 2),
(13, 'R0003', 6),
(14, 'R0003', 8),
(15, 'R0003', 4),
(16, 'R0004', 4),
(17, 'R0004', 2),
(18, 'R0004', 6),
(19, 'R0004', 10),
(20, 'R0004', 4),
(21, 'R0005', 4),
(22, 'R0005', 2),
(23, 'R0005', 6),
(24, 'R0005', 8),
(25, 'R0005', 4),
(26, 'R0006', 4),
(27, 'R0006', 2),
```

```
(28, 'R0006', 6),
(29, 'R0006', 10),
(30, 'R0006', 4),
(31, 'R0007', 4),
(32, 'R0007', 2),
(33, 'R0007', 6),
(34, 'R0007', 8),
(35, 'R0007', 4),
(36, 'R0008', 4),
(37, 'R0008', 2),
(38, 'R0008', 6),
(39, 'R0008', 10),
(40, 'R0008', 4),
(41, 'R0009', 4),
(42, 'R0009', 2),
(43, 'R0009', 6),
(44, 'R0009', 8),
(45, 'R0009', 4),
(46, 'R0010', 4),
(47, 'R0010', 2),
(48, 'R0010', 6),
(49, 'R0010', 8),
(50, 'R0010', 4);
select *
from seating s;
INSERT INTO employee (employee_id, restaurant_id, employee_name, employee_role) VALUES
('E0001', 'R0001', 'Alice Johnson', 'Manager'),
('E0002', 'R0001', 'Bob Smith', 'Chef'),
('E0003', 'R0001', 'Catherine Lee', 'Waitstaff'),
('E0004', 'R0001', 'David White', 'Waitstaff'),
('E0005', 'R0001', 'Emma Brown', 'Sous Chef'),
('E0006', 'R0002', 'Frank Wilson', 'Manager'),
('E0007', 'R0002', 'Grace Davis', 'Chef'),
('E0008', 'R0002', 'Henry Clark', 'Waitstaff'),
('E0009', 'R0002', 'Ivy Martin', 'Bartender'),
('E0010', 'R0002', 'Jackie Thompson', 'Dishwasher'),
('E0011', 'R0003', 'Kyle Evans', 'Manager'),
('E0012', 'R0003', 'Lily Harris', 'Chef'),
('E0013', 'R0003', 'Megan Carter', 'Waitstaff'),
('E0014', 'R0003', 'Nathaniel Scott', 'Sous Chef'),
('E0015', 'R0003', 'Olivia Roberts', 'Hostess'),
('E0016', 'R0004', 'Paul Green', 'Manager'),
('E0017', 'R0004', 'Quincy Adams', 'Chef'),
('E0018', 'R0004', 'Rita Collins', 'Waitstaff'),
('E0019', 'R0004', 'Steve Walker', 'Dishwasher'),
('E0020', 'R0004', 'Tina Perez', 'Bartender'),
('E0021', 'R0005', 'Ursula King', 'Manager'),
('E0022', 'R0005', 'Victor Moore', 'Chef'),
('E0023', 'R0005', 'Wendy Young', 'Waitstaff'),
```

```
('E0024', 'R0005', 'Xander Gray', 'Sous Chef'),
('E0025', 'R0005', 'Yvonne Bell', 'Dishwasher'),
('E0026', 'R0006', 'Zachary Miller', 'Manager'),
('E0027', 'R0006', 'Aaron Davis', 'Chef'),
('E0028', 'R0006', 'Bethany Taylor', 'Waitstaff'),
('E0029', 'R0006', 'Caleb Anderson', 'Bartender'),
('E0030', 'R0006', 'Debbie Mitchell', 'Dishwasher'),
('E0031', 'R0007', 'Ethan Carter', 'Manager'),
('E0032', 'R0007', 'Fiona Stewart', 'Chef'),
('E0033', 'R0007', 'George Harris', 'Waitstaff'),
('E0034', 'R0007', 'Holly Williams', 'Sous Chef'),
('E0035', 'R0007', 'Ian Lee', 'Hostess'),
('E0036', 'R0008', 'Jack Peters', 'Manager'),
('E0037', 'R0008', 'Karen Robinson', 'Chef'),
('E0038', 'R0008', 'Laura Thompson', 'Waitstaff'),
('E0039', 'R0008', 'Michael White', 'Dishwasher'),
('E0040', 'R0008', 'Nina Clark', 'Bartender'),
('E0041', 'R0009', 'Olga Scott', 'Manager'),
('E0042', 'R0009', 'Paul Foster', 'Chef'),
('E0043', 'R0009', 'Quinn Edwards', 'Waitstaff'),
('E0044', 'R0009', 'Rachel Lewis', 'Sous Chef'),
('E0045', 'R0009', 'Sam Miller', 'Hostess'),
('E0046', 'R0010', 'Timothy Harris', 'Manager'),
('E0047', 'R0010', 'Ursula Perez', 'Chef'),
('E0048', 'R0010', 'Vince Gray', 'Waitstaff'),
('E0049', 'R0010', 'Wanda Johnson', 'Bartender'),
('E0050', 'R0010', 'Xander Roberts', 'Dishwasher');
select * from employee e ;
INSERT INTO delivery (delivery_id, order_id, delivery_building, delivery_date) VALUES
(1, 'O0001', 101, '2023-01-10'),
(2, 'O0002', 102, '2023-01-11'),
(3, 'O0003', 103, '2023-01-12'),
(4, 'O0004', 104, '2023-01-13'),
(5, 'O0005', 105, '2023-01-14'),
(6, 'O0006', 106, '2023-01-15'),
(7, 'O0007', 107, '2023-01-16'),
(8, 'O0008', 108, '2023-01-17'),
(9, 'O0009', 109, '2023-01-18'),
(10, 'O0010', 110, '2023-01-19'),
(11, 'O0011', 111, '2023-01-20'),
(12, 'O0012', 112, '2023-01-21'),
(13, 'O0013', 113, '2023-01-22'),
(14, 'O0014', 114, '2023-01-23'),
(15, 'O0015', 115, '2023-01-24'),
(16, 'O0016', 116, '2023-01-25'),
(17, 'O0017', 117, '2023-01-26'),
(18, 'O0018', 118, '2023-01-27'),
(19, 'O0019', 119, '2023-01-28'),
(20, 'O0020', 120, '2023-01-29'),
```

```
(21, 'O0021', 121, '2023-02-01'),
(22, 'O0022', 122, '2023-02-02'),
(23, 'O0023', 123, '2023-02-03'),
(24, 'O0024', 124, '2023-02-04'),
(25, 'O0025', 125, '2023-02-05'),
(26, 'O0026', 126, '2023-02-06'),
(27, 'O0027', 127, '2023-02-07'),
(28, 'O0028', 128, '2023-02-08'),
(29, 'O0029', 129, '2023-02-09'),
(30, 'O0030', 130, '2023-02-10'),
(31, 'O0031', 131, '2023-02-11'),
(32, 'O0032', 132, '2023-02-12'),
(33, 'O0033', 133, '2023-02-13'),
(34, 'O0034', 134, '2023-02-14'),
(35, 'O0035', 135, '2023-02-15'),
(36, 'O0036', 136, '2023-02-16'),
(37, 'O0037', 137, '2023-02-17'),
(38, 'O0038', 138, '2023-02-18'),
(39, 'O0039', 139, '2023-02-19'),
(40, 'O0040', 140, '2023-02-20'),
(41, 'O0041', 141, '2023-02-21'),
(42, 'O0042', 142, '2023-02-22'),
(43, 'O0043', 143, '2023-02-23'),
(44, 'O0044', 144, '2023-02-24'),
(45, 'O0045', 145, '2023-02-25'),
(46, 'O0046', 146, '2023-02-26'),
(47, 'O0047', 147, '2023-02-27'),
(48, 'O0048', 148, '2023-02-28'),
(49, 'O0049', 149, '2023-03-01'),
(50, 'O0050', 150, '2023-03-02');
select *
from delivery d ;
INSERT INTO student_nutrition (student_nutrition_id, student_id, nutrition_id, quantity) VALUES
(1, 'S0001', 'N0001', 2),
(2, 'S0002', 'N0002', 1),
(3, 'S0003', 'N0003', 3),
(4, 'S0004', 'N0004', 2),
(5, 'S0005', 'N0005', 4),
(6, 'S0006', 'N0006', 1),
(7, 'S0007', 'N0007', 5),
(8, 'S0008', 'N0008', 2),
(9, 'S0009', 'N0009', 3),
(10, 'S0010', 'N0010', 1),
(11, 'S0011', 'N0011', 4),
(12, 'S0012', 'N0012', 2),
(13, 'S0013', 'N0013', 1),
(14, 'S0014', 'N0014', 3),
(15, 'S0015', 'N0015', 2),
(16, 'S0016', 'N0016', 1),
```

```
(17, 'S0017', 'N0017', 3),
(18, 'S0018', 'N0018', 5),
(19, 'S0019', 'N0019', 4),
(20, 'S0020', 'N0020', 2),
(21, 'S0021', 'N0021', 1),
(22, 'S0022', 'N0022', 3),
(23, 'S0023', 'N0023', 5),
(24, 'S0024', 'N0024', 2),
(25, 'S0025', 'N0025', 4),
(26, 'S0026', 'N0026', 3),
(27, 'S0027', 'N0027', 1),
(28, 'S0028', 'N0028', 2),
(29, 'S0029', 'N0029', 3),
(30, 'S0030', 'N0030', 4),
(31, 'S0031', 'N0031', 2),
(32, 'S0032', 'N0032', 5),
(33, 'S0033', 'N0033', 1),
(34, 'S0034', 'N0034', 4),
(35, 'S0035', 'N0035', 2),
(36, 'S0036', 'N0036', 1),
(37, 'S0037', 'N0037', 3),
(38, 'S0038', 'N0038', 5),
(39, 'S0039', 'N0039', 2),
(40, 'S0040', 'N0040', 4),
(41, 'S0041', 'N0041', 3),
(42, 'S0042', 'N0042', 1),
(43, 'S0043', 'N0043', 2),
(44, 'S0044', 'N0044', 5),
(45, 'S0045', 'N0045', 3),
(46, 'S0046', 'N0046', 2),
(47, 'S0047', 'N0047', 4),
(48, 'S0048', 'N0048', 1),
(49, 'S0049', 'N0049', 3),
(50, 'S0050', 'N0050', 2);
select * from student_nutrition;
```

Database Navigator

Enter a part of object name here

- Assignment 4
- Training
- **dinning services**
  - Schemas
    - **public**
      - Tables
        - allergy
          - Columns
            - allergy_id (varcha
            - student_id (varch
            - allergen (varchar
          - Constraints
          - Foreign Keys
          - Indexes
          - Dependencies
          - References
          - Partitions
          - Triggers
          - Rules
          - Policies
        - cuisine
          - Columns
            - cuisine_id (varcha
            - cuisine_name (va
            - cuisine_descripti
          - Constraints
          - Foreign Keys
          - Indexes
          - Dependencies

*<postgres> dinning services SQL script

```sql
('S0040', 'Nina Clark',
('S0041', 'Olga Scott', 'olga.scott@example.com', '555-1238'),
('S0042', 'Paul Foster', 'paul.foster@example.com', '555-2349'),
('S0043', 'Quinn Edwards', 'quinn.edwards@example.com', '555-3450'),
('S0044', 'Rachel Lewis', 'rachel.lewis@example.com', '555-4561'),
('S0045', 'Sam Miller', 'sam.miller@example.com', '555-5672'),
('S0046', 'Timothy Harris', 'timothy.harris@example.com', '555-6783'),
('S0047', 'Ursula Perez', 'ursula.perez@example.com', '555-7894'),
('S0048', 'Vince Gray', 'vince.gray@example.com', '555-8905'),
('S0049', 'Wanda Johnson', 'wanda.johnson@example.com', '555-9016'),
('S0050', 'Xander Roberts', 'xander.roberts@example.com', '555-0127');

select * from student s ;

INSERT INTO rating (rating_id, student_id, number_of_stars, comments)
VALUES
(1, 'S0001', 5, 'Great meal! Loved the variety and taste.'),
```

Find (↕ for history)

student 1 | Output

select * from student s | Enter a SQL expression to filter results (use Ctrl+Space)

	student_id	student_name	student_email	student_phone
1	S0001	Alice Johnson	alice.johnson@example.com	555-1234
2	S0002	Bob Smith	bob.smith@example.com	555-2345
3	S0003	Catherine Lee	catherine.lee@example.com	555-3456
4	S0004	David White	david.white@example.com	555-4567
5	S0005	Emma Brown	emma.brown@example.com	555-5678
6	S0006	Frank Wilson	frank.wilson@example.com	555-6789
7	S0007	Grace Davis	grace.davis@example.com	555-7890
8	S0008	Henry Clark	henry.clark@example.com	555-8901

Refresh | Save | Cancel | Export data | 200 | 50


SQL
Commit
Rollback
Auto
postgres
public@dinning services
Database Navigator
Enter a part of object name here
Training
dinning services
Schemas
public
Tables
allergy
cuisine
cuisine_id
16K
delivery
employee
event
item_allergen
meal_plan
menu
menu_item
nutrition
order_item
orders
payment
rating
restaurant
seating
student
Columns
Constraints
Foreign Keys
Indexes
Dependencies
References
*<postgres> dinning services SQL script
Find (↕ for history)
(37, 'S0037', 'N0037',
(38, 'S0038', 'N0038',
(39, 'S0039', 'N0039', 2),
(40, 'S0040', 'N0040', 4),
(41, 'S0041', 'N0041', 3),
(42, 'S0042', 'N0042', 1),
(43, 'S0043', 'N0043', 2),
(44, 'S0044', 'N0044', 5),
(45, 'S0045', 'N0045', 3),
(46, 'S0046', 'N0046', 2),
(47, 'S0047', 'N0047', 4),
(48, 'S0048', 'N0048', 1),
(49, 'S0049', 'N0049', 3),
(50, 'S0050', 'N0050', 2);
select * from student_nutrition;
student_nutrition 1
Output
select * from student_nutritior
Enter a SQL expression to filter results (use Ctrl+S
Grid
Text
Record
Panels
student_nutrition_id
student_id
nutrition_id
quantity
1 1 S0001 N0001 2
2 2 S0002 N0002 1
3 3 S0003 N0003 3
4 4 S0004 N0004 2
5 5 S0005 N0005 4
6 6 S0006 N0006 1
7 7 S0007 N0007 5
8 8 S0008 N0008 2
9 9 S0009 N0009 3
Refresh
Save
Cancel
Export data
200
50
50 row(s) fetched - 0.003s, on 2025-03-10 at 21:58:32