

312 Transaction Reconciliation File Technical Specification

For the Data Analytics Reconciliation Tool (DART)

Version: V3.4

Issued on: 9th April 2020

Author: FIS Scheme Compliance and Management

This document and its content are confidential and proprietary to Worldpay and may not be reproduced, published or resold. The information is provided on an "AS IS" basis for information purposes only and Worldpay makes no warranties of any kind including in relation to the content or sustainability. Terms and Conditions apply to all our services.

Information Classification Confidential

Worldpay (UK) Limited (Company No. 07316500 / FCA No. 530923), Worldpay Limited (Company No. 03424752 / FCA No. 504504), Worldpay AP Limited (Company No: 05593466 / FCA No: 502597). Registered Office: The Walbrook Building, 25 Walbrook, London, EC4N 8AF and authorized by the Financial Conduct Authority under the Payment Service Regulations 2017 for the provision of payment services. Worldpay (UK) Limited is authorized and regulated by the Financial Conduct Authority for consumer credit activities.

Worldpay B.V. has its registered office in Amsterdam, the Netherlands (Handelsregister KvK no. 60494344). WPBV holds a license from and is included in the register kept by De Nederlandsche Bank, which registration can be consulted through www.dnb.nl.

Each of Worldpay (UK) Limited, Worldpay Limited, Worldpay AP Limited and Worldpay B.V. is part of the Worldpay group of companies including Worldpay, Inc. (a Delaware company).

Table of Contents

1	Change Control	4
1.1	Changes Introduced	4
2	Introduction	5
2.1	Background.....	5
2.2	Purpose.....	5
2.3	Points of Reference	5
3	Network Connections	6
3.1	Network Connection Options.....	6
3.2	General	6
3.3	Data integrity / Security.....	6
3.4	Connection Failure.....	6
3.5	Data File Retention	6
3.6	Data File Names	6
4	Communication Links.....	7
4.1	General	7
4.2	Requirements	7
4.3	Data Format	7
5	General Information on the 312 Transaction Reconciliation File	8
5.1	File Structure	8
5.2	Reconciliation	8
5.3	Availability	8
Appendix A	Data File Layouts	9

A.1	312 Transaction Reconciliation: File Name	9
A.2	312 Transaction Reconciliation: File Structure	9
Appendix B	Mappings	16
B.1	Record Type 01, Field 18: Acquired processing Flag	16
B.2	Record Type 01/02/03, Field 7: Transaction Type	16
B.3	Record Type 01/02/03, Field 26/20/21: Transaction Source	16
B.4	Record Type 01/02/03, Field 28/23/22: Authorisation Method	17
B.5	Record Type 01/02/03, Field 22/19/23: Pricing Segment.....	17
B.6	Record Type 02, Field 9: Cleared/Assessment Flag	19
B.7	Record Type 3, Field 24: Rejection Reason Code	19

1 Change Control

1.1 Changes Introduced

Summary and description of most recent change	Revision Date	Location
Version 3.0	19/10/2019	N/A
Header Record – Added 4 additional fields 8-11 Accepted detail – Party ID changed to VARCHAR Pending detail – Party ID changed to VARCHAR Rejected detail – Party ID changed to VARCHAR Rejected detail – Added Rejection Reason Code in field 24. Appendix – Removed numeric descriptors of Transaction Types Appendix – Additional Pricing Segment Codes added (BCVIY, DMMCY, PEVIY, PMDOM, PMINC, PMINP, VPVIX) Appendix – Corrected B1,B2,B3 to include record type 1 and 2. Appendix – Removed Fee disbursement and Account Enquiry from possible transaction types Appendix – Added possible values for Cleared/Review Flag	19/10/2019	Appendix A.2.1 Appendix A.2.2 Appendix A.2.3 Appendix A.2.4 Appendix A.2.4 Appendix A.2.4 Appendix B.5 Appendix B1.B2.B3 Appendix B.2 Appendix B.6
Version 3.1 – Rebranding of content	16/01/2020	Entire document
Version 3.2	02/04/2020	Appendix A.1
In version 3.2 the file name has been altered to include V03 to recognise this as the third version of this report.		
Version 3.3	09/04/2020	Appendix A.2.2
Accepted Detail - Added Settlement Party ID into Field 9		
Version 3.4		
Added Appendix B.7: Rejection reason code values	19/08/2020	Appendix B.7

2 Introduction

2.1 Background

The Data Analytics Reconciliation Tool (DART) contains information currently available for collection from FIS in a data file format. DART is available to merchants acquired by FIS. This document contains information pertaining to:

- 312 Transaction Reconciliation File

This data file replaces the legacy Worldpay Transaction Reconciliation file.

2.2 Purpose

The purpose of this document is to:

- outline the format and content of the transaction reconciliation file
- detail the design and technical specification

2.3 Points of Reference

Further assistance on any Card Scheme matters may be obtained by contacting the address shown below:

Scheme Compliance & Management
Worldpay
Level 5, Walbrook Building
25 Walbrook
London
EC4N 8AF

E-mail: SC&Mqueries@Worldpay.com

Further assistance on related non-urgent technical queries may be obtained from:

Payment Solutions Enablement
Worldpay
Level 5, Walbrook Building
25 Walbrook
London
EC4N 8AF

E-mail: ask-pse@Worldpay.com

3 Network Connections

3.1 Network Connection Options

DART utilises the network communication options detailed in the Direct Communications Technical Specification (available separately).

3.2 General

DART allows management information relating to transactions processed by FIS to be collected electronically.

3.3 Data integrity / Security

The data file contains a header record, a file date and a record count. Merchants are advised to ensure that each file collected is intact by performing a check of the record count and file trailers where applicable.

3.4 Connection Failure

Merchants are advised to arrange an alternative connectivity for data collection in the event of a connection failure.

3.5 Data File Retention

DART files are retained in the Merchant's server account for seven calendar days from creation after which they are archived.

3.6 Data File Names

Please note occurrences of SSSS within data file names in this document refer to your unique Merchant acronym.

4 Communication Links

4.1 General

The collection of DART files requires network management procedures for both FIS and the Merchant.

4.2 Requirements

The following requirements must be considered:

- The transmission sessions are always merchant initiated
- Communication lines should be duplicated and use a variety of routes to cater for network failures

4.3 Data Format

All files are in standard ASCII csv format when collected over a standard network connection.

5 General Information on the 312 Transaction Reconciliation File

5.1 File Structure

All fields are positional and of variable length. The file structure is dependent on the structure of the data processed during the processing run.

5.2 Reconciliation

The creation date of the file is contained within the file name, allowing the merchant to collect a backlog of files if needed. Current files are available on a rolling seven-day basis

5.3 Availability

Files are produced daily, 7 days a week, including Bank Holidays.

Appendix A Data File Layouts

A.1 312 Transaction Reconciliation: File Name

File name on server: /Outgoing/WP_SSSS_312TRC_V03_yyyymmdd_nnn.CSV

All fields are variable.

Schedule: *Will be confirmed in future communications*

Destination: SFG mailbox

A.2 312 Transaction Reconciliation: File Structure

A.2.1 Record Type 00 – Header Record

Field No	Name	Max Length	Format	Description
1	Record Type	2	CHAR	00 – Header Record
2	Data File Date	8	DATE	Data file name run date based on when the data file was generated. YYYYMMDD
3	Party ID	15	VARCHAR	Transacting Party Identifier
4	Total Submitted Number of Transactions	10	NUM	Total number of transactions that were submitted
5	Total Accepted number of transactions	10	NUM	Total number of transactions that were accepted and will be funded
6	Total Pending number of transactions	10	NUM	Overall totals - pending number of transactions
7	Total Rejected number of transactions	10	NUM	Overall totals - rejected number of transactions
8	Total Transaction Value of Accepted	23	NUM	Total value of accepted transactions in the transaction currency
9	Total Settlement Value of Accepted	23	NUM	Total value of accepted transactions in the settlement currency
10	Total Transaction Value of Pending	23	NUM	Total value of pending transactions in the transaction currency
11	Total Transaction Value of Rejected	23	NUM	Total value of rejected transactions in the transaction currency

A.2.2 Record Type 01 – Accepted Transactions Record

Field No	Name	Max Length	Format	Description
1	Record Type	2	CHAR	01 - Accepted transactions information
2	Transacting Party ID	15	VARCHAR	Transacting party identifier
3	Merchant ID	15	CHAR	Merchant ID for transactional activity
4	Store Reference	30	CHAR	Store reference number
5	Terminal ID	16	CHAR	The terminal ID of the transaction
6	Merchant Classification Code (MCC)	4	NUM	Industry classifier code
7	Transaction Type	25	CHAR	The type of transactions that was submitted to Worldpay
8	Single Message OCT	1	CHAR	Whether or not the OCT was single message or not. Y for Single Message, N for dual message
9	Settlement Party ID	15	VARCHAR	The Party ID that this transaction will be settled at.
10	Issuer BIN country	3	CHAR	Country in which the card was acquired (ISO alpha)
11	PAN	19	CHAR	Masked Actual PAN or Masked Tokenised PAN, depending on what was submitted by the Merchant
12	Card Expiry Date	4	DATE	Card expiry Date, MMY
13	Transaction Amount	23	NUM	Transaction amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
14	Transaction Currency	3	CHAR	Transaction currency in ISO Alpha standards i.e. USD
15	Transaction Cashback amount	23	NUM	Cashback amount in major units, exponent applied
16	Original Amount (pre DCC)	23	NUM	If a DCC transaction then this is the cardholder amount in major units, exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
17	Original Amount Currency (pre DCC)	3	CHAR	If a DCC transaction then cardholder currency before DCC is applied.

18	Acquired/Processed Flag	1	CHAR	Worldpay acquired / processed Transaction (see Appendix B.1.)
19	Settlement Amount	23	NUM	Merchant settlement amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
20	Settlement Currency	3	CHAR	Merchant settlement currency in ISO Alpha standards i.e. USD
21	Transaction Date/Time	15	DATE	The date and time of the transaction in the format YYYYMMDD HHMISS
22	Pricing Segment Code	5	Char	5 character pricing segment code (see Appendix B.5)
23	Payee Reference (OTR)	34	VARCHAR	Originators transaction reference
24	Acquirer Reference Number (ARN)	23	VARCHAR	Unique identifier for a transaction
25	Scheme Reference	15	CHAR	Scheme reference
26	Worldpay Transaction Source	1	CHAR	The source of the original transaction e.g. MOTO, eCom, recurring (see Appendix B.3)
27	Airline Ticket Number	255	CHAR	Airline ticket number associated with the transaction if this was an airline purchased transaction
28	Authorisation Method	1	NUM	Authorisation method (see Appendix B.4)
29	Authorisation Code	9	NUM	Authorisation code
30	Trading Day	8	DATE	The date on which you took these transactions, as advised by you to us in DDMMYY format.

A.2.3 Record Type 02 – Pending Transactions Record

Field No	Name	Max Length	Format	Description
1	Record Type	2	CHAR	02 - Pending transactions information
2	Party ID	15	VARCHAR	Transacting party Identifier
3	Merchant ID	15	CHAR	Merchant ID for transactional activity
4	Store Reference	30	CHAR	Store reference number

5	Terminal ID	16	CHAR	The terminal ID of the transaction
6	Merchant Classification Code	4	NUM	Industry classifier code
7	Transaction Type	25	CHAR	The type of transactions that was submitted to FIS
8	Single Message OCT	1	CHAR	Whether or not the OCT was single message or not. Y for Single Message, N for dual message
9	Cleared/Review	1	CHAR	Flag to show whether this transaction has been cleared or is still under assessment
10	Issuer BIN country	3	CHAR	Country in which the card was acquired (ISO alpha)
11	PAN	19	CHAR	Masked Actual PAN or Masked Tokenised PAN, depending on what was submitted by the Merchant
12	Card Expiry Date	4	DATE	Card expiry Date, MMY Y
13	Transaction Amount	23	NUM	Transaction amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
14	Transaction Currency	3	Char	Transaction currency in ISO Alpha standards i.e. USD
15	Transaction Cashback Amount	23	NUM	Cashback Transaction amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
16	Original Amount (pre DCC)	23	NUM	If a DCC transaction then this is the cardholder amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
17	Original Amount Currency (pre DCC)	3	CHAR	If a DCC transaction then Cardholder currency in ISO Alpha standards i.e. USD
18	Transaction Date/Time	15	DATE	The date and time of the transaction in the format YYYYMMDD HHMISS
19	Pricing Segment Code	5	CHAR	5 character pricing segment code (see Appendix B.4)
20	Payee Reference (OTR)	34	CHAR	Originators transaction reference
21	Worldpay Transaction Source	1	CHAR	The source of the original transaction e.g. MOTO, eCom, recurring (see Appendix B.3)

22	Airline Ticket Number	255	CHAR	Airline ticket number associated with the transaction if this was an airline purchased transaction
23	Authorisation Method	1	NUM	Authorisation method (see Appendix B.4)
24	Authorisation Code	9	NUM	Authorisation code
25	Trading Day	8	DATE	The date on which you took these transactions, as advised by you to us in DDMMYY format.

A.2.4 Record Type 03 – Rejected Transactions Record

Field No	Name	Max Length	Format	Description
1	Record Type	2	CHAR	03 - Rejected transactions information
2	Party ID	15	VARCHAR	Transacting Party Identifier
3	Merchant ID	15	CHAR	Merchant ID for transactional activity
4	Store Reference	30	CHAR	Store Reference Number
5	Terminal ID	16	CHAR	The terminal ID of the transaction
6	Merchant Classification Code	4	NUM	Industry classifier code
7	Transaction Type	25	CHAR	The type of transactions that was submitted to FIS
8	Single Message OCT	1	CHAR	Whether or not the OCT was single message or not. Y for Single Message, N for dual message
9	Issuer BIN Country	3	CHAR	Country in which the card was acquired (ISO alpha)
10	PAN	19	CHAR	Masked Actual PAN or Masked Tokenised PAN, depending on what was submitted by the Merchant
11	Card Expiry Date	4	DATE	Card expiry Date, MMYYY

12	Transaction Amount	23	NUM	Transaction amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
13	Transaction currency	3	CHAR	Transaction currency in ISO Alpha standards i.e. USD
14	Transaction Cashback Amount	23	NUM	Cashback Transaction amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
15	Original Amount (pre DCC)	23	NUM	If a DCC transaction then this is the cardholder amount in major units with the exponent applied. Amount will be stated to 6 decimal points with trailing zero's dropped.
16	Original Amount Currency (pre DCC)	3	CHAR	If a DCC transaction then Cardholder currency in ISO Alpha standards i.e. USD
17	Transaction Date/Time	15	DATE	The date and time of the transaction in the format YYYYMMDD HHMISS
18	Pricing Segment Code	5	CHAR	5 character pricing segment code (see Appendix B.5)
19	Payee Reference (OTR)	34	CHAR	Originators Transaction Reference
20	Worldpay Transaction Source	1	CHAR	The source of the original transaction e.g. MOTO, eCom, recurring (see Appendix B.3)
21	Airline ticket number	255	CHAR	Airline ticket number associated with the transaction if this was an airline purchased transaction
22	Authorisation Method	1	NUM	Authorisation method (see Appendix B.4)
23	Authorisation Code	9	NUM	Authorisation code
24	Rejection Reason Code	100	VARCHAR	The rejection reason code (see Appendix B.7)

25	Trading Day	8	DATE	The date on which you took these transactions, as advised by you to us in DDMMYY format.
----	-------------	---	------	--

A.2.5 Record Type 99 – Trailer record

Field No	Name	Max Length	Format	Description
1	Record Type	2	CHAR	99 - Trailer record
2	Record Count	23	NUM	Total number of records in the file excluding the last record

Appendix B Mappings

B.1 Record Type 01, Field 18: Acquired processing Flag

The table below shows the acquired or processed flags

Code	Description
A	FIS Acquired Transaction
P	FIS processed Transaction

B.2 Record Type 01/02/03, Field 7: Transaction Type

The table below will show the Transaction Type codes and their description:

Description
Purchase
Purchase with Cashback
Cash advance
Quasi cash
Fee collection
Refund
Originating Credit Transfer (OCT)
Fee disbursement
Account enquiry

B.3 Record Type 01/02/03, Field 26/20/21: Transaction Source

The table below will show the Worldpay Transaction Source Derivation codes and their description:

Code	Description
0	Offline key entry
1	Mail order - telephone
2	ICC and online PIN
3	ICC and offline PIN
4	Signed voucher - magnetic stripe captured
5	Signed voucher keyed at POS
6	Unattended device without PIN

7	Pin verified transaction recovered after sale
8	Terminal recovery keyed by acceptor
9	Terminal recovery keyed by acquirer
A	ICC and signature (or no cardholder verification)
B	ICC fallback transaction to magnetic stripe
C	Secure transaction with cardholder certificate
D	Non Authenticated Security transaction with 3D Secure/SPA UCAF merchant certificate
E	Non Authenticated transaction with no 3D Secure/SPA UCAF merchant certificate eg SSL protocol
F	E-commerce static cardholder authentication
M	qVSDC or M/Chip contactless transactions
N	MSD Contactless transactions

B.4 Record Type 01/02/03, Field 28/23/22: Authorisation Method

The table below will show the possible Authorisation Types used for each transaction.

Code	Description
0	On line to Acquirer
1	Voice to Acquirer
2	Terminal
3	Voice Auth (4)
4	Voice Auth (5)
5	Merchant provided value
6	Authorised unknown

B.5 Record Type 01/02/03, Field 22/19/23: Pricing Segment

The table below shows pricing segment code and their description.

Pricing Segment Code	Pricing Segment Code Description
AC000	MasterCard Cr Per
ACMCW	MasterCard Signia
ACMCY	MasterCardDr Per Int
ACMNW	MasterCard World

AS000	All Star
AX000	American Express
BC000	Visa Credit Personal
BCVIY	Visa Dr Per Int
DC000	Diners Club/Discover
DE000	Visa Debit Per
DECOM	Visa Debit Com
DM000	Dr MasterCard EEA
DMCOM	Debit MasterCard Com
DMMCY	Debit MasterCard Per Int
JC000	JCB
KF000	Keyfuels
LS000	LaSer
OD000	Overdrive
PE000	Visa Electron
PECRE	Visa Electron Credit
PEVIY	Visa Elec Per Int
PMCOM	Maestro Com
PMDOM	Maestro Per
PMINC	Maestro Intl Com
PMINP	Maestro Intl Per
SC000	Supercharge
SE000	Sears
VP002	MasterCard Comm
VPMCB	MasterCard Business
VPMCF	MasterCard Fleet
VPMCO	MasterCard Corporate
VPMCP	MasterCard Purchase
VPMCX	MasterCardDr Com Int
VPVIB	Visa Business
VPVID	Visa Commerce
VPVIR	Visa Corporate
VPVIS	Visa Purchasing

VPVIX	Visa Dr Com Intl
-------	------------------

B.6 Record Type 02, Field 9: Cleared/Assessment Flag

The table shows the cleared/assessment flag possible values.

Code	Description
C	Transaction successfully cleared
R	Transaction under review

B.7 Record Type 3, Field 24: Rejection Reason Code

This tables shows the possible rejection reason codes

Rejection Code	Reason Reason
7610111943	Transaction from Merchant Marked as do not settle
7400110013	Txn exceeded refund/reversal amount limit
7400110083	Refund/rev velocity check failed
7400310013	Refund amt total amt
7400310023	Refund amt total amt trans value purchase to rfd
7400310033	Refund amt total amt
7400310043	Refund amt trans value
7400310073	Refund amt total amt
7400310083	Refund amt total amt
1300899993	JCB txn marked as invalid 2019.3 release
1630120003	BDR Drop Reason
1630110453	Merchant Does Not Accept Commercial Card
1630110943	Route Scheme data is missing
1610110803	Commerical txn amt doesn't equal parts minus dis
1610110823	Commercial txn without commodity code
1610110833	Commercial txn commodity code value is invalid

1610110863	Commercial transaction must have invoice
1610113023	Card Acceptor Business Code (MCC)
1610111913	POS Entry Mode Value is Not Supported
1610111533	Invalid Authorisation Code
1610111473	Original Transaction with Lifecycled Merchant
1610111013	No Cash Amount for PWCB Transaction
1610111393	Cashback Amount exceeds merchant limit
1610111773	Cashback amt must not be present for non PWCB
1610111263	Expiry Date Exceeds Scheme Validity Period
1610111253	Invalid Expiry Date
1610111203	Transaction Type Not Permissible for Merchant
1610111153	Original Credit Transaction Amt Non Wire Transfer
1610110033	Amount Zero
1610110663	Crdholder No - Inv Chck Digit
1610110513	Trans Type Not Permissible For Scheme
1610110253	Invalid Auth Code
1610110283	Invalid Auth Code
1610110223	Invalid Transaction Time
1610110363	Cashback Amount Exceeds Country Limit
1610110173	Transaction Date is Greater then CPD
1610110123	Length of Pan invalid
1610113093	Authorisation Code is invalid for Mastercard Txn
1300827893	Duplicate Transaction
1300727893	The payment/reversal is a duplicate
1300227893	The payment/reversal is a duplicate
1306627893	Duplicate Transaction
1610110143	Amount Exceeds Scheme Product Limit
1300599993	DINERS txn marked as invalid 2019.4 release

1610111243

Zero Expiry Date Not Valid For Non Visa,MC and Amex