

C++ Multiple-Choice Questions and Answers

1. What is C++?

- a) A programming language
- b) A database system
- c) An operating system
- d) None of the above

Answer: a) A programming language

2. Which of the following is used to declare a pointer in C++?

- a) *
- b) &
- c) %
- d) #

Answer: a) *

3. What is the default access specifier for a class in C++?

- a) Private
- b) Public
- c) Protected
- d) None of the above

Answer: a) Private

4. What is the use of 'new' keyword in C++?

- a) To allocate memory
- b) To free memory
- c) To create a variable
- d) None of the above

Answer: a) To allocate memory

5. What is the correct syntax of the main function in C++?

- a) int main()

- b) void main()
- c) main()
- d) None of the above

Answer: a) int main()

...

96. What is the purpose of `std::multimap` in C++?

- a) To store unique key-value pairs
- b) To allow multiple values for a single key
- c) To maintain a list of elements in sorted order
- d) None of the above

Answer: b) To allow multiple values for a single key

97. How can a thread be created in C++?

- a) Using `std::thread` from `<thread>`
- b) Using `pthread_create()`
- c) Both a and b
- d) None of the above

Answer: c) Both a and b

98. What is `RAII` in C++?

- a) A technique for memory management
- b) A type of class in C++
- c) A keyword in modern C++
- d) None of the above

Answer: a) A technique for memory management

99. What is an abstract class in C++?

- a) A class with at least one pure virtual function
- b) A class that cannot have member functions
- c) A class that only contains constructors
- d) None of the above

Answer: a) A class with at least one pure virtual function

100. What is the use of `std::variant` in C++?

- a) To store multiple types of values in a single object
- b) To replace `std::vector`
- c) To handle file I/O operations
- d) None of the above

Answer: a) To store multiple types of values in a single object