

Solve place-value problems

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: A city has 3,804,215 people. Another has 398,760 fewer. What is the second population? Copy or complete the first step.

2. A lift moves from level -5 to level 18. How many floors does it travel?

3. What is 100,000 more than 6,945,120?

4. Miro says: Miro changes more than one digit when adding 100,000 to 6,945,120. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: A city has 3,804,215 people. Another has 398,760 fewer. What is the second population? Copy or complete the first step.
Answer 3,405,455.
2. A lift moves from level -5 to level 18. How many floors does it travel?
Answer 23 floors.
3. What is 100,000 more than 6,945,120?
Answer 7,045,120.
4. Miro says: Miro changes more than one digit when adding 100,000 to 6,945,120. Is this correct? Explain.
Answer Add one hundred-thousand and regroup only when needed. The answer is 7,045,120.

Solve place-value problems

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. A lift moves from level -5 to level 18. How many floors does it travel?

2. What is 100,000 more than 6,945,120?

3. A number rounds to 4,000,000 to the nearest million. Give the smallest possible whole number.

4. Identify and correct this misconception: Miro changes more than one digit when adding 100,000 to 6,945,120.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. A lift moves from level -5 to level 18. How many floors does it travel?
Answer 23 floors.
2. What is 100,000 more than 6,945,120?
Answer 7,045,120.
3. A number rounds to 4,000,000 to the nearest million. Give the smallest possible whole number.
Answer 3,500,000.
4. Identify and correct this misconception: Miro changes more than one digit when adding 100,000 to 6,945,120.
Answer Add one hundred-thousand and regroup only when needed. The answer is 7,045,120.
5. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Solve place-value problems

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. A number rounds to 4,000,000 to the nearest million. Give the smallest possible whole number.

2. Explain why this reasoning fails: Miro changes more than one digit when adding 100,000 to 6,945,120.

3. Create a new example that tests the same idea as: What is 100,000 more than 6,945,120?

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. A number rounds to 4,000,000 to the nearest million. Give the smallest possible whole number.
Answer 3,500,000.
2. Explain why this reasoning fails: Miro changes more than one digit when adding 100,000 to 6,945,120.
Answer Add one hundred-thousand and regroup only when needed. The answer is 7,045,120.
3. Create a new example that tests the same idea as: What is 100,000 more than 6,945,120?
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.