

Apply autumn reasoning

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: A school buys 32 packs of 145 books and gives 18 books to each of 240 pupils. How many books remain? Copy or complete the first step.

2. A journey starts at -12 m, rises 37 m, then drops 18 m. Final position?

3. A budget of £20,000 pays for 48 items at £375 each. How much remains?

4. Miro says: Miro completes correct calculations but answers a different question from the one asked. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: A school buys 32 packs of 145 books and gives 18 books to each of 240 pupils. How many books remain? Copy or complete the first step.
Answer 320 books.
2. A journey starts at -12 m, rises 37 m, then drops 18 m. Final position?
Answer 7 m.
3. A budget of £20,000 pays for 48 items at £375 each. How much remains?
Answer £2,000.
4. Miro says: Miro completes correct calculations but answers a different question from the one asked. Is this correct? Explain.
Answer Return to the final question, label the answer and test whether it is reasonable in context.

Apply autumn reasoning

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. A journey starts at -12 m, rises 37 m, then drops 18 m. Final position?

2. A budget of £20,000 pays for 48 items at £375 each. How much remains?

3. Write a mixed problem using rounding, multiplication and subtraction, then solve it.

4. Identify and correct this misconception: Miro completes correct calculations but answers a different question from the one asked.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. A journey starts at -12 m, rises 37 m, then drops 18 m. Final position?
Answer 7 m.
2. A budget of £20,000 pays for 48 items at £375 each. How much remains?
Answer £2,000.
3. Write a mixed problem using rounding, multiplication and subtraction, then solve it.
Answer Answers vary. The calculation and rounding decision must be justified.
4. Identify and correct this misconception: Miro completes correct calculations but answers a different question from the one asked.
Answer Return to the final question, label the answer and test whether it is reasonable in context.
5. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Apply autumn reasoning

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Write a mixed problem using rounding, multiplication and subtraction, then solve it.

2. Explain why this reasoning fails: Miro completes correct calculations but answers a different question from the one asked.

3. Create a new example that tests the same idea as: A budget of £20,000 pays for 48 items at £375 each. How much remains?

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. Write a mixed problem using rounding, multiplication and subtraction, then solve it.
Answer Answers vary. The calculation and rounding decision must be justified.
2. Explain why this reasoning fails: Miro completes correct calculations but answers a different question from the one asked.
Answer Return to the final question, label the answer and test whether it is reasonable in context.
3. Create a new example that tests the same idea as: A budget of £20,000 pays for 48 items at £375 each. How much remains?
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.