

Multiply two-digit numbers

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate 47×36 . Copy or complete the first step.

2. Calculate 68×24 .

3. Calculate 93×57 .

4. Miro says: Miro writes the second partial product directly under the first without a zero placeholder. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate 47×36 . Copy or complete the first step.
Answer 1,692.
2. Calculate 68×24 .
Answer 1,632.
3. Calculate 93×57 .
Answer 5,301.
4. Miro says: Miro writes the second partial product directly under the first without a zero placeholder. Is this correct? Explain.
Answer Multiplying by 30 gives tens, so the second row begins in the tens column.

Multiply two-digit numbers

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate 68×24 .

2. Calculate 93×57 .

3. Find the missing factor: $__ \times 48 = 3,456$.

4. Identify and correct this misconception: Miro writes the second partial product directly under the first without a zero placeholder.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. Calculate 68×24 .

Answer 1,632.

2. Calculate 93×57 .

Answer 5,301.

3. Find the missing factor: $__ \times 48 = 3,456$.

Answer 72.

4. Identify and correct this misconception: Miro writes the second partial product directly under the first without a zero placeholder.

Answer Multiplying by 30 gives tens, so the second row begins in the tens column.

5. Write a complete sentence explaining how you checked one answer.

Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Multiply two-digit numbers

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Find the missing factor: $__ \times 48 = 3,456$.

2. Explain why this reasoning fails: Miro writes the second partial product directly under the first without a zero placeholder.

3. Create a new example that tests the same idea as: Calculate 93×57 .

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. Find the missing factor: $__ \times 48 = 3,456$.

Answer 72.

2. Explain why this reasoning fails: Miro writes the second partial product directly under the first without a zero placeholder.

Answer Multiplying by 30 gives tens, so the second row begins in the tens column.

3. Create a new example that tests the same idea as: Calculate 93×57 .

Answer Answers vary. The example and solution must preserve the mathematical structure.

4. Find a second method or representation. Compare its efficiency with your first method.

Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.

5. Write one always, sometimes or never statement about today's learning and justify it.

Answer Answers vary. A valid example and counterexample should support the classification.