

Solve and check division problems

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: A charity packs 9,360 tins equally into 36 crates. How many tins per crate? Copy or complete the first step.

2. 4,725 pupils travel in coaches holding 48. How many coaches are needed?

3. Calculate $7,488 \div 26$ and check by multiplication.

4. Miro says: Miro accepts a remainder that is larger than the divisor. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: A charity packs 9,360 tins equally into 36 crates. How many tins per crate? Copy or complete the first step.
Answer 260.
2. 4,725 pupils travel in coaches holding 48. How many coaches are needed?
Answer 99 coaches.
3. Calculate $7,488 \div 26$ and check by multiplication.
Answer 288 because $288 \times 26 = 7,488$.
4. Miro says: Miro accepts a remainder that is larger than the divisor. Is this correct? Explain.
Answer A valid remainder must be smaller than the divisor.

Solve and check division problems

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. 4,725 pupils travel in coaches holding 48. How many coaches are needed?

2. Calculate $7,488 \div 26$ and check by multiplication.

3. Create a division with divisor 28, quotient 135 and remainder 7.

4. Identify and correct this misconception: Miro accepts a remainder that is larger than the divisor.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. 4,725 pupils travel in coaches holding 48. How many coaches are needed?
Answer 99 coaches.
2. Calculate $7,488 \div 26$ and check by multiplication.
Answer 288 because $288 \times 26 = 7,488$.
3. Create a division with divisor 28, quotient 135 and remainder 7.
Answer $3,787 \div 28 = 135$ remainder 7.
4. Identify and correct this misconception: Miro accepts a remainder that is larger than the divisor.
Answer A valid remainder must be smaller than the divisor.
5. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Solve and check division problems

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Create a division with divisor 28, quotient 135 and remainder 7.

2. Explain why this reasoning fails: Miro accepts a remainder that is larger than the divisor.

3. Create a new example that tests the same idea as: Calculate $7,488 \div 26$ and check by multiplication.

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. Create a division with divisor 28, quotient 135 and remainder 7.
Answer $3,787 \div 28 = 135$ remainder 7.
2. Explain why this reasoning fails: Miro accepts a remainder that is larger than the divisor.
Answer A valid remainder must be smaller than the divisor.
3. Create a new example that tests the same idea as: Calculate $7,488 \div 26$ and check by multiplication.
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.