

Use short division with two-digit divisors

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate $3,744 \div 12$. Copy or complete the first step.

2. Calculate $5,616 \div 18$.

3. Calculate $8,064 \div 21$.

4. Miro says: Miro uses a one-digit division fact and forgets the full two-digit divisor. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate $3,744 \div 12$. Copy or complete the first step.
Answer 312.
2. Calculate $5,616 \div 18$.
Answer 312.
3. Calculate $8,064 \div 21$.
Answer 384.
4. Miro says: Miro uses a one-digit division fact and forgets the full two-digit divisor. Is this correct? Explain.
Answer Each quotient digit must represent a multiple of the complete divisor.

Use short division with two-digit divisors

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate $5,616 \div 18$.

2. Calculate $8,064 \div 21$.

3. Explain why short division is efficient for $9,600 \div 24$.

4. Identify and correct this misconception: Miro uses a one-digit division fact and forgets the full two-digit divisor.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. Calculate $5,616 \div 18$.

Answer 312.

2. Calculate $8,064 \div 21$.

Answer 384.

3. Explain why short division is efficient for $9,600 \div 24$.

Answer Known multiples of 24 make each stage manageable; the quotient is 400.

4. Identify and correct this misconception: Miro uses a one-digit division fact and forgets the full two-digit divisor.

Answer Each quotient digit must represent a multiple of the complete divisor.

5. Write a complete sentence explaining how you checked one answer.

Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Use short division with two-digit divisors

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Explain why short division is efficient for $9,600 \div 24$.

2. Explain why this reasoning fails: Miro uses a one-digit division fact and forgets the full two-digit divisor.

3. Create a new example that tests the same idea as: Calculate $8,064 \div 21$.

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. Explain why short division is efficient for $9,600 \div 24$.
Answer Known multiples of 24 make each stage manageable; the quotient is 400.
2. Explain why this reasoning fails: Miro uses a one-digit division fact and forgets the full two-digit divisor.
Answer Each quotient digit must represent a multiple of the complete divisor.
3. Create a new example that tests the same idea as: Calculate $8,064 \div 21$.
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.