

Solve multi-step multiplication and division problems

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: A warehouse has 36 pallets with 24 boxes each. It shares all boxes equally among 18 shops. Boxes per shop? Copy or complete the first step.

2. A printer makes 1,250 leaflets per hour for 28 hours and packs them in bundles of 50. How many bundles?

3. A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?

4. Miro says: Miro rounds an intermediate exact answer before completing the second step. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: A warehouse has 36 pallets with 24 boxes each. It shares all boxes equally among 18 shops. Boxes per shop?
Copy or complete the first step.
Answer 48 boxes.
2. A printer makes 1,250 leaflets per hour for 28 hours and packs them in bundles of 50. How many bundles?
Answer 700 bundles.
3. A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?
Answer 24 trolleys.
4. Miro says: Miro rounds an intermediate exact answer before completing the second step. Is this correct? Explain.
Answer Keep exact sub-totals unless the context or question asks for rounding.

Solve multi-step multiplication and division problems

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. A printer makes 1,250 leaflets per hour for 28 hours and packs them in bundles of 50. How many bundles?

2. A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?

3. A result is 315 after a two-step multiply-then-divide calculation. Create a valid problem.

4. Identify and correct this misconception: Miro rounds an intermediate exact answer before completing the second step.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. A printer makes 1,250 leaflets per hour for 28 hours and packs them in bundles of 50. How many bundles?
Answer 700 bundles.
2. A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?
Answer 24 trolleys.
3. A result is 315 after a two-step multiply-then-divide calculation. Create a valid problem.
Answer Answers vary, for example $45 \times 21 \div 3 = 315$.
4. Identify and correct this misconception: Miro rounds an intermediate exact answer before completing the second step.
Answer Keep exact sub-totals unless the context or question asks for rounding.
5. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Solve multi-step multiplication and division problems

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. A result is 315 after a two-step multiply-then-divide calculation. Create a valid problem.

2. Explain why this reasoning fails: Miro rounds an intermediate exact answer before completing the second step.

3. Create a new example that tests the same idea as: A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. A result is 315 after a two-step multiply-then-divide calculation. Create a valid problem.
Answer Answers vary, for example $45 \times 21 \div 3 = 315$.
2. Explain why this reasoning fails: Miro rounds an intermediate exact answer before completing the second step.
Answer Keep exact sub-totals unless the context or question asks for rounding.
3. Create a new example that tests the same idea as: A farmer packs 9,216 apples in trays of 24, then places 16 trays on each trolley. How many trolleys?
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.