

Complete mixed arithmetic efficiently

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate $3,250 \div 25 + 4.8 \times 6$. Copy or complete the first step.

2. Calculate $\frac{2}{3}$ of 450, then subtract 75.

3. Calculate $6,000 - 48 \times 75$.

4. Miro says: Miro carries a method from one number type into the next without checking place value or equivalence. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate $3,250 \div 25 + 4.8 \times 6$. Copy or complete the first step.
Answer 158.8.
2. Calculate $\frac{2}{3}$ of 450, then subtract 75.
Answer 225.
3. Calculate $6,000 - 48 \times 75$.
Answer 2,400.
4. Miro says: Miro carries a method from one number type into the next without checking place value or equivalence. Is this correct? Explain.
Answer Pause at each operation and identify the number representation before choosing the method.

Complete mixed arithmetic efficiently

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate $\frac{2}{3}$ of 450, then subtract 75.

2. Calculate $6,000 - 48 \times 75$.

3. Write a mixed calculation with answer 100 using a fraction and a whole-number operation.

4. Identify and correct this misconception: Miro carries a method from one number type into the next without checking place value or equivalence.

5. Write a complete sentence explaining how you checked one answer.

Teacher answers and checking prompts

1. Calculate $\frac{2}{3}$ of 450, then subtract 75.

Answer 225.

2. Calculate $6,000 - 48 \times 75$.

Answer 2,400.

3. Write a mixed calculation with answer 100 using a fraction and a whole-number operation.

Answer Answers vary, for example $\frac{1}{2}$ of 240 - 20 = 100.

4. Identify and correct this misconception: Miro carries a method from one number type into the next without checking place value or equivalence.

Answer Pause at each operation and identify the number representation before choosing the method.

5. Write a complete sentence explaining how you checked one answer.

Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.

Complete mixed arithmetic efficiently

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Write a mixed calculation with answer 100 using a fraction and a whole-number operation.

2. Explain why this reasoning fails: Miro carries a method from one number type into the next without checking place value or equivalence.

3. Create a new example that tests the same idea as: Calculate $6,000 - 48 \times 75$.

4. Find a second method or representation. Compare its efficiency with your first method.

5. Write one always, sometimes or never statement about today's learning and justify it.

Teacher answers and checking prompts

1. Write a mixed calculation with answer 100 using a fraction and a whole-number operation.
Answer Answers vary, for example $\frac{1}{2}$ of $240 - 20 = 100$.
2. Explain why this reasoning fails: Miro carries a method from one number type into the next without checking place value or equivalence.
Answer Pause at each operation and identify the number representation before choosing the method.
3. Create a new example that tests the same idea as: Calculate $6,000 - 48 \times 75$.
Answer Answers vary. The example and solution must preserve the mathematical structure.
4. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
5. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.