

Divide non-unit fractions

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Calculate $\frac{3}{4}$ divided by 2. Copy or complete the first step.

2. Calculate $\frac{5}{6}$ divided by 3.

3. Calculate $2\frac{1}{4}$ divided by 3.

4. Miro says: Miro divides both the numerator and denominator by the whole number. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Calculate $\frac{3}{4}$ divided by 2. Copy or complete the first step.
Answer $\frac{3}{8}$.
2. Calculate $\frac{5}{6}$ divided by 3.
Answer $\frac{5}{18}$.
3. Calculate $2\frac{1}{4}$ divided by 3.
Answer $\frac{3}{4}$.
4. Miro says: Miro divides both the numerator and denominator by the whole number. Is this correct? Explain.
Answer Division changes the size of each share. Use a bar model or multiply by the unit fraction, then simplify.

Divide non-unit fractions

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Calculate $\frac{3}{4}$ divided by 2.

6. Check this result using an inverse, estimate or known fact: Calculate $2\frac{1}{4}$ divided by 3.

2. Calculate $\frac{5}{6}$ divided by 3.

7. Prove or explain your reasoning: Seven eighths of a litre is shared equally between 3 cups. How much is in each cup?

3. Calculate $2\frac{1}{4}$ divided by 3.

8. Identify and correct this misconception: Miro divides both the numerator and denominator by the whole number.

4. Solve this independently and show every stage: Calculate $\frac{3}{4}$ divided by 2.

9. Write a complete sentence explaining how you checked one answer.

5. Use a second method or representation for: Calculate $\frac{5}{6}$ divided by 3.

10. Write and solve a similar question to: Calculate $2\frac{1}{4}$ divided by 3.

Teacher answers and checking prompts

1. Calculate $\frac{3}{4}$ divided by 2.
Answer $\frac{3}{8}$.
2. Calculate $\frac{5}{6}$ divided by 3.
Answer $\frac{5}{18}$.
3. Calculate $2\frac{1}{4}$ divided by 3.
Answer $\frac{3}{4}$.
4. Solve this independently and show every stage: Calculate $\frac{3}{4}$ divided by 2.
Answer $\frac{3}{8}$.
5. Use a second method or representation for: Calculate $\frac{5}{6}$ divided by 3.
Answer Expected result: $\frac{5}{18}$. Method or representation may vary.
6. Check this result using an inverse, estimate or known fact: Calculate $2\frac{1}{4}$ divided by 3.
Answer Expected result: $\frac{3}{4}$. A valid check must be shown.
7. Prove or explain your reasoning: Seven eighths of a litre is shared equally between 3 cups. How much is in each cup?
Answer $\frac{7}{24}$ litre. The explanation must show why the method works.
8. Identify and correct this misconception: Miro divides both the numerator and denominator by the whole number.
Answer Division changes the size of each share. Use a bar model or multiply by the unit fraction, then simplify.
9. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.
10. Write and solve a similar question to: Calculate $2\frac{1}{4}$ divided by 3.
Answer Answers vary. The new question must use the same mathematical structure and include a correct solution.

Divide non-unit fractions

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Prove or explain your reasoning: Seven eighths of a litre is shared equally between 3 cups. How much is in each cup?

6. Create a new example that tests the same idea as: Calculate $2\frac{1}{4}$ divided by 3.

2. Prove the answer to this question, rather than only calculating it: Calculate $\frac{3}{4}$ divided by 2.

7. Find a second method or representation. Compare its efficiency with your first method.

3. Solve this in two different ways and compare them: Calculate $\frac{5}{6}$ divided by 3.

8. Write one always, sometimes or never statement about today's learning and justify it.

4. Work backwards from the answer to reconstruct the question: $\frac{3}{4}$.

9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.

5. Explain why this reasoning fails: Miro divides both the numerator and denominator by the whole number.

10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.

Teacher answers and checking prompts

1. Prove or explain your reasoning: Seven eighths of a litre is shared equally between 3 cups. How much is in each cup?
Answer $7/24$ litre. The explanation must show why the method works.
2. Prove the answer to this question, rather than only calculating it: Calculate $3/4$ divided by 2.
Answer Expected result: $3/8$. Proof or justification must match the lesson structure.
3. Solve this in two different ways and compare them: Calculate $5/6$ divided by 3.
Answer Expected result: $5/18$. Two valid methods and a comparison are required.
4. Work backwards from the answer to reconstruct the question: $3/4$.
Answer One valid reconstruction is: Calculate $2\frac{1}{4}$ divided by 3. Other equivalent questions are acceptable.
5. Explain why this reasoning fails: Miro divides both the numerator and denominator by the whole number.
Answer Division changes the size of each share. Use a bar model or multiply by the unit fraction, then simplify.
6. Create a new example that tests the same idea as: Calculate $2\frac{1}{4}$ divided by 3.
Answer Answers vary. The example and solution must preserve the mathematical structure.
7. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
8. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.
9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.
Answer Answers vary. The error must be mathematically relevant and the correction must be precise.
10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.
Answer Answers vary. The explanation must distinguish the mathematical structure from the changed value.