

Convert percentages to fractions

Use the scaffold, show each step and ask for an adult check when marked.

Name: _____ Date: _____

1. Read the model: Write 35% as a fraction in simplest form. Copy or complete the first step.

2. Order $\frac{3}{5}$, 0.58 and 62% from least to greatest.

3. Complete: $\frac{9}{25} = \frac{\quad}{\quad} = \quad\%$.

4. Miro says: Miro moves the decimal point without considering the value. Is this correct? Explain.

Teacher answers and checking prompts

1. Read the model: Write 35% as a fraction in simplest form. Copy or complete the first step.

Answer 7/20.

2. Order $\frac{3}{5}$, 0.58 and 62% from least to greatest.

Answer 0.58, $\frac{3}{5}$, 62%.

3. Complete: $\frac{9}{25} = \underline{\quad} = \underline{\quad}\%$.

Answer 0.36 and 36%.

4. Miro says: Miro moves the decimal point without considering the value. Is this correct? Explain.

Answer Use a hundred-square model or multiplication and division by 100, then check against a known benchmark.

Convert percentages to fractions

Work independently. Show a complete method and check at least one answer.

Name: _____ Date: _____

1. Write 35% as a fraction in simplest form.

6. Check this result using an inverse, estimate or known fact:
Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.

2. Order $3/5$, 0.58 and 62% from least to greatest.

7. Prove or explain your reasoning: Write $7/20$ as a decimal.

3. Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.

8. Identify and correct this misconception: Miro moves the decimal point without considering the value.

4. Solve this independently and show every stage: Write 35% as a fraction in simplest form.

9. Write a complete sentence explaining how you checked one answer.

5. Use a second method or representation for: Order $3/5$, 0.58 and 62% from least to greatest.

10. Write and solve a similar question to: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.

Teacher answers and checking prompts

1. Write 35% as a fraction in simplest form.
Answer $7/20$.
2. Order $3/5$, 0.58 and 62% from least to greatest.
Answer 0.58, $3/5$, 62%.
3. Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.
Answer 0.36 and 36%.
4. Solve this independently and show every stage: Write 35% as a fraction in simplest form.
Answer $7/20$.
5. Use a second method or representation for: Order $3/5$, 0.58 and 62% from least to greatest.
Answer Expected result: 0.58, $3/5$, 62%. Method or representation may vary.
6. Check this result using an inverse, estimate or known fact: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.
Answer Expected result: 0.36 and 36%. A valid check must be shown.
7. Prove or explain your reasoning: Write $7/20$ as a decimal.
Answer 0.35. The explanation must show why the method works.
8. Identify and correct this misconception: Miro moves the decimal point without considering the value.
Answer Use a hundred-square model or multiplication and division by 100, then check against a known benchmark.
9. Write a complete sentence explaining how you checked one answer.
Answer Answer should name an inverse, estimate, boundary, known fact or equivalent representation.
10. Write and solve a similar question to: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.
Answer Answers vary. The new question must use the same mathematical structure and include a correct solution.

Convert percentages to fractions

Prove, compare or generalise. Write enough reasoning for another pupil to follow.

Name: _____ Date: _____

1. Prove or explain your reasoning: Write $7/20$ as a decimal.

6. Create a new example that tests the same idea as: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.

2. Prove the answer to this question, rather than only calculating it: Write 35% as a fraction in simplest form.

7. Find a second method or representation. Compare its efficiency with your first method.

3. Solve this in two different ways and compare them: Order $3/5$, 0.58 and 62% from least to greatest.

8. Write one always, sometimes or never statement about today's learning and justify it.

4. Work backwards from the answer to reconstruct the question: 0.36 and 36%.

9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.

5. Explain why this reasoning fails: Miro moves the decimal point without considering the value.

10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.

Teacher answers and checking prompts

1. Prove or explain your reasoning: Write $7/20$ as a decimal.
Answer 0.35. The explanation must show why the method works.
2. Prove the answer to this question, rather than only calculating it: Write 35% as a fraction in simplest form.
Answer Expected result: $7/20$. Proof or justification must match the lesson structure.
3. Solve this in two different ways and compare them: Order $3/5$, 0.58 and 62% from least to greatest.
Answer Expected result: 0.58, $3/5$, 62%. Two valid methods and a comparison are required.
4. Work backwards from the answer to reconstruct the question: 0.36 and 36%.
Answer One valid reconstruction is: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$. Other equivalent questions are acceptable.
5. Explain why this reasoning fails: Miro moves the decimal point without considering the value.
Answer Use a hundred-square model or multiplication and division by 100, then check against a known benchmark.
6. Create a new example that tests the same idea as: Complete: $9/25 = \underline{\quad} = \underline{\quad}\%$.
Answer Answers vary. The example and solution must preserve the mathematical structure.
7. Find a second method or representation. Compare its efficiency with your first method.
Answer Answers vary. Comparison should refer to accuracy, number structure and clarity.
8. Write one always, sometimes or never statement about today's learning and justify it.
Answer Answers vary. A valid example and counterexample should support the classification.
9. Create a believable incorrect solution. Identify the exact step where the reasoning breaks.
Answer Answers vary. The error must be mathematically relevant and the correction must be precise.
10. Change one value or condition in a question. Explain what changes in the solution and what stays the same.
Answer Answers vary. The explanation must distinguish the mathematical structure from the changed value.